CATALOG



770.932.1118

Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

GENERAL CASEWORK

TABLE OF CONTENTS for Base Cabinets Wall Cabinets Tall Cases Tables & Kneespaces

Base Cabinet Section:	Wall/Upper Cabine Section:	t Tall Case Section:	Tables & Kneespace Section:
<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>
35" H 1-8 35" H corner 8-9 ADA COMPLIANT 33" H 10-15 33" H corner 16 29" H 17-20 29" H corner 21 25" H 22-23 25" H corner 24	Open 1, 14-7 Wood door 2-3, 6, 14-15 Glazed door 4-5, 7, 14-15 Sliding door 8-10, 14-15 Upper, 48"H 11-12 Upper, 36"H 14-15 Corner 13	General 1-2, 4, 12	Adjustable Height Table 3 Open, Wood Frame, Table 1 Open, Metal Frame, Table 2 Kneespaces 4-5
		Supply 5-9 Tote Tray 10-11 Wardrobe 7-9	

Filler panels, filler panels for wall, upper, base and tall cases, scribe strips and, single or double faced countertop support panels are found on pages 1-2 of the "Filler/Scribe" section immediately following "Base Cabinets".


		1	
Number Width	Number Width	Pull Out I Number Width	Number Width
1200 12-3/8 1202 15-5/ 1204 18" 1206 21" 1208 24"	3" 1210 12-3/8"	1220 12-3/8 1222 15-5/16" 1224 18" 1226 21" 1228 24"	1230 12-3/8 1232 15-5/16" 1234 18" 1236 21" 1238 24"
Pull Out I		4 	— 4 — — — — — — — — — — — — — — — — — —
Number Width 1231 12-3/8 1233 15-5/* 1235 18" 1237 21" 1239 24"	3 1240 12-3/8	Number Width 1250 12-3/8 1252 15-5/16" 1254 18" 1256 21" 1258 24"	Number Width 1260 12-3/8 1262 15-5/16" 1264 18" 1266 21" 1268 24"
5 	Pull Out 5-3/4	Pull Out 5	5 5
Number Width 1261 12-3/8 1263 15-5/* 1265 18" 1267 21" 1269 24"	3 1270 12-3/8	Number Width 1280 12-3/8 1282 15-5/16" 1284 18" 1286 21" 1288 24"	Number Width 1290 12-3/8 1292 15-5/16" 1294 18" 1296 21" 1298 24"
6 6	= 8 = 9 = 9 = 9	8 8 8	- 4 - 2 - 3 8 - 3 8
Number Width 1300 12-3/ 1302 15-5/ 1304 18" 1306 21" 1308 24" 2009	8 1310 12-3/8	Number Width 1320 12-3/8 1322 15-5/16" 1324 18" 1326 21" 1328 24" Campbell Rhea	Number Width 1330 12-3/8 1332 15-5/16" 1334 18" 1336 21" 1338 24" General Base Cabinets - 1

5	5 5	= 8 = 8 	= 8
Number Width 1340 12-3/8" 1342 15-5/16" 1344 18" 1346 21" 1348 24"	Number Width 1350 12-3/8 1352 15-5/16" 1354 18" 1356 21" 1358 24"	Number Width 1360 12-3/8 1362 15-5/16" 1364 18" 1366 21" 1368 24"	Number Width 1370 12-3/8 1372 15-5/16" 1374 18" 1376 21" 1378 24"
6 6	5 5	4 4	8 - 1
Number Width 1380 12-3/8 1382 15-5/16" 1384 18" 1386 21" 1388 24"	Number Width 1390 12-3/8 1392 15-5/16" 1394 18" 1396 21" 1398 24"	Number Width 1400 12-3/8 1402 15-5/16" 1404 18" 1406 21" 1408 24"	Number Width 1410 12-3/8 1412 15-5/16" 1414 18" 1416 21" 1418 24"
8 - 4 	5F	— 8-1/4 — 8-1/4 — F	- 6 - 3
Number Width 1420 12-3/8 1422 15-5/16" 1424 18" 1426 21" 1428 24"	Number Width 1430 18" 1432 21" 1434 24"	Number Width 1436 18" 1438 21" 1440 24"	Number Width 1442 12-3/8 1444 15-5/16" 1446 18" 1448 21" 1450 24"
5 	8 - - - 4	8 - 8 - 6 4 - 3	Pull Out - 7-1/4 - 6-1/4 - F
Number Width 1452 18" 1454 21" 1456 24"	Number Width 1458 12-3/8 1460 15-5/16" 1462 18" 1464 21" 1466 24"	Number Width 1468 12-3/8 1470 15-5/16" 1472 18" 1474 21" 1476 24"	Number Width 1478 18" 1480 21" 1482 24"


	,		
Pull Out			2 individual cupboards
Number Width 1484 18" 1486 21" 1488 24"	Number Width 1490 27" 1492 30" 1494 35-1/4" 1496 41-1/4" 1498 47-1/4"	Number Width 1500 24" 1502 27" 1504 30" 1506 35-1/4" 1508 41-1/4" 1510 47-1/4"	Number Width 1512 24" 1514 27" 1516 30" 1518 35-1/4" 1520 41-1/4"
G		4	
Number Width 1524 30" 1526 35-1/4" 1527 41-1/4" 1528 47-1/4"	Number Width 1532 24" 1534 27" 1536 30" 1538 35-1/4" 1540 41-1/4" 1542 47-1/4"	Number Width 1544 24" 1546 27" 1548 30" 1550 35-1/4" 1552 41-1/4" 1554 47-1/4"	Number Width 1556 24" 1558 27" 1560 30" 1562 35-1/4" 1564 41-1/4" 1566 47-1/4"
4 	3 	— — 5 	8 4
Number Width 1568 24" 1570 27" 1572 30" 1574 35-1/4" 1576 41-1/4" 1578 47-1/4"	Number Width 1569 24" 1571 27" 1573 30" 1575 35-1/4" 1577 41-1/4"	Number Width 1580 24" 1582 27" 1584 30" 1586 35-1/4" 1588 41-1/4" 1590 47-1/4"	Number Width 1592 24" 1594 27" 1596 30" 1598 35-1/4" 1600 41-1/4"
4 — — 8	8 I I	3 	
Number Width 1604 24" 1606 27" 1608 30" 1610 35-1/4" 1612 41-1/4" 1614 47-1/4"	Number Width 1616 24" 1618 27" 1620 30" 1622 35-1/4" 1624 41-1/4" 1626 47-1/4"	Number Width 1628 47-1/4"	Number Width 1630 47-1/4"

	I	T	
2 individual cupboards Number Width 1632 24" 1634 27" 1636 30" 1638 35-1/4" 1640 41-1/4" 1642 47-1/4"	2 individual cupboards Number Width 1644 24" 1646 27" 1648 30" 1650 35-1/4" 1652 41-1/4" 1654 47-1/4"	2 individual cupboards Number Width 1656 24" 1658 27" 1660 30" 1662 35-1/4" 1664 41-1/4" 1666 47-1/4"	Number Width 1668 24' 1670 27' 1672 30" 1674 35-1/4" 1676 41-1/4" 1678 47-1/4"
6 —	Number Width 1680 24" 1682 27" 1684 30" 1686 35-1/4" 1688 41-1/4" 1690 47-1/4"	Number Width 1681 24" 1683 27" 1685 30" 1687 35-1/4" 1689 41-1/4" 1691 47-1/4"	Number Width 1692 24" 1694 27" 1696 30" 1698 35-1/4" 1700 41-1/4" 1702 47-1/4"
Number Width 1693 24" 1695 27" 1697 30" 1699 35-1/4" 1701 41-1/4" 1703 47-1/4"	Number Width 1704 24" 1706 27" 1708 30" 1710 35-1/4" 1712 41-1/4" 1714 47-1/4"	Number Width 1705 24" 1707 27" 1709 30" 1711 35-1/4" 1713 41-1/4" 1715 47-1/4"	Pull Out 7-1/4
Number Width 1719 24" 1721 27" 1723 30" 1725 35-1/4" 1727 41-1/4" 1729 47-1/4"	Number Width 1720 24" 1722 27" 1724 30" 1726 35-1/4" 1728 41-1/4" 1730 47-1/4"	Number Width 1731 24" 1733 27" 1735 30" 1737 35-1/4" 1739 41-1/4" 1741 47-1/4"	Number Width 1732 24" 1734 27" 1736 30" 1738 35-1/4" 1740 41-1/4" 1742 47-1/4"

All units are 22-1/2" D, unless noted otherwise




2009





35" High Base Cabinets All units are 22-1/2" D, unless noted otherwise


Number Width 2038 24" 2040 27" 2042 30" 2044 35-1/4" 2046 41-1/4" 2048 47-1/4"	Number Width 2050 24" 2032 27" 2054 30" 2056 35-1/4" 2058 41-1/4" 2060 47-1/4"	- - 4 - - 4 - - 4	Number Width 2063 24" 2065 27" 2067 30" 2069 35-1/4" 2071 41-1/4"
Number Width 2074 24" 2076 27" 2078 30" 2080 35-1/4" 2082 41-1/4" 2084 47-1/4"	8 — — — — — — — — — — — — — — — — — — —	- - 4 - 4 - 4 - - 4	Number Width 2087 24" 2089 27" 2091 30" 2093 35-1/4" 2095 41-1/4" 2097 47-1/4"
- - - 4 - - 4 - - -	- - - 4 - - 4	Number Width 2102 24" 2104 27" 2106 30" 2108 35-1/4" 2110 41-1/4" 2112 47-1/4"	Number Width 2114 24" 2116 27" 2118 30" 2120 35-1/4" 2122 41-1/4" 2124 47-1/4"
Number Width 2126 24" 2128 27" 2130 30" 2132 35-1/4" 2134 41-1/4" 2136 47-1/4"	8 — — — — — — — — — — — — — — — — — — —	Number Width 2150 24" 2152 27" 2154 30" 2156 35-1/4" 2158 41-1/4" 2160 47-1/4"	Number Width 2162 24" 2164 27" 2166 30" 2168 35-1/4" 2170 41-1/4" 2172 47-1/4"

All units are 22-1/2" D, unless noted otherwise










One adjustable shelf

Number Width Depth 3872 34-1/4" 22-1/2 3873 27-1/2" 16" Two revolving metal shelves


Number Width Depth 3878 34-1/4" 22-1/2"

35" High Blind Corner Cabinets All units are 22-1/2" D, unless noted otherwise




PLAN VIEW


Α	В
35-1/4"	18-1/2"
41-1/4"	21-1/2"
47-1/4"	24-1/2"




Number	Width
3800	35-1/4
3802	41-1/4"
3804	47-1/4"



Number	Width
3836 3838	35-1/4 ³
3840	47-1/4




Number	Width
3818	35-1/4"
3820	41-1/4"
3822	47-1/4"




Number	Width
3854	35-1/4"
3856	41-1/4"
3858	47-1/4"


Blind corner cabinets below have finished panels enclosing the open shelf area.



5-1/4" 1-1/4"
7-1/4"



Number	Width
3818P 3820P 3822P	35-1/4' 41-1/4' 47-1/4'



Number	Width
3836P	35-1/4"
3838P	41-1/4"
3840P	47-1/4"

_	

Number	Width
3854P	35-1/4
3856P	41-1/4
3858P	47-1/4

Campbell Rhea General Base Cabinets - 9


ADA Compliant vs. ADA Accessible

33" height base cabinets are included here for your convenience.

A full selection of casework, furniture and equipment to ADA guidelines are presented in the catalog section dedicated to ADA.

A variety of basic casework cabinetry has been designed to complete the laboratory or classroom assembly requirements for the physically challenged.

Casework units are 22-1/2 inches deep; and, 34 inches high *overall*, inclusive of the one inch thick top material, which must be specified.



33" height base cabinets are included here for your convenience. However, for a full section of casework, furniture and equipment to ADA guidelines, please check the catalog section dedicated to ADA.

Numerous base cabinet design combinations meet the ADA's recommended dimensions. Work areas that meet the needs of the physically challenged are easily designed by including our casework assembly Lab Work Station, or our Kneespace Components.

However, and quite obviously, some casework unit designs are more ADA *accessible* than others. Base cabinets in 41-1/4", 58-1/4", or even 70-1/4" widths, are available in the 33" height; however, the designer must weigh the placement, both in the casework assembly and in the overall room layout, for these units to be truly usable by persons restricted to wheelchairs.

CampbellRhea's Design Engineering and Drafting Departments are prepared to assist in the coordination of functional preliminary designs that will meet ADA guidelines in your project. Contact your CampbellRhea distributor for access to this design service.

Designers, architects and planners are advised to review and verify ADA requirements at the time of their project.


33" Base Cabinets - ADA Compliant Height All units are 22-1/2" D, unless noted otherwise

Number Width	Number Width	Pull Out I Number Width	Number Width
3597 12-3/8" 3598 15-5/16" 3599 18" 3600 21" 3601 24"	3603 12-3/8" 3604 15-5/16" 3605 18" 3606 21" 3607 24"	3608 18" 3609 21" 3610 24"	3611 18" 3612 21" 3613 24"
3 — — — — —	Pull Out 7-1/4 —	4 —	4 — — — —
Number Width 3614 12-3/8" 3615 15-5/16" 3616 18" 3617 21" 3618 24"	Number Width 3619 18" 3620 21" 3621 24"	Number Width 3622 18" 3623 21" 3624 24"	Number Width 3632 12" 3633 15-5/16" 3634 18" 3635 21" 3636 24"
Pull Out	4 4	6 — — — — — — — — — — — — — — — — — — —	— 7-1/4 — 7-1/4 — File
Number Width 3637 18" 3638 21" 3639 24"	Number Width 3640A 18" 3640B 21" 3640C 24"	Number Width 3641 18" 3642 21" 3643 24"	Number Width 3644 18" 3645 21" 3646 24"
- 6 - 3 - 3	——————————————————————————————————————	Pull Out	Pull Out 3-1/4 4-1/4 5-1/4 File
Number Width 3647 18" 3648 21" 3649 24"	Number Width 3650 18" 3651 21" 3652 24"	Number Width 3656 18" 3657 21" 3658 24"	Number Width 3662 18" 3664 21" 3666 24"

33" Base Cabinets - ADA Compliant Height All units are 22-1/2" D, unless noted otherwise

		1 1	
			<u>uu</u>
		2 Individual Cupboards	
Number Width 3680A 27" 3680B 30" 3680C 35-1/4" 3680D 41-1/4" 3680E 47-1/4"	Number Width 3681A 24" 3681B 27" 3681C 30" 3681D 35-1/4" 3681E 41-1/4" 3681F 47-1/4"	Number Width 3682A 24" 3682B 27" 3682C 30" 3682D 35-1/4" 3682E 41-1/4" 3682F 47-1/4"	Number Width 3683C 30" 3683D 35-1/4" 3683E 41-1/4" 3683F 47-1/4"
	— — 4 III	3	4 1
Number Width 3684A 24" 3684B 27" 3684C 30" 3684D 35-1/4" 3684E 41-1/4" 3684F 47-1/4"	Number Width 3685A 24" 3685B 27" 3685C 30" 3685D 35-1/4" 3685E 41-1/4" 3685F 47-1/4"	Number Width 3686A 24" 3686B 27" 3686C 30" 3686D 35-1/4" 3686E 41-1/4" 3686F 47-1/4"	Number Width 3687A 24" 3687B 27" 3687C 30" 3687D 35-1/4" 3687E 41-1/4" 3687F 47-1/4"
3 1	- - - 3 II		3
Number Width 3688A 24" 3688B 27" 3688C 30" 3688D 35-1/4" 3688E 41-1/4" 3688F 47-1/4"	Number Width 3690 47-1/4"	Number Width 3692 47-1/4"	Number Width 3693A 24" 3693B 27" 3693C 30" 3693D 35-1/4" 3693E 41-1/4" 3693F 47-1/4"
4 4	3 —	6 -	
Number Width 3694A 24" 3694B 27" 3694C 30" 3694D 35-1/4" 3694E 41-1/4" 3694F 47-1/4"	Number Width 3695A 24" 3695B 27" 3695C 30" 3695D 35-1/4" 3695E 41-1/4" 3695F 47-1/4"	Number Width 3696A 24" 3696B 27" 3696C 30" 3696D 35-1/4" 3696E 41-1/4" 3696F 47-1/4"	Number Width 3697A 24" 3697B 27" 3697C 30" 3697D 35-1/4" 3697E 41-1/4" 3697F 47-1/4"


33" Base Cabinets - ADA Compliant Height




33" Base Cabinets - ADA Compliant Height All units are 22-1/2" D, unless noted otherwise

Number Width 3714D 35-1/4" 3714F 47-1/4"	- - 3 - - -	-	Number Width 3717D 35-1/4" 3717E 41-1/4"
	Number Width 3718D 35-1/4" 3718E 41-1/4" 3718F 47-1/4"	Number Width 3719D 35-1/4" 3719E 41-1/4" 3719F 47-1/4"	Number Width 3720D 35-1/4" 3720E 41-1/4" 3720F 47-1/4"
Number Width 3721D 35-1/4" 3721E 41-1/4" 3721F 47-1/4"	-	-	— — 6
—	—	- - 4 - -	—


33" Base Cabinets - ADA Compliant Height



33" Blind Corner Cabinets - ADA Compliant Height All units are 22-1/2" D, unless noted otherwise




Α	В
35-1/4"	18-1/2"
41-1/4"	21-1/2"
47-1/4"	24-1/2"




Number 3778 3779

3780

Width	
35-1/4"	
41-1/4"	
47-1/4"	




Number 3778P	Width
3778P	35-1/4"
3779P	41-1/4"
3780P	47-1/4"




PLAN VIEW


Number	Width
3781	35-1/4"
3782	41-1/4"
3783	47-1/4"




Number	Width
3781P	35-1/4"
3782P	41-1/4"
3783P	47-1/4"




Number	Width
3784	35-1/4"
3785	41-1/4"
3786	47-1/4"



Number	Width
3784P	35-1/4"
3785P	41-1/4"
3786P	47-1/4"




Number	Width
3787	35-1/4"
3788	41-1/4"
3789	47-1/4"




Number	Width
3787P	35-1/4"
3788P	41-1/4"
3789P	47-1/4"

33" Corner Cabinets -


ADA Compliant Height All units are 22-1/2" D, unless noted otherwise



Equipped with 2 revolving metal shelves Number Width 3796 34-1/4"



Modified designs are available; consult with your CampbellRhea dealer.




Equipped with 1 adjustable shelf


Number Width 3794


34-1/4" 16 - Campbell Rhea General Base Cabinets

29" High Base Cabinets All units 22-1/2" D., unless noted otherwise

		<u> </u>	
Number Width 2420 12-3/8" 2422 15-5/16" 2424 18" 2426 21" 2428 24"	Number Width 2430 12-3/8" 2432 15-5/16" 2434 18" 2436 21" 2438 24"	Number Width 2431 12-3/8" 2433 15-5/16" 2435 18" 2437 21" 2439 24"	Number Width 2440 12-3/8" 2442 15-5/16" 2444 18" 2446 21" 2448 24"
Number Width 2450 12-3/8" 2452 15-5/16" 2454 18" 2456 21" 2458 24"	Number Width 2460 12-3/8" 2462 15-5/16" 2464 18" 2466 21" 2468 24"	Number Width 2470 12-3/8" 2472 15-5/16" 2474 18" 2476 21" 2478 24"	Pull Out
Number Width 2490 12-3/8" 2492 15-5/16" 2494 18" 2496 21" 2498 24"	File Number Width 2500 18" 2502 21" 2504 24"	Pull Out	Number Width 2512 12-3/8" 2514 15-5/16" 2516 18" 2518 21" 2520 24"
Number Width 2522 12-3/8" 2524 15-5/16" 2526 18" 2528 21" 2530 24"	Number Width 2532 12-3/8" 2534 15-5/16" 2536 18" 2538 21" 2540 24"	— 4 — 4 File Number Width 2542 12-3/8" 2544 15-5/16" 2546 18" 2548 21" 2550 24"	Pull Out 6-3/4









29" High Corner Sink & Blind Corner Cabinet


All units 22-1/2" D., unless noted otherwise

Corner Sink Cabinet:






Blind Corner Cabinets:




Α .	В
35-1/4"	18-1/2"
41-1/4"	21-1/2"
47-1/4"	24-1/2"


PLAN VIEW




Number	Width
3806	35-1/4"
3808	41-1/4"
3810	47-1/4"




Number	Width
3806P	35-1/4"
3808P	41-1/4"
3810P	47-1/4"




Number	Width
3824	35-1/4"
3826	41-1/4"
3828	47-1/4"



Number	Width
3824P	35-1/4"
3826P	41-1/4"
3828P	47-1/4"




Number	Width
3842	35-1/4"
3844	41-1/4"
3846	47-1/4"



Number	Width
3842P	35-1/4"
3844P	41-1/4"
3846P	47-1/4"




Number	Width
3860	35-1/4"
3862	41-1/4"
3864	47-1/4"




Width
35-1/4"
41-1/4"
47-1/4"

29" High Corner Base Cabinets


Units are 22-1/2" Deep.





(One adjustable shelf)

Number Width 3874 34-1/4"



(Two revolving metal shelves)

Number Width


3880 34-1/4"

3124 12-3/8" 3126 15-5/16" 3128 18" 3130 21" 3132 24"	- - - - 3134 12-3/8" 3136 15-5/16" 3138 18" 3140 21" 3142 24"	—	3154 12-3/8" 3156 15-5/16" 3158 18" 3160 21" 3162 24"
3164 12-3/8" 3166 15-5/16" 3168 18" 3170 21" 3172 24"	3174 12-3/8" 3176 15-5/16" 3178 18" 3180 21" 3182 24"	3184 12-3/8" 3186 15-5/16" 3188 18" 3190 21" 3192 24"	3250 27" 3252 30" 3254 35-1/4" 3256 41-1/4" 3258 47-1/4"
3260 24" 3262 27" 3264 30" 3266 35-1/4" 3268 41-1/4" 3270 47-1/4"	Two individual cupboards 3272 24" 3274 27" 3276 30" 3278 35-1/4" 3280 41-1/4" 3282 47-1/4"	3284 30" 3286 35-1/4" 3288 41-1/4" 3290 47-1/4"	3292 24" 3294 27" 3296 30" 3298 35-1/4" 3300 41-1/4" 3302 47-1/4"
3304 24" 3306 27" 3308 30" 3310 35-1/4" 3312 41-1/4" 3314 47-1/4"	3316 24" 3318 27" 3320 30" 3322 35-1/4" 3324 41-1/4" 3326 47-1/4"	3328 24" 3330 27" 3332 30" 3334 35-1/4" 3336 41-1/4" 3338 47-1/4"	3340 24" 3342 27" 3344 30" 3346 35-1/4" 3348 41-1/4" 3350 47-1/4"

	— 4 — 4	_ 		_ _ _			4
3352 3354 3356 3358 3360 3362	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3364 3366 3368 3370 3372 3374	24" 27" 30 " 35-1/4" 41-1/4" 47-1/4"	3365 3367 3369 3371 3373 3375	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3376 3378 3380 3382 3384 3386	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"
		- - - -	4	_ _ _	4	I	
3388 3390 3392 3394 3396 3398	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3400 3402 3404 3406 3408 3410	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3412 3414 3416 3418 3420 3422	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3510 3512 3514 3516 3518	12-3/8" 15-5/16" 18" 21" 24"
3532 3534 3536 3538 3540 3542	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	6" deel 3554 3556 3558 3560 3562	o sink front 12-3/8" 15-5/16" 18" 21" 24"	6" dee 3576 3578 3580 3582 3584 3586	p sink front 24" 27" 30" 35-1/4" 41-1/4" 47-1/4"		


25" High Blind Corner Cabinets

All units 22-1/2" D., unless noted otherwise




Α	В
35-1/4"	18-1/2"
41-1/4"	21-1/2"
47-1/4"	24-1/2"


3812	35-1/4"	25"
3814	41-1/4"	25"
3816	47-1/4"	25"




3812P	35-1/4"	25"
3814P	41-1/4"	25"
3816D	17 1/1"	25"


PLAN VIEW









3848	35-1/4"	25"
3850	41-1/4"	25"
3852	47-1/4"	25"



3848P	35-1/4"	25"
3850P	41-1/4"	25"
3852P	47-1/4"	25"




3866 35-1/4" 25" 3868 41-1/4" 25" 3870 47-1/4" 25"




3866P 35-1/4" 25" 3868P 41-1/4" 25" 3870P 47-1/4" 25"

25" High Corner Cabinets

All units 22-1/2" D., unless noted otherwise



One adjustable shelf

W H D 3876 34-1/4" 25" 22-1/2 

CORNER CABINET
Two revolving metal shelves


W H D 3882 34-1/4" 25" 22-1/2"

2009


Filler Panels

3/4" plywood, vertical grain with 3/4" removable blocking screwed to each end. Cut to fit at job site; filler panels can be joined to accommodate unequal corners.

Number 9012-152 9012-305 9012-609 9012-1199	W 6" 12" 24" 47-1/4"	H 12" 12" 12" 12"
Number 9016-152 9016-305 9016-609 9016-1199	W 6" 12" 24" 47-1/4"	H 16-3/16" 16-3/16" 16-3/16"
Number 9024-152 9024-305 9024-609 9024-1199	W 6" 12" 24" 47-1/4"	H 23-3/4" 23-3/4" 23-3/4"
Number 9025-152 9025-305 9025-609 9025-1199	W 6" 12" 24" 47-1/4"	H 25" 25" 25" 25"
Number 9029-152 9029-305 9029-609 9029-1199	W 6" 12" 24" 47-1/4"	H 29" 29" 29" 29"
Number 9031-152 9031-305 9031-609 9031-1199	W 6" 12" 24" 47-1/4"	H 31-1/4" 31-1/4" 31-1/4"



Number 9033-152 9033-305 9033-609 9033-1199	W 6" 12" 24" 47-1/4"	H 33" 33" 33" 33"
Number 9035-152 9035-305 9035-609 9035-1199	W 6" 12" 24" 47-1/4"	H 35" 35" 35" 35"
Number 9036-152 9036-305 9036-609 9036-1199	W 6" 12" 24" 47-1/4"	H 36" 36" 36" 36"
Number 9048-152 9048-305 9048-609 9048-1199	W 6" 12" 24" 47-1/4"	H 48" 48" 48" (half sheet)
Number 9084-152 9084-305 9084-609 9084-1199	W 6" 12" 24" 47-1/4"	H 84" 84" 84" (full sheet)



Corner Filler - For Wall & Upper Cases

Constructed from 3/4" plywood with vertical grain. Filler panels can be joined at job site to accommodate unequal corners.

Number	Н
9112	12"
9118	16-3/16"
9124	23-3/4"
9130	31-1/4"
9136	36"
9148	48"
2009	



Corner Filler - For Base Cabinets & Tall Cases

Constructed from 3/4" plywood with vertical grain. Filler panels can be joined at job site to accommodate unequal corners.

Number	н
9125	25"
9129	29"
9133	33"
9135	35"
9144	44"
9184	84"

Campbell Rhea Scribe & Filler Panels - 1


Scribe Strips

Available only in sizes indicated. Select next largest size if measurement is not exact, and cut to fit at job site.

Scribe Strips


Solid oak, 1/4" x 3", vertical grain. Scribe strips are available in a variety of lengths.

Number	1	v
9003-603	23-3/4"	3
9003-889	35"	3
9003-1220	48"	3
9003-2134	84"	3




9200 Single Faced Countertop Support Panel Dimensions: W H (Specify) D (Specify)

Overall1-3/16" 25", 29", 33" or 35" 12" to 48"



9202 Double Faced Countertop Support Panel Dimensions: W H (Specify) D (Specify)

Overall1-3/16" 25", 29", 33" or 35" 12" to 48"



Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

GENERAL CASEWORK


TABLE OF CONTENTS for Base Cabinets Wall Cabinets Tall Cases Tables & Kneespaces

Base Cabinet Section:	Wall/Upper Cabine Section:		
<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>
35" H 1-8 35" H corner 8-9 ADA COMPLIANT 33" H 10-15 33" H corner 16 29" H 17-20 29" H corner 21 25" H 22-23 25" H corner 24	Open 1, 14-7 Wood door 2-3, 6, 14-15 Glazed door 4-5, 7, 14-15 Sliding door 8-10, 14-15 Upper, 48"H 11-12 Upper, 36"H 14-15 Corner 13	General 1-2, 4, 12	Adjustable Height Table 3 Open, Wood Frame, Table 1 Open, Metal Frame, Table 2 Kneespaces 4-5
		Supply 5-9 Tote Tray 10-11 Wardrobe 7-9	

Filler panels, filler panels for wall, upper, base and tall cases, scribe strips and, single or double faced countertop support panels are found on pages 1-2 of the "Filler/Scribe" section immediately following "Base Cabinets".

SHELVES ARE FULL-DEPTH, ADJUSTABLE


OPEN FRONT - NO DOOR



	12" DEEP	13" DEEP	16" DEEP
12" HIGH	4200 12-3/8" 4202 15-5/16" 4204 18" 4206 21" 4208 24" 4210 27" 4212 30" 4214 35-1/4" 4216 41-1/4"	4201 12-3/8" 4203 15-5/16" 4205 18" 4207 21" 4209 24" 4211 27" 4213 30" 4215 35-1/4" 4217 41-1/4" 4219 47-1/4"	4220 12-3/8" 4222 15-5/16" 4224 18" 4226 21" 4228 24" 4230 27" 4232 30" 4234 35-1/4" 4236 41-1/4" 4238 47-1/4"
		NO SHELF	
16-3/16" HIGH	12" DEEP 4240 12-3/8" 4242 15-5/16" 4244 18" 4246 21" 4248 24" 4250 27" 4252 30" 4254 35-1/4" 4256 41-1/4" 4258 47-1/4"	13" DEEP 4241 12-3/8" 4243 15-5/16" 4245 18" 4247 21" 4249 24" 4251 27" 4253 30" 4255 35-1/4" 4257 41-1/4" 4259 47-1/4" ADJUSTABLE SHELF	16" DEEP 4260 12-3/8" 4262 15-5/16" 4264 18" 4266 21" 4268 24" 4270 27" 4272 30" 4274 35-1/4" 4276 41-1/4" 4278 47-1/4"
23-3/4" HIGH	12" DEEP 4280 12-3/8" 4282 15-5/16" 4284 18" 4286 21" 4288 24" 4290 27" 4292 30" 4294 35-1/4" 4296 41-1/4"	13" DEEP 4281 12-3/8" 4283 15-5/16" 4285 18" 4287 21" 4289 24" 4291 27" 4293 30" 4295 35-1/4" 4297 41-1/4"	16" DEEP 4300 12-3/8" 4302 15-5/16" 4304 18" 4306 21" 4308 24" 4310 27" 4312 30" 4314 35-1/4" 4316 41-1/4" 4318 47-1/4"
	ONE	ADJUSTABLE SHELF	
31-1/4" HIGH	12" DEEP 4320 12-3/8" 4322 15-5/16" 4324 18" 4326 21" 4328 24" 4330 27" 4332 30" 4334 35-1/4" 4336 41-1/4" 4338 47-1/4"	13" DEEP 4321 12-3/8" 4323 15-5/16" 4325 18" 4327 21" 4329 24" 4331 27" 4333 30" 4335 35-1/4" 4337 41-1/4" 4339 47-1/4"	16" DEEP 4340 12-3/8" 4342 15-5/16" 4344 18" 4346 21" 4348 24" 4350 27" 4352 30" 4354 35-1/4" 4356 41-1/4"

SHELVES ARE FULL-DEPTH, ADJUSTABLE


WOOD DOOR, HINGED RIGHT






12" DEEP		13" DEE	Р	16" DEEP	
4360	12-3/8"	4361	12-3/8"	4370	12-3/8"
4362	15-5/16"	4363	15-5/16"	4372	15-5/16"
4364	18"	4365	18"	4374	18"
4366	21"	4367	21"	4376	21"
4368	24"	4369	24"	4378	24"

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE



12" DEEP 16" DEEP 13" DEEP 4380 12-3/8" 4381 12-3/8" 4390 12-3/8" 16-3/16" 4382 15-5/16" 4392 15-5/16" 4383 15-5/16" HIGH 4384 18" 4394 4385 18" 18" 21" 4386 21" 4396 4387 21" 4388 24" 4398 24" 4389 24'

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4" HIGH

31-1/4" HIGH

12" DEEP		13" DEI	EP	16" DEEP		
4400	12-3/8"	4401	12-3/8"	4410	12-3/8"	
4402	15-5/16"	4403	15-5/16"	4412	15-5/16"	
4404	18"	4405	18"	4414	18"	
4406	21"	4407	21"	4416	21"	
4408	24"	4409	24"			

ONE ADJUSTABLE SHELF




12" DEEP		13" DE	EP	16" DEEP	
4420	12-3/8"	4421	12-3/8"	4430	12-3/8"
4422	15-5/16"	4423	15-5/16"	4432	15-5/16"
4424	18"	4425	18"	4434	18"
4426	21"	4427	21"	4436	21"
4428	24"	4429	24"	4438	24"

SHELVES ARE FULL-DEPTH, ADJUSTABLE


WOOD DOOR, HINGED LEFT

12" HIGH



12" DEEP		13" DEE	P	16" DEEP	
4440	12-3/8"	4441	12-3/8"	4450	12-3/8"
4442	15-5/16"	4443	15-5/16"	4452	15-5/16"
4444	18"	4445	18"	4454	18"
4446	21"	4447	21"	4456	21"
4448	24"	4449	24"	4458	24"

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE




16-3/16"							
HIGH	12" DEEP		13" DE	13" DEEP		16" DEEP	
	4460	12-3/8"	4461	12-3/8"	4470	12-3/8"	
	4462	15-5/16"	4463	15-5/16"	4472	15-5/16"	
	4464	18"	4465	18"	4474	18"	
	4466	21"	4467	21"	4476	21"	
	4468	24"	4469	24"	4478	24"	

	12" DE	EP	13" DE	EP	16" DE	EP
23-3/4"	4480	12-3/8"	4481	12-3/8"	4490	12-3/8"
HIGH	4482	15-5/16"	4483	15-5/16"	4492	15-5/16"
	4484	18"	4485	18"	4494	18"
	4486	21"	4487	21"	4496	21"
	4488	24"	4489	24"	4498	24"

ONE ADJUSTABLE SHELF


ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




	12" DEEP		13" DE	13" DEEP		16" DEEP	
	4500	12-3/8"	4501	12-3/8"	4510	12-3/8"	
	4502	15-5/16"	4503	15-5/16"	4512	15-5/16"	
04 4/4"	4504	18"	4505	18"	4514	18"	
31-1/4"	4506	21"	4507	21"	4516	21"	
HIGH	4508	24"	4509	24"	4518	24"	

SHELVES ARE FULL-DEPTH, ADJUSTABLE


GLAZED DOOR, HINGED RIGHT





12" DEEP		13" DE	EP	16" DEEP	
4520	12-3/8"	4521	12-3/8"	4530	12-3/8"
4522	15-5/16"	4523	15-5/16"	4532	15-5/16"
4524	18"	4525	18"	4534	18"
4526	21"	4527	21"	4536	21"
4528	24"	4529	24"	4538	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4" HIGH

16-3/16" HIGH

12" DEEP		13" DE	13" DEEP		16" DEEP	
	4540	12-3/8"	4541	12-3/8"	4550	12-3/8"
	4542	15-5/16"	4543	15-5/16"	4552	15-5/16"
	4544	18"	4545	18"	4554	18"
	4546	21"	4547	21"	4556	21"
	4548	24"	4549	24"	4558	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE





31-1/4" HIGH

12" DEEP		13" DE	13" DEEP		16" DEEP	
4560	12-3/8"	4561	12-3/8"	4570	12-3/8"	
4562	15-5/16"	4563	15-5/16"	4572	15-5/16"	
4564	18"	4565	18"	4574	18"	
4566	21"	4567	21"	4576	21"	
4568	24"	4569	24"	4578	24"	

SHELVES ARE FULL-DEPTH, ADJUSTABLE


GLAZED DOOR, HINGED LEFT






	12" DE	EP	13" DE	EP	16" DE	EP
	4580	12-3/8"	4581	12-3/8"	4590	12-3/8"
	4582	15-5/16"	4583	15-5/16"	4592	15-5/16"
	4584	18"	4585	18"	4594	18"
16-3/16"	4586	21"	4587	21"	4596	21"
HIGH	4588	24"	4589	24"	4598	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



	12" DEEP		13" DE	13" DEEP 16" DEE		EP
	4600	12-3/8"	4601	12-3/8"	4610	12-3/8"
	4602	15-5/16"	4603	15-5/16"	4612	15-5/16"
23-3/4"	4604	18"	4605	18"	4614	18"
HIGH	4606	21"	4607	21"	4616	21"
	4608	24"	4609	24"	4618	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE





	12" DEEP		13" DE	13" DEEP 1		16" DEEP	
	4620	12-3/8"	4621	12-3/8"	4630	12-3/8"	
	4622	15-5/16"	4623	15-5/16"	4632	15-5/16"	
31-1/4"	4624	18"	4625	18"	4634	18"	
HIGH	4626	21"	4627	21"	4636	21"	
	4628	24"	4629	24"	4638	24"	

TWO ADJUSTABLE SHELVES

SHELVES ARE FULL-DEPTH, ADJUSTABLE


WOOD HINGED, DOUBLE DOORS





	12" DE	EP	13" DE	EP	16" DE	EP
	4640	24"	4641	24"	4652	24"
	4642	27"	4643	27"	4654	27"
12"	4644	30"	4645	30"	4656	30"
HIGH	4646	35-1/4"	4647	35-1/4"	4658	35-1/4"
	4648	41-1/4"	4649	41-1/4"	4660	41-1/4"
	4650	47-1/4"	4651	47-1/4"	4662	47-1/4


NO SHELF; NOT AVAILABLE IN ILLUSION STYLE



16-3/16" HIGH

12" DEEP		13" DE	13" DEEP		16" DEEP	
	4664	24"	4665	24"	4676	24"
	4666	27"	4667	27"	4678	27"
	4668	30"	4669	30"	4680	30"
	4670	35-1/4"	4671	35-1/4"	4682	35-1/4"
	4672	41-1/4"	4673	41-1/4"	4684	41-1/4"
	4674	47-1/4"	4675	47-1/4"	4686	47-1/4"


ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



23-3/4" HIGH

12" DEEP		13" DE	13" DEEP		16" DEEP	
4688	24"	4689	24"	4700	24"	
4690	27"	4691	27"	4702	27"	
4692	30"	4693	30"	4704	30"	
4694	35-1/4"	4695	35-1/4"	4706	35-1/4"	
4696	41-1/4"	4697	41-1/4"	4708	41-1/4"	
4698	47-1/4"	4699	47-1/4"	4710	47-1/4"	

ONE ADJUSTABLE SHELF





31-1/4" HIGH

12" DEEP		13" DE	EP	16" DEEP	
4712	24"	4713	24"	4724	24"
4714	27"	4715	27"	4726	27"
4716	30"	4717	30"	4728	30"
4718	35-1/4"	4719	35-1/4"	4730	35-1/4"
4720	41-1/4"	4721	41-1/4"	4732	41-1/4"
4722	47-1/4"	4723	47-1/4	4734	47-1/4"

SHELVES ARE FULL-DEPTH, ADJUSTABLE


HINGED DOUBLE, GLAZED DOORS





12" DEEP		13" DEEP		16" DEEP	
4736	24"	4737	24"	4748	24"
4738	27"	4739	27"	4750	27"
4740	30"	4741	30"	4752	30"
4742	35-1/4"	4743	35-1/4"	4754	35-1/4"
4744	41-1/4"	4745	41-1/4"	4756	41-1/4"
4746	47-1/4"	4747	47-1/4"	4758	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4" HIGH

16-3/16" HIGH

12" DEEP		13" DE	13" DEEP		16" DEEP	
	4760	24"	4761	24"	4772	24"
	4762	27"	4763	27"	4774	27"
	4764	30"	4765	30"	4776	30"
	4766	35-1/4"	4767	35-1/4"	4778	35-1/4"
	4768	41-1/4"	4769	41-1/4"	4780	41-1/4"
	4770	47-1/4"	4771	47-1/4"	4782	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




31-1/4" HIGH

12" DEEP		13" DEEP		16" DEEP	
4784	24"	4785	24"	4796	24"
4786	27"	4787	27"	4798	27"
4788	30"	4789	30"	4800	30"
4790	35-1/4"	4791	35-1/4"	4802	35-1/4"
4792	41-1/4"	4793	41-1/4"	4804	41-1/4"
4794	47-1/4"	4795	47-1/4"	4806	47-1/4"

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE



WOOD SLIDING DOORS




12" HIGH

16-3/16" HIGH

23-3/4" HIGH


12" DEEP		13" DE	13" DEEP		16" DEEP	
4808	24"	4809	24"	4820	24"	
4810	27"	4811	27"	4822	27"	
4812	30"	4813	30"	4824	30"	
4814	35-1/4"	4815	35-1/4"	4826	35-1/4"	
4816	41-1/4"	4817	41-1/4"	4828	41-1/4"	
4818	47-1/4"	4819	47-1/4"	4830	47-1/4"	

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE



12" DEEP		13" DE	EP	16" DEEP	
4832	24"	4833	24"	4844	24"
4834	27"	4835	27"	4846	27"
4836	30"	4837	30"	4848	30"
4838	35-1/4"	4839	35-1/4"	4850	35-1/4"
4840	41-1/4"	4841	41-1/4"	4852	41-1/4"
4842	47-1/4"	4843	47-1/4"	4854	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



12" DEEP		13" DEEP		16" DEEP	
4856	24"	4857	24"	4868	24"
4858	27"	4859	27"	4870	27"
4860	30"	4861	30"	4872	30"
4862	35-1/4"	4863	35-1/4"	4874	35-1/4"
4864	41-1/4"	4865	41-1/4"	4876	41-1/4"
4866	47-1/4"	4867	47-1/4"	4878	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE


0	0

	12" DEEP		13" DEEP		16" DEEP	
	4880	24"	4881	24"	4892	24"
	4882	27"	4883	27"	4894	27"
	4884	30"	4885	30"	4896	30"
31-1/4"	4886	35-1/4"	4887	35-1/4"	4898	35-1/4"
HIGH	4888	41-1/4"	4889	41-1/4"	4900	41-1/4"
	4890	47-1/4"	4891	47-1/4"	4902	47-1/4"


TWO ADJUSTABLE SHELVES; NOT AVAILABLE IN ILLUSION STYLE

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE




GLAZED SLIDING DOORS



16-3/16" HIGH

12" DEEP		13" DE	EP	16" DE	16" DEEP	
4904	24"	4905	24"	4916	24"	
4906	27"	4907	27"	4918	27"	
4908	30"	4909	30"	4920	30"	
4910	35-1/4"	4911	35-1/4"	4922	35-1/4"	
4912	41-1/4"	4913	41-1/4"	4924	41-1/4"	
4914	47-1/4"	4915	47-1/4"	4926	47-1/4"	


ONE ADJUSTABLE SHELF



23-3/4" HIGH

12" DEEP		13" DEE	P	16" DEEP	
4928 2	24"	4929	24"	4940	24"
4930 2	27"	4931	27"	4942	27"
4932 3	30"	4933	30"	4944	30"
4934 3	35-1/4"	4935	35-1/4"	4946	35-1/4"
4936 4	41-1/4"	4937	41-1/4"	4948	41-1/4"
4938 4	47-1/4"	4939	47-1/4"	4950	47-1/4"

ONE ADJUSTABLE SHELF




31-1/4" HIGH

12" DEEP		13" DEEP		16" DEEP	
4952	24"	4953	24"	4964	24"
4954	27"	4955	27"	4966	27"
4956	30"	4957	30"	4968	30"
4958	35-1/4"	4959	35-1/4"	4970	35-1/4"
4960	41-1/4"	4961	41-1/4"	4972	41-1/4"
4962	47-1/4"	4963	47-1/4"	4974	47-1/4"

TWO ADJUSTABLE SHELVES

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE



GLASS SLIDING DOORS

· //	/// 。
------	-------


	12" DE	EP	13" DE	EP	16" DE	EP
	4976	24"	4977	24"	4988	24"
12"	4978	27"	4979	27"	4990	27"
HIGH	4980	30'	4981	30"	4992	30"
	4982	35-1/4"	4983	35-1/4"	4994	35-1/4"
	4984	41-1/4"	4985	41-1/4"	4996	41-1/4"
	4986	47-1/4"	4987	47-1/4"	4998	47-1/4"

NO SHELF

		//	
0	//		0

	12" DEEP		13" DEEP		16" DEEP	
	5000	24"	5001	24"	5012	24"
16-3/16"	5002	27"	5003	27"	5014	27"
HIGH	5004	30"	5005	30"	5016	30"
TIIOTT	5006	35-1/4"	5007	35-1/4"	5018	35-1/4"
	5008	41-1/4"	5009	41-1/4"	5020	41-1/4"
	5010	47-1/4"	5011	47-1/4"	5022	47-1/4"

ONE ADJUSTABLE SHELF



23-3/4" HIGH

12" DEE	Р	13" DEE	Р	16" DEE	P
5024	24"	5025	24"	5036	24"
5026	27"	5027	27"	5038	27"
5028	30"	5029	30"	5040	30"
5030	35-1/4"	5031	35-1/4"	5042	35-1/4"
5032	41-1/4"	5033	41-1/4"	5044	41-1/4"
5034	47-1/4"	5035	47-1/4"	5046	47-1/4"

ONE ADJUSTABLE SHELF


//	//
//	//
. //	/// 。

	12" DEEP		13" DEEP		16" DEED	
	5048	24"	5049	24"	5060	24"
	5050	27"	5051	27"	5062	27"
	5052	30"	5053	30"	5064	30"
31-1/4"	5054	35-1/4"	5055	35-1/4"	5066	35-1/4"
HIGH	5056	41-1/4"	5057	41-1/4"	5068	41-1/4"
	5058	47-1/4"	5059	47-1/4"	5070	47-1/4"

TWO ADJUSTABLE SHELVES

Upper Cases - 48" High

SHELVES ARE FULL-DEPTH & ADJUSTABLE. ONE PULL PER DOOR.



WOOD DOOR HINGED RIGHT (SHOWN)


12" DEEP	16" DEEP

18"	5100	5106
21"	5102	5108
24"	5104	5110

WIDTH

WOOD DOOR HINGED LEFT

WIDTH	12" DEEP	16" DEEP
18"	5112	5118
21"	5114	5120
24"	5116	5122




GLAZED DOOR HINGED RIGHT

(SHOWN)


WIDTH	12" DEEP	16" DEEF
18"	5124	5130
21"	5126	5132
24"	5128	5134

GLAZED DOOR HINGED LEFT

WIDTH	12" DEEP	16" DEEF
18"	5136	5142
21"	5138	5144
24"	5140	5146



OPEN FRONT




WOOD HINGED DOORS

WIDTH	12" DEEP	16" DEEP
24"	5148	5160
30"	5150	5162
35-1/4"	5152	5164
41-1/4"	5154	5166
47-1/4"	5156	5168


WIDTH	12" DEEP	16" DEEP
24"	5172	5182
30"	5174	5184
35-1/4"	5176	5186
41-1/4"	5178	5188
47-1/4"	5180	5190

Upper Cases - 48" High

SHELVES ARE FULL-DEPTH & ADJUSTABLE. ONE PULL PER DOOR.




WOOD SLIDING DOORS




GLAZED HINGED DOORS

WIDTH	12" DEEP	16" DEEP
30" 35-1/4" 41-1/4" 47-1/4"	5192 5194 5196 5198	5202 5204 5206 5208

WIDTH	12" DEEP	16" DEEP
24" 30" 35-1/4" 41-1/4" 47-1/4"	5112 5214 5216 5218 5220	5122 5224 5226 5228 5230



GLAZED SLIDING DOORS



GLASS SLIDING DOORS

WIDTH	12" DEEP	26" DEEP
30" 35-1/4" 41-1/4"	5232 5234 5236	5242 5244 5246
47-1/4"	5238	5248


WIDTH	12" DEEP	16" DEEP
30"	5252	5262
35-1/4"	5254	5264
41-1/4"	5256	5266
47-1/4"	5258	5268

Wall Corner Cases

SHELVES ARE FULL-DEPTH & ADJUSTABLE. ONE PULL PER DOOR.

Not available in DECOR Casework line.


WALL CORNER CASE



WOOD HINGED DOOR

NUMBER	DIMENSIONS
5275	12" D x 23-7/8" H (1 shelf)
5276	12" D x 31-1/4" H (2 shelves)
5292	12" D x 36" H (2 shelves)
5275A	13" D x 23-7/8" H (1 shelf)
5276A	13" D x 31-1/4" H (2 shelves)
5293	13" D x 36" H (2 shelves)
5277	16" D x 23-7/8" H (1 shelf)
5278	16" D x 31-1/4" H (2 shelves)

WALL CORNER CASE




GLAZED HINGED DOOR

NUMBER	DIMENSIONS
5279	12" D x 23-7/8" H (1 shelf)
5280	12" D x 31-1/4" H (2 shelves)
5295	12" D x 36" H (2 shelves)
5279A	13" D x 23-7/8" H (1 shelf)
5280A	13" D x 31-1/4" H (2 shelves)
5296	13" D x 36" H (2 shelves)
5281	16" D x 23-7/8" H (1 shelf)
5282	16" D x 31-1/4" H (2 shelves)
5297	16" D x 36" H (2 shelves)


UPPER CORNER CASE

UPPER CORNER CASE



WOOD HINGED DOOR

NUMBER DIMENSIONS 5284 12" D x 48" H (3 shelves) 5286 16" D x 48" H (3 shelves)



GLAZED HINGED DOOR


NUMBER DIMENSIONS 5288 12" D x 48" H (3

5288 12" D x 48" H (3 shelves) 5290 16" D x 48" H (3 shelves)


36" High Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

Open Front




	12" DEEP		13" DE	13" DEEP		16" DEEP	
	5300	12-3/8"	5301	12-3/8"	5320	12-3/8"	
	5302	15-5/16"	5303	15-5/16"	5322	15-5/16"	
	5304	18"	5305	18"	5324	18"	
	5306	21"	5307	21"	5326	21"	
	5308	24"	5309	24"	5328	24"	
	5310	27"	5311	27"	5330	27"	
	5312	30"	5313	30"	5332	30"	
	5314	35-1/4"	5315	35-1/4"	5334	35-1/4"	
36"	5316	41-1/4"	5317	41-1/4"	5336	41-1/4"	
HIGH	5318	47-1/4"	5319	47-1/4"	5338	47-1/4"	



Wood Door, Hinged Right


	12" DEEP		13" DE	13" DEEP		16" DEEP	
	5340	12-3/8"	5341	12-3/8"	5350	12-3/8"	
	5342	15-5/16"	5343	15-5/16"	5352	15-5/16"	
	5344	18"	5345	18"	5354	18"	
36"	5346	21"	5347	21"	5356	21"	
HIGH	5348	24"	5349	24"	5358	24"	



Wood Door, Hinged Left


36" HIGH

12" DE	EP	13" DE	EP	16" DE	EP
5360	12-3/8"	5361	12-3/8"	5370	12-3/8"
5362	15-5/16"	5363	15-5/16"	5372	15-5/16"
5364	18"	5365	18"	5374	18"
5366	21"	5367	21"	5376	21"
5368	24"	5369	24"	5378	24"



Glazed Door, Hinged Right

	12" DEEP		13" DEEP		16" DEEP	
	5380	12-3/8"	5381	12-3/8"	5390	12-3/8"
	5382	15-5/16"	5383	15-5/16"	5392	15-5/16"
	5384	18"	5385	18"	5394	18"
36"	5386	21"	5387	21"	5396	21"
HIGH	5388	24"	5389	24"	5398	24"




Glazed Door, Hinged Left

	12" DEEP		13" DEEP		16" DEEP	
	5400	12-3/8"	5401	12-3/8"	5410	12-3/8"
	5402	15-5/16"	5403	15-5/16"	5412	15-5/16"
	5404	18"	5405	18"	5414	18"
36"	5406	21"	5407	21"	5416	21"
HIGH	5408	24"	5409	24"	5418	24"


36" High Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

Wood Hinged Doors




	12" DE	EP	13" DE	EP	16" DE	EP
	5420	24"	5421	24"	5432	24"
36"	5422 27" 5423 27" 5434 2 5424 30" 5425 30" 5436 3 5426 35-1/4" 5427 35-1/4" 5438 3 5428 41-1/4" 5429 41-1/4" 5440 4	27"				
HIGH	5424	30"	5425	30"	5436	30"
111011	5426	35-1/4"	5427	35-1/4"	5438	35-1/4"
	5428	41-1/4"	5429	41-1/4"	5440	41-1/4"
	5430	47-1/4"	5431	47-1/4"	5442	47-1/4"



Glazed Hinged Doors

	12" DE	EP	13" DE	EP	16" DE	EP
	5444	24"	5445	24"	5456	24"
	5446	27"	5447	27"	5458	27"
36"	5448	30"	5449	30"	5460	30"
HIGH	5450	35-1/4"	5451	35-1/4"	5462	35-1/4"
	5452	41-1/4"	5453	41-1/4"	5464	41-1/4"
	5454	47-1/4"	5455	47-1/4"	5466	47-1/4"




Wood Sliding Doors

	12" DE	EP	13" DE	EP	16" DE	EP
	5468	24"	5469	24"	5480	24"
	5470	27"	5471	27"	5482	27"
36"	5472	30"	5473	30"	5484	30"
HIGH	5474	35-1/4"	5475	35-1/4"	5486	35-1/4"
	5476	41-1/4"	5477	41-1/4"	5488	41-1/4"
	5478	47-1/4"	5479	47-1/4"	5490	47-1/4"



Glazed Sliding Doors

	12" DE	EP	13" DE	EP	16" DE	EP
	5492	24"	5493	24"	5504	24"
36"	5494	27"	5495	27"	5506	27"
HIGH	5496	30"	5497	30"	5508	30"
111011	5498	35-1/4"	5499	35-1/4"	5510	35-1/4"
	5500	41-1/4"	5501	41-1/4"	5512	41-1/4"
	5502	47-1/4"	5503	47-1/4"	5514	47-1/4"



Glass Sliding Doors

	12" DE	EP	13" DE	EP	16" DE	EP
	5516	24"	5517	24"	5528	24"
	5518	27"	5519	27"	5530	27"
36"	5520	30"	5521	30"	5532	30"
HIGH	5522	35-1/4"	5523	35-1/4"	5534	35-1/4"
	5524	41-1/4"	5525	41-1/4"	5536	41-1/4"
	5526	47-1/4"	5527	47-1/4"	5538	47-1/4"

GENERAL CASEWORK

TABLE OF CONTENTS for Base Cabinets Wall Cabinets Tall Cases Tables & Kneespaces

Base Cabinet Section:	Wall/Upper Cabinet Section:	Tall Case Section:	Tables & Kneespace Section:
<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>
35" H 1-8 35" H corner 8-9	Open 1, 14-15 Wood door 2-3, 6, 14-15	General 1-2, 4, 12 Apron 7-8	Adjustable Height Table 3
ADA COMPLIANT 33" H 10-15	Glazed door 4-5, 7, 14-15	Bookcase 6,12 Compartment 5	Open, Wood Frame, Table 1
33" H corner 16 29" H 17-20	Sliding door 8-10, 14-15	Corner 3,5 Display 4-6 File 4	Open, Metal Frame, Table 2
29" H corner 21	Upper, 48"H 11-12 Upper, 36"H 14-15	Illuminated Display 6	Kneespaces 4-5
25" H 22-23 25" H corner 24	Corner 13	Instructor 9 Magazine 4 Notebook 6 Storage 4 Supply 5-9 Tote Tray 10-11 Wardrobe 7-9	•


Filler panels, filler panels for wall, upper, base and tall cases, scribe strips and, single or double faced countertop support panels are found on pages 1-2 of the "Filler/Scribe" section immediately following "Base Cabinets".

84"

HIGH

(UNITS EQUIPPED WITH FOUR, 1" THICK ADJUSTABLE SHELVES & ONE FIXED CENTER SHELF, 1" THICK.)

Do Not Use General Shelving Units, over 35-1/4" W and/or 16" D, as book storage.



SINGLE, WOOD HINGED DOOR (SHOWN)


WIDTH	16" DEEP	22-1/2" DEEP
21"	5600	5606
24"	5602	5608
27"	5604	5610

SINGLE, GLAZED HINGED DOOR

WIDTH	16" DEEP	22-1/2" DEEP_
21"	5612	5618
24"	5614	5620
27"	5616	5622

OPEN FRONT

	WIDTH	12" DEEP	16" DEEP	22-1/2" DEEP
	21"	5624	5642	5660
	24"	5626	5644	5662
84"	27"	5628	5646	5664
04	30"	5630	5648	5666
HIGH	35-1/4"	5632	5650	5668
пібп	41-1/4"	5634	5652	5670
	47-1/4"	5636	5654	5672




WOOD HINGED DOORS

	WIDTH	16" DEEP	22-1/2" DEEP
	30"	5678	5686
84"	35-1/4"	5680	5688
04	41-1/4"	5682	5690
HIGH	47-1/4"	5684	5692


84" High General Storage & Display Cases (UNITS EQUIPPED WITH FOUR, 1" THICK ADJUSTABLE SHELVES & ONE FIXED CENTER SHELF, 1" THICK.)

Do Not Use General Shelving Units, over 35-1/4" W and/or 16" D, as book storage.




WOOD SLIDING DOORS

84"	16" DE	EP	22-1/2"	DEEP
	5694	35-1/4"	5704	35-1/4"
HIGH	5696	41-1/4"	5706	41-1/4
	5698	47-1/4"	5708	47-1/4




GLAZED HINGED DOORS

84"	16" DE	EP	22-1/2"	DEEP
	5714	30"	5722	30"
HIGH	5716	35-1/4"	5724	35-1/4"
	5718	41-1/4"	5726	41-1/4"
	5720	47-1/4"	5728	47-1/4"



GLAZED SLIDING DOORS

84"	16" DE	EP	22-1/2"	DEEP
	5730	35-1/4"	5740	35-1/4"
HIGH	5732	41-1/4"	5742	41-1/4"
	5734	47-1/4"	5744	47-1/4"




5800 Corner Tall Case

Dimensions: D H


Overall 22-1/2" 84"

Equipment: Equipped with four adjustable shelves and one fixed shelf.

(Not available in Decor casework line)



5800 Closed Door View




5802 Corner Tall Case

Dimensions: D H


Overall 22-1/2" 84"

Equipment: Equipped with four adjustable shelves and one fixed shelf.

(Not available in Decor casework line)



5802 Closed Door View




5856 General File Storage

Dimensions: W H D

Overall 24" 84" 22-1/2"

Equipment: Two sloping magazine shelves & three legal file drawers with metal slides, file follower, and label holder.




5858 General File Storage

Dimensions: W H D


Overall 24" 84" 22-1/2"

Equipment: Two adjustable shelves and three legal file drawers with metal slides, file follower, and label holder.



5880 Magazine and File Storage
Dimensions: W H D
Overall 35-1/4" 84" 22-1/2"
Equipment: Open compartment with 2
sloped shelves for magazines; six file
drawers with metal slides, file followers
and label holders.

8122 Magazine and File Storage Same as 5880 except 47-1/4" wide.




5881 Storage Case

Dimensions: W H D

Overall 47-1/4" 84" 22-1/2"


Equipment: Three adjustable shelves in upper section; lower section has five drawers; two, 18" W x 6" D and three, 45" W x 6" D.

(See 8390 for 35-1/4" W).




5882 Storage and Display Case
Dimensions: W H D
Overall 35-1/4" 84" 22-1/2"
Equipment: Three adjustable shelves
behind glass sliding doors in upper section;
one adjustable shelf behind wood hinged
doors in lower section.


5884 Storage and Display Case Same as 5882 except 47-1/4" W.



5885 Storage Case
Dimensions: W H D
Overall 47-1/4" 84" 22-1/2"
Equipment: Three adjustable shelves in upper section; lower section has three tiers with six tray compartments in each. Eighteen, #6346 plastic tote trays are included, 19" x 13-3/4 x 3-1/2".



5886 Compartment Storage Case Dimensions: W H D Overall 47-1/4" 84" 22-1/2" Equipment: Horizontal and vertical dividers provide 32 equal compartments for convenient storage of various types of apparatus; 3-point latching handle.



5891 Corner Storage Case (Illustration is for right hand return.)


Dimensions: W H D

Overall 47-1/4" 84" 22-1/2"

Equipment: Four adjustable shelves; one fixed shelf; 3-point latching handle. Right hand return.


5893 Corner Storage Case

Same as 5891 except left hand return.




6910 Display and Supply Case					
Dimensions:	W	Н	D		
Overall	49-1/4"	84"	24"		
Upper Case O D	47-1/4"	48"	16"		
B. Cab, O D	47-1/4"	35"	22-1/2		
Cupboard I D	45-3/4"	29-1/4	33		
20-3/4"					

Equipment: Three adjustable shelves in upper section; one full depth adjustable shelf in lower section. Counter top is 1" thick - Specify material desired.




6912 Display and Supply Case Dimensions: W Н Overall 49-1/4" 84" 24" Upper Case O D 47-1/4" 48" 16" B. Cab, O D 35" 47-1/4" 22-1/2" Cupboard I D 45-3/4" 21-1/4 20-3/4" Drawers(2) ID 20-1/2" 6" 17" Equipped with three adjustable shelves in upper section; one full depth adjustable shelf in

lower section. Counter top is 1" thick - specify




6914 Display and Supply Case						
Dimensions:	W	H	D			
Overall	49-1/4"	84"	24"			
Upper Case	47-1/4"	48"	16"			
B. Cab, O D	47-1/4"	35"	22-1/2			
Cupboard I D	22-1/2"	29-1/4"	20-3/4			
Drawers(4) ID	20-1/2"	6"	17"			
Equipment: Three adjustable shelves in upper						
section; one ful	ll depth adju	stable shel	f in lowe			

section. Counter top is 1" thick - Specify material



6916 Display and Supply Case							
Dimensions:	W	Н	D				
Overall	49-1/4"	84"	24"				
Upper Case O D	47-1/4"	48"	16"				
B. Cab, O D	47-1/4"	35"	22-1/2"				
Drawers(8) ID	20-1/2"	6"	17"				
Equipment: Thre	e adjustal	ole she	lves in upper				
section. Counter	top is 1" th	ick-sp	ecify material				
desired.			-				


material desired.



6918 Display and Supply Case

Dimensions:	W	Н	D
Overall	49-1/4"	84"	24"
Upper Case O I	D 47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Drawers(4) ID	20-1/2"	6"	17"
Drawers(2) ID 4	3-3/4" 6" 1	7"	


Equipment: Three adjustable shelves in upper section. Counter top is 1" thick - Specify material desired.



6920 Display and Supply Case


material desired.

			-
Dimensions:	W	H	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Drawers(2) ID	20-1/2"	2-1/4"	17"
Drawers(3) ID	20-1/2"	6"	17"
Drawers(2) ID	43-3/4"	6"	17"
Equipment: Thre	e adjustat	ole shelve	es in upper
section. Counter	top is 1" t	hick - Sp	ecify




6926 Notebook Case

0020 1101000	on ouco		
Dimensions:	W	Н	D
Overall	27"	84"	16"
Compartments,	I. D.		
(total of 72)	12-3/8"	1-7/8"	10-3/4"
Equipment: 3-p	oint lockin	g handle.	
	Dimensions: Overall Compartments, (total of 72)	Dimensions: W Overall 27" Compartments, I. D. (total of 72) 12-3/8"	Overall 27" 84" Compartments, I. D.



6928 Book Case

Dimensions:WHDOverall27"84"16"Equipment:Fiveadjustableshelves;3-pointlocking handle.



6964 Illuminated Display Case

Dimensions: W H D
Overall 58-1/4" 84" 22-1/2"
Equipment: Upper section is 48" H and equipped with plate glass sliding doors; two adjustable plate glass shelves with center shelf bracket; one single tube fluorescent light fixture with switch. (Bulbs are not included) Lower section has wood sliding doors.

6966 Illuminated Display Case

Same as 6964 except 41-1/4" W.


6968 Illuminated Display Case

Same as 6964 except 47-1/4" W.

84" High General Storage



5850 Wardrobe CaseDimensions:WHDOverall24"84"22-1/2"Equipment: One hanger rod; one fixed hat shelf; 3-point latching handle.




5852 Apron Storage


Dimensions: W H D

Overall 24" 84" 22-1/2"

Equipment: One fixed shelf; one adjustable shelf; (13) double prong side mount hooks, and (10) double prong ceiling mount hooks; vented door; 3-point latching handle.



5854 Apron Storage
Dimensions: W H D
Overall 24" 84" 22-1/2"
Equipment: One fixed shelf; (13) double prong side mount hooks; vented door; 3-point latching handle.




5860 Wardrobe Case
Dimensions: W H D
Overall 35-1/4" 84"
22-1/2"

Equipment: One fixed shelf; one hanger rod; 3-point latching handle.

5862 Wardrobe Case Same as 5860 except 41-1/4" W.

5864 Wardrobe Case Same as 5860 except 47-1/4" W. 2009



5866 Wardrobe and Storage Case


Dimensions: W H D

Overall 35-1/4" 84" 22-1/2"

Equipment: One fixed shelf; three adjustable shelves; one hanger rod; 3-point latching handle. Wardrobe on left.


5868 Wardrobe and Storage Case Same as 5866 except 41-1/4" W.

5870 Wardrobe and Storage Case Same as 5866 except 47-1/4" W.




5872 Teacher's Wardrobe & Storage
Dimensions: W H D
Overall 41-1/4" 84" 22-1/2"
Equipment: One hanger rod; one fixed hat shelf; two adjustable shelves; 3 file drawers with metal slides, file follower and label holder. Door equipped with a 10" x 12" mirror and 3-point latching handle.

84" High General Storage



5874 Teacher's Wardrobe & Storage Dimensions: W H D
Overall 41-1/4" 84" 22-1/2"
Equipment: Three file drawers with metal slides, file followers and label holders; open compartment with two sloped shelves for magazines; right side wardrobe compartment equipped with one fixed hat shelf and one hanger rod. Door is equipped with one 10" x 12" mirror & a 3-point latching handle.

5875 Teacher's Wardrobe & Storage Same as 5874 except 47-1/4" W.




6952 Wardrobe CaseDimensions: W H D

Overall 27" 84" 16"

Equipment: One pullout hanger; one fixed shelf; door equipped with a 3-point latching system.




5876 Apron Storage
Dimensions: W H D
Overall 35-1/4" 84" 22-1/2"
Equipment: One fixed shelf; (15) double prong side mount hooks; vented doors; 3-point latching handle.




6954 Wardrobe and Supply Case
Dimensions: W H D
Overall 47-1/4" 84" 22-1/2"
Equipment: One hanger rod; one fixed hat shelf; three adjustable shelves; 3-point locking handle. Wardrobe on right.

6954-A Wardrobe and Supply Case Same as 6954 except 41-1/4" W.

6954-B Wardrobe and Supply Case Same as 6954 except 35-1/4" W



5878 Apron Storage
Dimensions: W H D
Overall 35-1/4" 84" 22-1/2"
Equipment: One fixed shelf; one adjustable shelf; (15) double prong side mount hooks and (15) double prong ceiling mount hooks; vented doors; 3-point latching handle.



6955-A Wardrobe & Supply Case
Dimensions: W H D

Overall 35-1/4" 84" 22-1/2"
File Drawer (2) ID 14-1/2" 11-1/2" 17"

Equipment: One hanger rod; one fixed shelf; two file drawers with followers, one open compartment, 16-1/2" x 6-3/4" x 18-1/2", ID; one, 10 " x 12" mirror; one pin tray and towel bar on right hand door; doors equipped with 3-point locking system.


6955-B Wardrobe & Supply Case Same as 6955-A, except 41-1/4" W. File drawers remain same size.

6955-C Wardrobe & Supply Case Same as 6955-A, except 47-1/4" W. File drawers remain same size.

84" High General Storage

6956 Wardrobe and Supply Case Dimensions: W H D

Overall 47-1/4" 84" 16"
Equipment: One pullout hanger; one fixed hat shelf; six adjustable shelves. Door is equipped with 3-point locking handle.



6957 Instructor's Case

 Dimensions:
 W
 H
 D

 Overall
 35-1/4"
 84"
 22-1/2"

 File Drawers

three, I. D. 14-1/2" 11-1/4" 17" Equipment: Three file drawers with metal slides, file followers and label holders. Open compartment above for magazine display. Left wardrobe compartment is equipped with hat shelf and hanger rod. Door is equipped with 3-point locking handle.

6958 Instructor's Case

Same as 6957 except 41-1/4" W with file drawers 17-1/2" W.

6959 Instructor's Case

Same as 6957 except 47-1/4" W with file drawers 17-1/2" W.



6960 Wardrobe and Supply Case

Dimensions: Overall..... 41-1/4" 84' 22-1/2" File Drawer (1), ID 14-1/2" 6" 17" File Drawer (2),ID 14-1/2" 11-1/4" 17" Equipment: One hanger; 1 fixed hat shelf; 2 adjustable shelves; 2 large file drawers with file followers; 1 shallow drawer with adjustable partitions to accommodate record cards up to 3" x 5"; one, 10" x 12" mirror; pin tray and towel bar on right hand door; door equipped with a 3-point locking system.

6961 Wardrobe and Supply Case Same as 6960 except 35-1/4" W.

6961-A Wardrobe and Supply Case Same as 6960 except 47-1/4" W.

6961-B Wardrobe and Supply Case


Same as 6961-A except equipped with tote tray & compartment instead of drawer.

6962 Wardrobe and Supply Case

Same as 6960 except tote tray compartment instead of shallow drawer.

6963 Wardrobe and Supply Case

Same as 6961 except no small drawer, & with one, 19" x 13-3/4" x 3" tote tray.



84" High Tote Tray Storage


Tote tray storage units over 47-1/4" wide, will be divided into two or more separate cases, Shelves are 1" thick and adjustable; except for a fixed center shelf. STANDARD units contain no vertical dividers between trays, unless structurally required. If specified, tray compartment dividers provided will be chrome plated 3/16" diameter bent wire.



Note these quality reatures:

- Made of sturdy high impact plastic with high gloss finish -- unbreakable in normal use.
- · Smooth surface resists soiling -- easily cleaned.
- · Resists inorganic chemicals.
- · Light weight and easy to handle.
- · Handy aluminum card holder is standard on trays.

6339 Plastic Tote Tray Overall Dimensions	W	D	Depth
	16"	12"	3"
6340 Plastic Tote Tray Overall Dimensions	W	D	Depth
	13-3/4"	10-3/4"	3"
6342 Plastic Tote Tray Overall Dimensions	W 16"	D 12"	Depth 3-1/4"
6344 Plastic Tote Tray Overall Dimensions	W 19"	D 10-1/2"	Depth 3-1/2"
6346 Plastic Tote Tray	W	D	Depth 3-1/2"
Overall Dimensions	19"	13-3/4"	



5892 Tote Tray Case

Dimensions: W H DOverall: 24" 84" 22-1/2"

Capacity: 24 trays.

Equipment: Equipped with one storage compartment and eleven (11) adjustable shelves and one fixed center shelf. Twenty four, #6344, Plastic Tote Trays are included. Door has 3-point latching handle.

5893 Corner Storage

Same as 5891 except left handed return.

5894 Tote Tray Case

Capacity: 16 trays.

Same as 5892 except with fourteen (14) adjustable shelves and one fixed center shelf. #6344, Plastic Tote Trays included.

5895 Tote Tray Case

Dimensions: W H DOverall..... 35-1/4" 84" 22-1/2"

Capacity: 36 trays.

Equipment: Case is equipped with one upper compartment, eleven (11) adjustable shelves, one fixed shelf and a total of thirty six (36), Plastic Tote Trays, #6344. included. Door has 3-point latching handle.

5896 Tote Trav Case

Capacity: 36 trays.

Same as 5895 except 47-1/4" W, with thirty-six, #6346 Plastic Tote Trays.


5899 Tote Tray Case

Capacity: 48 trays.

Same as 6358 except 41-1/4"W, with forty eight #6344 plastic tote trays included.

84" High Tote Tray Storage

Tote tray storage units over 47-1/4" wide, will be divided into two or more separate cases, Shelves are 1" thick and adjustable; except for a fixed center shelf. STANDARD units contain no vertical dividers between trays, unless structurally required. If specified, tray compartment dividers provided will be chrome plated 3/16" diameter bent wire.




6348 Tote Tray Case

Dimensions: W H D Overall: 27" 84" 22-1/2"

Capacity: 24 trays.

Equipment: Case has eleven adjustable shelves, one fixed shelf and one storage compartment. 24 Plastic Tote Trays # 6340, included. Door equipped with 3-point latching handle.




6350 Tote Tray Case

 Dimensions:
 W
 H
 D

 Overall:
 27"
 84"
 22-1/2"

Capacity: 32 trays.

Equipment: Case has 14 adjustable shelves and one fixed shelf. 32 Plastic Tote trays #6340 are included. Door is equipped with 3-point latching handle.




6351 Tote Tray Case

Dimensions: W H DOverall 47-1/4" 84" 22-1/2"

Capacity: 42 trays.

Equipment: Case has thirteen (13) adjustable shelves, and one center fixed shelf. Plastic Tote trays #6339, 16" x 12" x 3" are included. Door equipped with 3-point latching handle.



6352 Tote Tray Case

 Dimensions:
 W
 H
 D


 Overall.......
 47-1/4"
 84"
 22-1/2"

Capacity: 48 trays

Equipment: Case has 14 adjustable shelves and one fixed shelf. Forty eight Plastic Tote Trays, #6342, included. Doors equipped with 3-point latching system.

6353 Tote Tray Case

Same as 6352 except 41-1/4" W. Plastic tote trays are included.




6356 Tote Tray Case

 Dimensions:
 W
 H
 D

 Overall......
 47-1/4"
 84"
 22-1/2"

Capacity: 64 trays.

Equipment: Case has 14 adjustable shelves and one fixed shelf. 64, #6344 Plastic Tote Trays are included. Doors equipped with 3-point latching system.



6357 Tote Tray Case

 Dimensions:
 W
 H
 D

 Overall.......
 47-1/4"
 84"
 22-1/2"

Capacity: 48 trays.

Equipment: Case has fourteen adjustable shelves and one fixed shelf. Forty eight, #6346 Plastic Tote Trays are included. Doors equipped with 3-point latching system.

6358 Tote Tray Case


Capacity: 48 trays.

Same as 6357 except 35-1/4" W ; Plastic Tote

Trays # 6344, are included.

84" High All Purpose Shelving

Do not use General shelving as bookcases. Avoid any book shelving over 35-1/4"W and/or 16" D.



GENERAL STORAGE SHELVING

CATALOG	DIMENSIONS PER SECTION			
NUMBER	W	Н	D	
6830	24"	84"	12"	
6832	24"	84"	16"	
6834	24"	84"	22-1/2"	
6836	30"	84"	12"	
6838	30"	84"	16"	
6840	30"	84"	22-1/2"	
6842	36"	84"	12"	
6844	36"	84"	16"	
6846	36"	84"	22-1/2"	

General storage shelving is built of hardwood plywood with all exposed edges lumber banded with oak. Units have five adjustable shelves per section. Units do not have backs. Single units are 3/4" wider than nominal width.

NOTE: Any assembly of two or more units will have one starter unit and one, or more, add-on units utilizing common end panels that will be spaced 24", 30" or 36", on centers.

Bookcases


We do not recommend book storage in cases over 35-1/4"W.

Bookcases are built of hardwood plywood with all exposed edges solid lumber banded. Fixed backs are included.

Adjustable shelves are 1" thick.

All units have a finished top of 3/4" Rheatex.

Widths and depths shown below are case dimensions. Heights shown include the 3/4" thick tops. Top dimensions are overall 3/4" wider and 1/2" deeper than dimensions shown.



Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.


GENERAL CASEWORK


TABLE OF CONTENTS for Base Cabinets Wall Cabinets Tall Cases Tables & Kneespaces

Base Cabinet Section:	Wall/Upper Cabine Section:	t Tall Case Section:	Tables & Kneespace Section:
<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>	<u>Item</u> <u>Pages</u>
35" H 1-8 35" H corner 8-9 ADA COMPLIANT 33" H 10-15 33" H corner 16 29" H 17-20 29" H corner 21 25" H 22-23 25" H corner 24	Open 1, 14-7 Wood door 2-3, 6, 14-15 Glazed door 4-5, 7, 14-15 Sliding door 8-10, 14-15 Upper, 48"H 11-12 Upper, 36"H 14-15 Corner 13	General 1-2, 4, 12	Adjustable Height Table 3 Open, Wood Frame, Table 1 Open, Metal Frame, Table 2 Kneespaces 4-5
		Supply 5-9 Tote Tray 10-11 Wardrobe 7-9	

Filler panels, filler panels for wall, upper, base and tall cases, scribe strips and, single or double faced countertop support panels are found on pages 1-2 of the "Filler/Scribe" section immediately following "Base Cabinets".

Wood Open Frame Tables





PEDESTAL TABLE With Tote Tray Glides (Tote Trays Are Not Included)

TELESCOPING LEG with Glide

Heavy-duty, telescoping stainless steel leg with heavy-duty non-marring glide. Allows for 30" to 37" table height adjustability. Stainless steel lock-pin rod slides into aluminum guides on each side and passes completely through the 2-1/4" solid lumber leg and predrilled telescoping leg. Lock pin is anchored to leg with 8" long, zinc plated steel check chain attached with a tamper free screw.

Not available on Pedestal Tables. See Suffix Notes below to specify this leg.



TABLE SCHEDULE / 30" HIGH

Top is 1" thick - specify material.

Overall

W

54" 24"-42" 30"

TABLE SCHEDULE /							The state of the s
	PLAIN	TABLES WIT	ГН	TABLES WIT	H	PEDESTAI	_
TOP SIZE	TABLES	COMPARTMEN	NTS	DRAWERS		TABLES	
	Catalog	Catalog		Catalog		Catalog	Pairs of
Length/Width*	No.	No.	Compts.	No.	Drawers	No.	Glides
48" x 21"	6500	6500C	2	6500D	2		
48" x 24"	6502	6502C	2	6502D	2		
54" x 21"	6504	6504C	2	6504D	2		
54" x 24"	6506	6506C	2	6506D	2	6506G	2
60" x 21"	6508	6508C	2	6508D	2		
60" x 24"	6510	6510C	2	6510D	2	6510G	2
60" x 30"	6512	6512C	2	6512D	2	6512G	2
60" x 36"*	6514	6514C	4	6514D	4	6514G	4
60" x 42"*	6516	6516C	4	6516D	4	6516G	4
64" x 24"	6518	6518C	2	6518D	2	6518G	2
64" x 30"	6520	6520C	2	6520D	2	6520G	2
64" x 36"*	6522	6522C	4	6522D	4	6522G	4
64" x 42"*	6524	6524C	4	6524D	4	6524G	4
72" x 24"	6526	6526C	2	6526D	2	6526G	2
72" x 30"	6528	6528C	2	6528D	2	6528G	2
72" x 36"*	6530	6530C	4	6530D	4	6530G	4
72" x 42"*	6532	6532C	4	6532D	4	6532G	4
84" x 24"	6534	6534C	3	6534D	3	6534G	3
84" x 30"	6536	6536C	3	6536D	3	6536G	3
84" x 36"*	6538	6538C	6	6538D	6	6538G	6
84" x 42"*	6540	6540C	6	6540D	6	6540G	6
96" x 24"	6542	6542C	4	6542D	4	6542G	4
96" x 24"		6544C	3	6544D	3	6544G	3
96" x 30"	6546	6546C	4	6546D	4	6546G	4
96" x 30"		6548C	3	6548D	3	6548G	3
96" x 36"*	6550	6550C	8	6550D	8	6550G	8
96" x 36"*		6552C	6	6552D	6	6552G	6
96" x 42"*	6554	6554C	8	6554D	8	6554G	8
96" x 42"*		6556C	6	6556D	6	6556G	6

^{*} ALL TABLES MEASURING 36" WIDE AND OVER ARE DOUBLE-FACED TABLES.

MODIFICATIONS AND SUFFIX NOTES:

1. IF A TABLE 36" HIGH IS DESIRED, ADD THE SUFFIX -36- TO THE CATALOG NUMBER. EXAMPLE: 6500-36. 2. IF A TABLE WITH TELESCOPING LEGS IS DESIRED, ADD THE SUFFIX - A TO THE CATALOG NUMBER. **EXAMPLE 6500-A**

All tables shown in this schedule are built of FAS, or better grade Red Oak or White Maple, as specified. Compartments are 16-1/2" W x 3" H x 15-5/8" D, I.D. Drawers are 14-1/2" W x 2-1/4" H x 15" D, I.D.

Table legs are equipped with die formed chemical resistant, hard plastic polyethylene leg shoes, with closed bottoms. If specified, master keyed locks can be furnished on tables with drawers.

MAINSTAY ™: Metal Open Frame Tables



MAINSTAY, Metal Open Frame Tables

The black epoxy powder coated steel table frame - each side rail and two legs - is welded construction, with integral welded plate and welded 1/2" nut at attachment points inside the legs. Stabilizing end panel rail is attached with use of provided Allen wrench, 1/2" bolts and lock washers.

Tables are shipped knocked down. Front & back rails, and stabilizing end panels are predrilled for easy attachment of work surface. 1" thick, black Phenolic work surface is standard, and included. Each leg is equipped with a heavy-duty, 1" height adjustable threaded foot glide.

Work surface is shipped separately and overlaps the table frame by 1" on all sides. Other top materials are available if specified.

Dimensions below are overall and include the 1" work surface.

Dimensions, Overall, INCLUDING SPECIFIED 1" TOP:

Unit #	L	W	Н
6506L	54"	24"	30"
6506L-34 (ADA)	54"	24"	34"
6506L-36	54"	24"	36"
6512L	60"	30"	30"
6512L-34 (ADA)	60"	30"	34"
6512L-36	60"	30"	36"

Adjustable Tables with Hand Crank

Unit can be used by a wheelchair-bound student, as a basic classroom table, or as a satellite table with tri-fascia service islands, #6190, or #6195; casework service islands #6182, or #6188. Unit allows great laboratory/classroom flexibility, since it can be adjusted in height for a variety of purposes, or used as a basic, classroom table that meets ADA guidelines. Tables will support a 500 lbs. static load.

The hand-crank adjustable pedestal is constructed from cold rolled steel, with a black finish. Pedestal has an integral stabilizing rail. Rail and legs are designed with cutouts and can be used as electrical raceways. Pedestal feet are equipped with four glides. The hand-crank's gearing mechanism is enclosed within the pedestal. Unit is shipped knocked down, and handle can be mounted to the left or right at the time of assembly. Handle slides out for cranking adjustments, and then slips back beneath the table top when not in use.

Top material is 1" thick Rheatex. Tables with wood frames have a height adjustment of 27" to 36"; tables without the wood frame adjust from 24" to 36". Floor space between pedestal feet varies between 36" W and 48" W; see individual units listed below. Tables with wood frames have a 3" x 3/4" solid oak frame.

	36-1/2"	between feet		48-1/2" b	etween feet
Unit #	W	D	Unit #	W	D
8734	48"	24"	8738	54"	24"
8736	48"	30"	8740	54"	30"
			8742	60"	24"
			8744	60"	30"
			8746	64"	24"
			8748	64"	30"

	36" be	tween feet		48" betw	een feet
Unit #	W	D	Unit #	W	D
8696	48"	24"	8702	54"	24"
8698	48"	30"	8704	54"	30"
8700	48"	36"	8706	60"	24"
			8708	60"	30"
			8710	64"	24"
			8712	64"	30"
			8714	64"	36"



Example: 8734





Kneespace Components:

Use in Base Cabinet Assemblies

- Leg sections are 29" or 35" H.
- Length of components must be specified.
- Components 28" D are for 30" D tops.

- Components 22" D are for 24" D tops.
 All rails are 4-7/8" High.
 All drawers are 13" W x 2-1/4" H x 15" D, I.D.







SINGLE	LEG
6970	29" HIGH
6972	35" HIGH


6974 PLAIN RAIL	
4-7/8" HIGH. Specify Length.	
	=
	-


	IPARTMENT (S) Length	FRAMES Catalog	WITH DRA	` '
D 4l-	Length	Catalon		
D 41-		Uatalog		Length
Depth	(Specify)	Number	Depth	(Specify)
TMENT		1 DRAWE	:R	
22"	24" to 96"	7012	22"	24" to 96"
28"	24" to 96"	7014	28"	24" to 96"
TMENTS		2 DRAWE	RS	
22"	48" to 96"	7016	22"	48" to 96"
28"	48" to 96"	7018	28"	48" to 96"
	22" 28" TMENTS 22"	22" 24" to 96" 28" 24" to 96" TMENTS 22" 48" to 96"	22" 24" to 96" 7012 28" 24" to 96" 7014 TMENTS 2 DRAWE 22" 48" to 96" 7016	22" 24" to 96" 7012 22" 28" 24" to 96" 7014 28" TMENTS 22" 48" to 96" 2 DRAWERS 7016 22"





LEGS WI	TH PLAIN	RAIL
(Specify	Leg Height	:)
Catalog		Length
Number	Depth	(Specify)
LEGS LE	<u>FT</u>	
6980	22"	24" to 96"
6982	28"	24" to 96"
1 E00 BI	NIT.	
LEGS RIC		
6984	22"	24" to 96"
6986	28"	24" to 96"






Number	Depth	(Specify)	Number	Depth	(Specify)
LEGS LEF	<u>-T</u>		LEGS LE	FT	
1 COMPA	RTMENT		1 DRAWE	R	
6996	22"	24" to 96"	7020	22"	24" to 96"
6998	28"	24" to 96"	7022	28"	24" to 96"
2 COMPA	RTMENTS		2 DRAWE	RS	
7000	22"	48" to 96"	7024	22"	48" to 96"
7002	28"	48" to 96"	7026	28"	48" to 96"
LEGS RIGHT			LEGS RIG	<u>HT</u>	
1 COMPA	RTMENT		1 DRAWE	R	
7004	22"	24" to 96"	7028	22"	24" to 96"
7006	28"	24" to 96"	7030	28"	24" to 96"
2 COMPARTMENTS			2 DRAWE	RS	
7008	22"	48" to 96"	7032	22"	48" to 96"
7040	22	40 10 30	1 002		TO 10 00
7010	28"	48" to 96"	7034	28"	48" to 96"
7010					


Adjustable Kneespace Components: Customize to Fit at Job site

- Components 22" Deep are for 24" Deep tops
- Components 28" Deep are for 30" Deep tops
- All rails are 4-7/8" High by 3/4", solid oak
- · Available in plain rails only
- Units with legs will be shipped with 35" High legs, unless specified otherwise.


Designed to be used in casework assemblies, or with legs to right or left, and manufactured to be easily customized at the job site. Only available with plain rails, and in lengths listed. Lengths given are to be cut-to-fit. Shipped assembled, components may be dismantled, cut and reassembled to fit job site conditions (i.e., column in wall, sink in kneespace, offset walls, etc.). Leg height must be specified. Top is 1" thick, specify material.

Adjustabl	' Deep e, Plain Rails Legs)	Adjustab	" Deep le, Plain Rails o Legs)	
Catalog # 7506	Length 24"	Catalog # 7524	Length 24"	/
7508	30"	7526	30"	
7510	35-1/4"	7528	35-1/4"	
7512	41-1/4"	7530	41-1/4"	\ll
7514	47-1/4"	7532	47-1/4"	\parallel
7516	60"	7534	60"	
7518	72"	7536	72"	
7520	84"	7538	84"	
7522	96"	7540	96"	Ì





Catalog #	Length	Catalog #	Length
7542	24"	7560	24"
7544	30"	7562	30"
7546	35-1/4"	7564	35-1/4"
7548	41-1/4"	7566	41-1/4"
7550	47-1/4"	7568	47-1/4"
7552	60"	7570	60"
7554	72"	7572	72"
7556	84"	7574	84"
7558	96"	7576	96"
2009		1	



22" Deep		28" Deep	
djustable, Plain Rails With		Adjustable, Plain Rails With	
Legs RIGHT		Legs RIGHT	
Specify Leg Height		Specify Leg Height	
Catalog # 7578 7580	Length 24" 30"	Catalog # 7596 7598	Length 24" 30"

atalog #	Length	Catalog #	Length
7578	24"	7596	24"
7580	30"	7598	30"
7582	35-1/4"	7600	35-1/4"
7584	41-1/4"	7602	41-1/4"
7586	47-1/4"	7604	47-1/4"
7588	60"	7606	60"
7590	72"	7608	72"
7592	84"	7610	84"
7594	96"	7612	96"
		1	

Campbell Rhea Tables & Kneespaces - 5

Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

SCIENCE & LABORATORY CASEWORK

TABLE OF CONTENTS for Science & Laboratory Fume Hoods Safety, Acid & Flammable Storage

Science and Laboratory Section:

<u>ltem</u> A:	<u>Pages</u>	<u>ltem</u> F:	<u>Pages</u>	<u>ltem</u> M:	<u>Pages</u>
ADA*				Mobile Units - CON	TINUED -
Adjustable Table	s 65	G:		Instructor's Desk	1-2, 6
C-Frame Adjusta		Germination Bed	83	Magazine	68
Table	2	Glass Tube Storage	11	Storage	68
Instructor Desk	4,6	Graduate Rack/Utility	/	Table	69
Metal Table	64	Shelf	59	Tote Tray	68, 73
Mobile Desk	2			-	ŕ
Sink	58	H:		N:	
A/V Storage	12	Herbarium	11	Navigator Student	
Animal Cages	85, 87			Table	8
Apparatus		I:			
Storage	94	Ice Maker	79	O:	
Fixtures	95				
Aquariums	80-82	J:		P:	
•				Paper Storage	72
B:		K:		Pegboard	58
Balance Tables	93	Key Cases	95	Trough	59
Biology Racks	84, 86,	Kneespaces	66-67	Perimeter Table	45-53
	89			Plant Rack	84, 86,
Biology Tables	23,	L:			88
	40-44	Lab Carts	69	Physics Table	23,
		Lab Tables			36-39
C:		Biology	23,	Potting Table	83
Carboy Cabinet	70		40-44	Prep Table	<i>54</i>
Carts	69	Chemistry	23, 35	Privacy Panel for	
Chalkboards	76-77	General Science	13-22,	Testing	9
Chart & Paper			24-26		
Storage	72	Perimeter Tables	45-53	Q:	
Chemistry Table	23,335	Physics	23,	Quantum Instructor's	
Command Center,			36-39	Desk	7
Instructor Desk	7	Prep Tables	54		
Crossbar Assembly	95	Research	27-34	R:	
				Racks	
D:		M:		Animal Cage	84-85
Damp Storage	72	Magnetar, Student		Biology	84-85
Demonstration		Table	9	Plant	86
Mirror	96	Map Storage	71	Reagent Rack	90-91
Dishwasher	78	Microscope Case	11	Recycle Center	70
Distillation Bench	94	Mobile Units		Refrigerator	79
Drying Cabinet	78	C-Frame Table	2	Research Table	27-34
_		Carts	69	Rinse Counter	56
E:	07.00	Compartment	68	Rock Storage	71
Environmental Unit	87-89	Cupboard	69		

^{*} See Catalog Indexed Section "ADA" for complete listing of ADA compliant products

Science and Laboratory Section:

<u>Item</u> S:	<u>Pages</u>
Seating	97
Service Island	59, 60
Shelving	91-92
Sinks	0.02
ADA	58
Sink Units	55-57,
	59-60
Wall Sinks	55-57
Skeleton case	11-12
Soil Bin	83
Special Purpose Cas	
Carboy	70
Chart & Paper	72
Damp Storage	72
Drying Cabinet	70
Recycle	70
Rock & Map	71
Tilt Bin	70
Tote Tray	73-75
Steam Washer	73-73 78
Stools	97
Storage	12
Mobile	68
Student C Frame	00
Table	2
Student Table	2
Magnetar Magnetar	9
•	8
Navigator The Wodge	<i>8</i>
The Wedge	0
<i>T</i> :	
Tables*	
Open Frame	
Metal	63
Open Frame	
Wood	<i>60, 63</i>
Telescope Leg	
Tack Board	77
Tilt Bin	70
Timer	86
Torso Case	11
Tote Tray	
Mobile	68
Trays	73
Cases	73-75
Trash	70
Trifascia	
Service Island	61
Ventilation	
Enclosure	62

*Also see "Lab Tables".

Science and Laboratory Section:

00	CHOII.
<u>Item</u> T: Trough/Pegboard	Pages CONTINUED 59
Trought egbourd	03
U:	
Unistrut Assembly	90
Utility Shelf	59
V:	
Ventilation Enclose	ure 62
Vertex Table	10
W:	
Wall Sink	55-57
ADA	58
Wedge Student	
Table	8
White Boards	76

Fume Hood Section:

Safety, Acid & Flammable Storage Section:

<u>Item</u>	<u>Pages</u>
Citadel [®] Color Selections	9 4
Explosion Proof Pressure Blower	18
Fume Hood Blowers	18-19
LABCONCO® Hoods Fume Adsorber Protector®	15
Demonstration ClassMate XL Floor	13 14
Mounted	16-17
LabShield® Hoods ADA, Barrier Free Air-foil, By-Pass BASIC, Light-Duty	6 8 , 7
Citadel® Double Faced,	9
Demo Induced Air Radio Isotope Perchloric	5 10 11 12
LabShield [®] Hoods Standards	1-3
Mobile Flammable Storage	6
NEDERMAN [®] Extraction Hoods	5
Snorkles NEDERMAN®	5

<u>Item</u>	<u>Pages</u>
Acid Storage	6,8
ADA Eyewash Safety Center Shower	2,3 1 2
Corrosive Storage	9-10
Eyewash	2,3
Fire Blanket Fire Extinquisher First Aid Kit Flammable Storage	4 4 4 5-7, 9
Glasses, Safety Goggles, Safety Goggles/Glasses Storage Cleaning	4 4 4
Safety ADA Center Eyewashes Glasses/Goggles Showers Storage	1-3 1 2-3 4 2 5-10
Storage Acid Metal Polypropylene Wood Chemical Corrosive Shelves	8 6,10 10 9-10
Shelves Liners	10
Polypropylene	10
Showers	2

Mobile Instructor's Desks

7700 Mobile Instructor's Desk

Dimensions:	W	Н	D
Overall	48"	35-3/4"	24"
Base Cabinet	41-1/4"		21"

Equipment: One pull-out writing slide; one adjustable shelf; four master keyed locks; four heavy duty casters, two rigid and two swivel with locks. Top is 1" thick Rheatex.



6000 Mobile Instructor's Desk

Dimensions:	W	Н	D
Overall	48"	35-3/4"	24"
Base Cabinet, O D	41-1/4"	31"	22"
Cupboard, I D	22-1/2"	23-1/4"	19-3/4"
File Drawer, I D	14-1/2"	10-1/2"	17"
Drawers (2) I D	14-1/2"	6-1/8"	17"
Writing Slide	16-3/8"		16-1/4"
Stainless Steel Sink, I D	14"		10"
{Sink Depth: 7-1/2" }			

Equipment: One plunger type water pump; one 20 foot extension cord connected to one duplexAC receptacle; two, one gallon polyethylene bottles with connections for water and waste; one aluminum upright rod; one Greenlaw arm; one rod socket; four master keyed locks; four heavy duty rubber tired casters, two rigid and two swivel with locks. Top is 1" thick - specify material desired.

6002 Mobile Instructor's Desk


Same as 6000 except equipped with a 4" hemispherical epoxy resin cup sink.




7702 Mobile Instructor's Desk

Dimensions:		W	Н	D
Overall		65-1/4"	35-3/4"	24"
Base Cabinet		47-1/4"		21"
Dropleaf	16"			

Equipment: One adjustable shelf; one master keyed lock; and, four heavy duty casters, two rigid and two swivel with locks. Top and dropleaf are 1" thick Rheatex.





6004 Mobile Inst	ructor's Desk
------------------	---------------

Dimensions:	W	Н	D
Overall	48"	35-3/4"	24"
Base Cabinet, O D	41-1/4"	31"	22"
Cupboards (2), I D	19-1/2"	23-1/4"	17-1/4"
Tote Trays (3)	16"	3-1/4"	12"
Pegboard	39-1/4"		29"
Stainless Steel Sink, I D	14"		10"
{Sink Depth: 7-1/2"}			

Equipment: One plunger type water pump; one 20 foot extension cord connected to one duplex AC receptacle; two, one gallon polyethylene bottles with connections for water and waste; two aluminum upright rods; one metal crossbar; two rod sockets; three adjustable shelves; three #6342 tote trays; a recessed pegboard on back side of unit; four heavy duty rubber tired casters, two rigid and two swivel with locks. Top is 1" thick - specify material desired.

Mobile Instructor's Desks



6006 Mobile Instructor's Desk

Dimensions:	W	Н	D
Overall	65-1/4"	35-3/4"	27"
Overall (leaf down)			27"
Base Cabinet, O D	47-1/4"	31"	25"
Drawers, I D	20-1/2"	6"	14"
Cupboard, I D	22-1/2"	21-3/4"	14"

One rear cupboard, 45-3/4" W x 29" H x 6-1/4" D, with sliding doors; shelf for waste and water bottles with rod storage area below.

Equipment: One plunger type water pump; one 3" x 6" oval epoxy resin cup sink; one 20 foot extension cord connected to one AC duplex receptacle; two, one gallon polyethylene bottles with connections for water and waste; two aluminum upright rods; one aluminum crossbar; two rod sockets; one master keyed lock; four heavy duty rubber tired casters, two rigid and two swivel with lock. Top is 1 " thick - specify material desired.

C-Frame, Mobile Desk for Instructor or Student









Rear chase area showing service and equipment 'quick' connections

8770 C-Frame, Adjustable Height, Mobile Desk for Instructor or Student

Dimensions:	W	Н	D
Overall	60"	*Adj.	30"
Suspended Cabinet, O D	18"	18"	22"
Sink, Diameter	10"		

^{*}Adjustable Height: 30" to 36"

Equipment: One cold water faucet equipped with ADA compliant blade handle, standard; one, 10" diameter stainless steel circular sink with drain plug; one laboratory ball service fixture (not standard as ADA compliant, must specify if desired); one, GFCI duplex outlet. Unit is completely pre-wired and pre-plumbed. C-frame structure is shown in standard epoxy powder coated light tan color and is equipped with four, lockable swivel casters.

Back chase area is covered by an 18 ga. metal back panel which runs the full width between uprights. An integral 'trough' in the back panel will support and hold hoses and cords. Height is adjusted by lifting the top and moving it in a hook and slot track system. Height can be adjusted between 30" to 36" in one inch increments up or down the back frame uprights.


SERVICE PIPING, TRAPS AND ELECTRIC CONDUIT ARE NOT INCLUDED

7100 Instructor's Desk

 Dimensions:
 W
 H
 D

 Overall
 60"
 36"
 30"

Equipment: Assembly consists of one, 18" wide cupboard with one adjustable shelf; one, 18" wide base cabinet with one file drawer, two storage drawers, & one pullout writing slide; and, one, 21" wide kneespace. Top is 1" thick Rheatex.



7102 Instructor's Desk

 Dimensions:
 W
 H
 D

 Overall
 60"
 36"
 30"

Equipment: Assembly consists of two, 18" wide base cabinets each containing

one file drawer and three storage drawers; and, one knee-space, 21" wide. Top is 1" thick Rheatex.




7104 Instructor's Desk


 Dimensions:
 W
 H
 D

 Overall
 48"
 36"
 30"

Equipment: Assembly consists of one, 18" wide base cabinet with one file drawer and three storage drawers; and, one 24" wide knee-space with modesty panel. Top is 1" thick Rheatex.



SERVICE PIPING, TRAPS AND ELECTRIC CONDUIT ARE NOT INCLUDED



6008 Instructor's Desk			
Dimensions:	W	Н	D
Overall	60"	36"	30"
Base Cabinet (2), O D	18"	35"	27"
Cupboard, I D	16-1/2"	21-3/4"	25-3/4"
Drawer (1), I D	14-1/2"	3-1/2"	17"
Drawers (2), I D	14-1/2"	4-1/2"	17"
File Drawer, I D	14-1/2"	10-1/2"	17"
Writing Slide	16-3/8"		17-3/4"
Sink, I D	14"		10"
{Sink Depth: 6" }			

Equipment: One cold water gooseneck faucet; one double gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; one aluminum upright rod; one aluminum Greenlaw arm; one rod socket; one master keyed lock. Top is 1" thick - specify material desired.

6008A Instructor's Desk

Same as 6008, except overall height is 34"

6010 Instructor's Desk

Same as 6008 except opposite hand.

6010A Instructor's Desk

Same as 6010, except overall height is 34"

6012 Instructor's Desk

Dimensions:	W	Н	D
Overall	60"	36"	30"
Base Cabinet (2), O D	18"	35"	27"
Cupboard, I D	16-1/2"	21-3/4"	25-3/4"
Drawers (3), I D	14-1/2"	4-1/2"	17"
File Drawer (1), I D	14-1/2"	10-1/2"	17"
Sink, I D	14"		10"
{Sink Depth: 6" }			

Equipment: One cold water gooseneck faucet; one single gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; one aluminum upright rod; one aluminum Greenlaw arm; one rod socket; one master keyed lock. Top is 1" thick specify material desired.

6012A Instructor's Desk

Same as 6012, except overall height is 34"

6012-H Barrier Free Instructor's Desk

Dimensions: W H D

Overall	72" 34" 24"
Base Cabinet (2), O D	18" 33" 22-1/2"
Cupboard, I D	16-1/2" 20-1/4" 21-1/4"
Drawers (3) I D	14-1/2" 7-3/4" 17"
Sink, I D	14" 6" 10"

{Sink Depth: 6"}

Equipment: One cold water faucet with quarter turn valve &wrist handle; one single gas cock; one duplex AC receptacle; one epoxy resin sink and one epoxy resin sink outlet with strainer; two rod sockets are provided (crossbar assembly is not included). Kneespace opening is 34" W. to allow for wheelchair access. Removable insert of specified top material rests on oak rails, and is cut on 16" radius with a 32" straight edge. When insert is removed, the sink, faucet and gas cock are more accessible to those in a wheelchair. With insert in place, unit may be used by physically challenged, or any student or instructor. Top is 1" thick; specify material desired.

6014 Instructor's Desk

Same as 6012, except opposite hand.

6014A Instructor's Desk

Same as 6014, except 34" high.

SERVICE PIPING, TRAPS AND ELECTRIC CONDUIT ARE NOT INCLUDED

6016 Instructor's Desk

Dimensions:	W	Н	D
Overall	96"	36"	30"
Base Cabinets (2), O D	35-1/4"	35"	27"
Cupboard, I D	33-3/4"	21-3/4"	25-3/4"
Drawers (2), I D	14-1/2"	6"	17"
Drawers (3), I D	31-3/4"	6"	17"
Sink, I D	18"		15"
{Sink Depth: 11" }			

Equipment: One cold water gooseneck faucet; one hot water gooseneck faucet; one double gas cock; one duplex AC receptacle; one drop-in epoxy resin sink; one epoxy sink outlet with strainer; two aluminum upright rods; one aluminum cross bar; two rod sockets; one master keyed lock. Top is 1" thick - specify material desired.

6016A Instructor's Desk

Same as 6016, except overall height is 34"

6017 Instructor's Desk

Same as 6016, except with drawer cabinet

6018 Instructor's Desk


Same as 6016 except opposite hand.


6018A Instructor's Desk

Same as 6018, except overall height is 34"

6019 Instructor's Desk

Same as 6017, except opposite hand, drawer cabinet.





6020 Instructor's Side Desk

The Instructor's Side Desk is designed to provide desk space for those instructors not provided with separate office space. The side desk is shipped not assembled.

ariipped not assembled.			
Dimensions:	W	Н	D
Overall	48"	30"	30"
Base Cabinet, O D	18"	29"	27"
File Drawer (1), I D	14-1/2"	10-1/2"	17"
Drawer (1), I D	14-1/2"	3-1/2"	17"
Drawer (1), I D	14-1/2"	4-1/2"	17"
Kneespace Drawer (1), ID	13"	2-1/4"	17"
Book Shelf, I D	27"	10-1/2"	7-1/4"
Writing Slide	16-3/8"		17-3/4"

Equipped with one master keyed lock. Book shelf is located on back side of kneespace. Top is 1" thick - specify material desired.

6021 Instructor's Side Desk

Same as 6020 except opposite hand.


6022 Instructor's Desk


W	H	D
6' 8-1/4"	36"	30"
24"	35"	27"
18"	35"	27"
35-1/4"	35"	27"
18"		30"
22-1/2"	21-3/4"	25-3/4"
33-3/4"	21-3/4"	25-3/4"
14-1/2"	17"	6"
14-1/2"	17"	2-1/4"
16"		12"
	6' 8-1/4" 24"	6' 8-1/4" 36" 24" 35" 18" 35" 35-1/4" 35" 18" 22-1/2" 21-3/4" 33-3/4" 21-3/4" 14-1/2" 17"

Equipment: One cold water gooseneck faucet; one double gas cock; two duplex A C receptacles; one drop-in epoxy resin sink; one epoxy sink outlet with strainer; two aluminum upright rods; one aluminum cross bar; two rod sockets. Top is 1" thick - specify material desired.

6024 Instructor's Desk

Same as 6022 except opposite hand.





6026	Instructor's	Table
Dima	neione:	

Dimensions:	W	Н	D
Overall	12' 0'	36"	36"
Base Cabinets (2), O D	47-1/4"	35"	33-1/4"
Cupboard, I D	45-3/4"	21-3/4"	31-3/4"
Drawers (2), I D	20-1/2"	2-1/4"	17"
Drawers (3), I D	20-1/2"	6"	17"
Drawers (2), I D	43-3/4"	6"	17"
Sink, I D	18"		15"
{Sink Depth: 11" }			

Equipment: One cold water gooseneck faucet; one hot and cold water mixing faucet; two double gas cocks; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; two aluminum upright rods; one aluminum cross bar; two aluminum burette rods with adapter, 1/2" diameter x 24" W; four rod sockets; one master keyed lock. Top is 1" thick - specify material desired.

6028 Instructors's Table


Same as 6026 except opposite hand.

Mobile, ADA Accessible Lab Station


6007 Mobile, ADA Accessible Lab Station

Dimensions:	W	D	Н
Overall	65-3/4"	30"	32"
Wheelchair access	32"	30"	30"

Equipment: One cold water fixture with electric pump and two 3-way switches. One each, 2-1/2 gallon polyethylene carboy for supply and waste. One epoxy resin cup sink, 3" x 6" diameter. One gas cock and one air cock with 10 foot supply hose. (Note: Gas and air supply must be provided from fixed sources in classroom or lab. As a safety precaution, no propane, gas or oxygen cannisters should be contained within the unit .) Four, 5" diameter casters - two rigid, two swivel with locks. One aluminum crossbar assembly with two rod sockets. One 25 foot electric supply cord, 16-3SJ with plug (NEMA S-15P), one automatic rewind reel. Carboys, electric pump and cord with its rewind wheel are housed in the two door cupboard on one end of unit. The other end unit has two drawers with a pullout board on one side, and three drawers with a pullout writing board on the opposite side. Unit is equipped with three duplex, 15 amp. 120 volt AC receptacles; one is GFCI type for complete circuit protection. Support frame for top is 1" x 1-1/2" steel tubing, with black acid resistant finish. Top is 1" thick - specify material desired.



Quantum™ Command Center






Front View


Incorporating classic good looks with practicality, functionality with convenience, and workspace with storage, the Quantum[™] provides a full-service command center for today's technology based teaching formats. Quantum[™] is designed with two double-faced storage cupboards accessible from either side. Standard cupboards are equipped with two adjustable shelves; however these may be replaced with pullout shelves to accommodate DVD or VCR players, audio systems or other multimedia equipment. The two end cabinets are provided with bottom mounted pullouts for storage of overhead projectors, ring stands, tall beakers, or any equipment requiring height. These two end cabinets can be equipped with a fixed shelf, or a two-shelf, lazy-susan for storage of smaller equipment.

The knee space is equipped with a pullout shelf, large enough to accommodate a computer keyboard & mouse. Pop-up data ports & electrical outlets are provided in the countertop for easy access by lap top or other electrical devices. A multi-service hot & cold water faucet with two fixtures for gas, & a 12" diameter round Corian sink and work surface are standard; contact your CampbellRhea representative for other top and sink options.

The end cabinet doors and the front of the knee space section (which is faced to match the end cabinet doors) are available with tambour, raised panel or custom Scandinavian style faces. Specify end cabinet door and knee space panel style.

Multi-Media Instructor's Command Center





8836 Multi-Media Instructors Command Center

 Dimensions:
 W
 H
 D

 Overall
 10'-8"
 6'-0"
 34'

Equipment: One 9529 combination cold water and gas fixture, one 9818 duplex electric receptacle. One 14" x 10" x 5" deep drop-in epoxy sink, one epoxy resin sink outlet, and two "EDP" grommets.

Unit is designed to accommodate both lab and lecture functions in the classroom, while maximizing both space and time available in a single classroom. Lecture side of table provides ample countertop room and access to a computer monitor and keyboard. When lab experiments are required there is ample work surface and a sink is provided for wash-up.

Storage cabinets at each end are accessible from both sides for easy cable management and/or plumbing. The center cabinet has one adjustable shelf and doors on the classroom side. The tambour door storage cases are each equipped with one pullout shelf for a printer or projector.

An optional, acrylic, rotating monitor enclosure with a black 3/4" phenolic resin base is available, if specified. Enclosure is vented to avoid monitor overheating. Swivel is aluminum with ball bearings. Cut out is provided in the countertop for cables.

Crossbar assembly with "C" clamp bases are available but sold separately.

(Note: Monitor, CPU and keyboard are not included.)

Navigator™ Technology Center

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6125 Navigator™ Technology Center

Dimensions, Overall: 60" Diameter 34" H. standard

(Optional: 30" or 36" Heights)

The patented design of Navigator™ provides a full-service work arena for today's technology based laboratory formats.

Navigator™ is designed to provide water, gas, computer ports and electric service in a group work space, complete with storage compartments. Two access spheres, each containing two data ports and two electrical outlets, are mounted on the work surface for easy access by lap tops or other electrical devices. Navigaor™ is designed with an integral spill barrier around the sink. While allowing work with out the discomfort of a marine edge, this barrier provides protection from accidental spills for lap tops and paperwork.

Unit is equipped with two standard chrome multi-service fixtures with cold water and gas services; epoxy powder coated fixtures are available if specified. A 12" diameter round under-mounted Corian sink is standard with a Corian work surface. A variety of standard colors are available. Specify color selection. Additional top and sink options are available; confirm these options with your CampbellRhea dealer and specify.

The support shell base is manufactured of fire resistant fiberglass reinforced polyester resin. Four compartments incorporated into its design provide ample storage space for lap top computers or notebooks. Lap tops are not included. Navigator's design is naturally ADA compliant with optional 30" or 36" heights available.



Chairs & lap top not included. Photo show optional white epoxy powder coated fixtures; and, optional school color-matching, CorianTM top.

The Wedge[™] Student Table

8826 The Wedge™ Student Table

Dimensions:	W	Н	D
Overall, Work Surface	93-3/16"	36"	49-9/16"
Base, OD	66"	28-1/2"	31-1/16"
Cabinets, O D	21"	35"	15-1/2"
Sink Cabinet, I D	24"	35"	15-1/2
Sink, I D	12"		8"
{Sink Depth: 6"}			

Unit easily accommodates six students, more if entire circumference is accessed.

Equipment: Standard unit is equipped with two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" epoxy resin sink; one epoxy resin sink plug with disc strainer; and, two AC duplex, GFIC receptacles. Standard is without locks, specify if desired. Top is 1" thick - specify material desired.

A number of style modifications can be made to the standard Wedge design, including variations on the cabinets to multiple drawer units; additional gas cocks and/or electrical, added around the perimeter rail of the work surface; or installation of a simple plumbing access panel with the elimination of the standard sink cabinet with doors.





Magnetar[™] Laboratory Table

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



The work center is designed to accommodate both lab and lecture functions while providing ample counter top space for four. A centralized work center provides access to computer, monitor, and wired or remote keyboard, while maximum counter space remains available for lab experiments when required.

There is an optional rotating monitor enclosure available for the work center. When specified it will accommodate up to 17" diagonal monitors. Base is a wood clad, metal storage cabinet, with pull-out shelf that provides ample space for securing CPU, hardware and printer. (CPU, monitor, hardware and printer are not included.)

The work top is infinitely adjustable from 30" to 36", allowing the table to be ADA accessible or used by standing or seated students not requiring ADA compatibility. The top is adjusted by an electric actuator using a key switch in the sink cabinet, and requires no special tools for adjustment.

The ADA compliant sink cabinet is at a fixed height of 34", and is equipped with two combination cold water and gas fixtures, two GFCI duplex electric receptacles, a 14" x 10" x 5" D drop-in sink.

Specify top material required. Optional mobile 3-drawer cabinets with specified 1" top material are available if specified. These mobile units match the Magnetar casework, and are equipped with 2 lockable casters.

For testing purposes, optional privacy panels with storage unit are available if specified. Contact your CampbellRhea dealer for further detail.





 8838 Privacy Panel

 Dimensions
 W
 H
 Thick

 Overall
 30"
 18"*
 3/4"

 Stabilizer Foot
 3"

*height from countertop to top of panel



Privacy panels are thermo formed black plastic. Three panels create four private work areas during testing while seated at the Magnetar. The countertop jaw will fits 1" thick countertop material; and the 3"W stabilizer foot prevents tipping.


Privacy panels can be used in other areas, or with other tables, provided counter top material does not exceed 1" thickness.

Privacy Panel Storage

7334 Privacy Panel Storage Cabinet

Dimensions: 47-1/2" Overall 67-3/8" 24"

Equipment: Unit is equipped with two specially notched rails to hold up to eighteen (18) #8838 Privacy Panels, and four (4) 5" casters, two (2) rigid and two (2) swivel and lock. Doors are standarad without locks; however, locks can be provided if specified.



Vertex[™] Laboratory Table & Sink



Dimensions:

Adjustable Height Table: 30" x 41"

Table can be adjusted in the field to have a lesser range of movement, if desired. Example: 31" x 36".

84" L x 36" W Work Surface:

Table is constructed from 14-gauge steel tubing, satin black polyester powder coated. Height is infinitely adjustable between 30" and 41". Table mechanism is driven by electric actuator with limit switches to control stops. Table is capable of lifting a 500 lb. static load. Table comes with 16 gauge modesty panels that enclose the lift mechanism. Wood finish panels are available to attach over steel modesty panels, if specified.


Unit is provided with a 6 ft. long power cord and requires a 120 volt 20 amp power supply. Legs are brushed aluminum. Black polyester coated feet are equipped with adjustable glides.

Unit is equipped with four book bag hooks, rod storage area for two rods, and an electric/data raceway. Two electric receptacles and four data outlet mounting plates are furnished. Data outlets to be provided by others. Table comes standard with plug and play switch module that allows the teacher to adjust the table as needed. Table mounted "Local Control Switch" is available, if specified.

The switch module unplugs and may be stored away from the unit when not in use. Pop-up, tilt-up or pedestal electric access may be furnished instead of elec/data raceway, if specified. 1" thick top must be ordered separately, specify material.


For testing purposes, optional privacy panels (#8838) and panel storage unit (#) are available; order separately.

Special Purpose 84" High Storage




6922 Skeleton Case
Dimensions: W H D
Overall 27" 84" 16"
Equipment: One pullout hanger; door has three point locking handle.

6923 Skeleton Case Same as 6922 except 22-1/2" D.



6924 Torso CaseDimensions:WHDOverall27"84"16"Torso Compt.20-7/8"42"12-3/4"Equipment:One pullout shelf; two adjustable shelves; 3-point locking handle.


6925 Torso Case Same as 6924 except 22-1/2" D.




6930 Glass Tubing Case Dimensions: W H D

Overall 27" 84" 16"

Equipment: Four Slanting Compartments for tubing; 3-point locking handle.



6932 Herbarium Case
Dimensions: W H D
Overall 27" 84" 22-1/2"
Compts., I. D. 1 2-3/8" 5-3/4" 22-1/2"
Equipment: Twenty -six Herbarium sheet compartments; 3-point locking handle.




6940 Microscope Case

Dimensions: W H D

Overall 27" 84" 16"

Equipment: Four, 1" thick fixed shelves; case accommodates fifteen microscopes, 8-1/8" between dividers; dividers installed in shelves are chrome plated 1/4" diameter bent wire; 3-point locking handle.

6940-B Microscope Case Same as 6940 except 22-1/2" D.



6942 Microscope Case Dimensions: W D Overall 35-1/4" 84" 16" Equipment: Four 1" thick fixed shelves; case accommodates twenty (20) microscopes, 8-1/16" between dividers; dividers installed in shelves are chrome plated 1/4" diameter bent wire; 3-point locking handles. 6942B Microscope Case Same as 6942 except 22-1/2" D Microscope Case


6943 Microscope Case
Same as 6942 except 41-1/4" W; will
accommodate twenty (20) microscopes,
9-9/16" between dividers.
6943B Microscope Case

Same as 6942 except 22-1/2"D
6944 Microscope Case
Same as 6942 except 47-1/4" W; will
accommodate thirty microscopes, 7-3/16"
between dividers.

6944-B Microscope Case Same as 6944 except 22-1/2" D; will accommodate thirty microscopes, 7-3/16" between dividers.

Campbell Rhea Science - 11

Special Purpose 84" High Storage





6948 Storage Case

Dimensions: W D Overall 47-1/4" 84" 16" Equipment: Four vertical compartments with five adjustable shelves each. Storage for variety of laboratory apparatus.

6949 Storage Case

Same as 6948 except 22-1/2" D.






6950 Combination Case

Dimensions: D 16" Overall 62' 84"

Equipment: Combination skeleton, microscope and torso case; three individual compartments. Skeleton compartment on left has pullout hanger. Microscope compartment has four 1" thick fixed shelves with dividers to accommodate fifteen (15) microscopes. 6-1/8" between dividers. Dividers installed in shelves are chrome plated 1/4" diameter bent wire. Torso compartment on right has one pullout shelf, 16" W x 12" D, with 2 adjustable shelves below. Each door is equipped with 3-point locking handles.

D

PC or Audio/Video (A.V) Storage Case



8920 PC or Audio/Video (AV) Storage Case **Dimensions** 41-1/4" 84" 23-3/4" Overall

Cabinet designed to be self-contained center for multimedia presentations. Provides storage for television or computer monitor, and video cassette recorder (VCR) or CPU in upper compartment; while providing ample storage in the lower compartment for cassettes, VCR tapes, computer software, printer and paper.


The upper compartment is equipped with square edged, pocket style, flush inset doors. The upper section is equipped with at 175 lb. capacity full extension swivel shelf, allowing the TV or monitor to be pulled out past the front of the case for viewing. Upper compartment space (allowing for the full extension, swivel shelf) will accommodate a monitor, or TV the maximum dimensions of 32" x 27" H x 19" D. VCR or CPU storage area is 32" W x 8" H x 19" D.

Lower compartment is equipped with square edged, overlay style doors and tow adjustable shelves. Compartments can be independently equipped with locks to restrict access to one, or both. Locks are not included; must be specified.

8922 PC or Audio/Video (A/V) - Storage Case

Same as 8920 except 47-1/4" W x 23-3/4 D; will accommodate a monitor or TV, 38" x 27" 19" and a VCR width of 38".

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6038 Six Student Lab Table

0030 SIX Studelit Lab I	abie		
Dimensions	W	Н	D
Overall	16 '0"	36"	24"
Base Cabinets (3), O D	18"	35"	22"
Back splash	16' 0"	4"	1"
Compartments (6), ID	15"	3"	16"
Cupboards (3), I D	16-1/2"	21-3/4"	20-3/4"
Sinks (3), I D	12"		8"
{Sink Depth: 6" }			

Equipment: Three cold water gooseneck faucets; two double and two single gas cocks; three duplex AC receptacles; three drop-in epoxy resin sinks; three polypropylene sink outlets with strainers; six rod sockets. Top is 1" thick - specify material desired.

6040 Six Student Lab Table

Same as 6038 except: equipped with 6 drawers, 11-7/8" W x 2-1/4" H x 15" D, ID. with master keyed locks instead of compartments.



6042 Four Student Lab Table


Dimensions	W	Н	D
Overall	10' 8"	36"	24"
Base Cabinets (2), O D	18"	35"	22"
Back splash	10' 8"	4"	1"
Compartments (4), ID	13-7/8""	3"	16"
Cupboards (2), I D	16-1/2"	21-3/4"	20-3/4"
Sinks (2), I D	12"		8"
{Sink Depth: 6" }			

Equipment: Two cold water gooseneck faucets; one double with two single gas cocks; two duplex AC receptacles; two drop-in epoxy resin sinks; two polypropylene sink outlets with strainer; four rod sockets. Top is 1" thick - specify material desired.

6044 Four Student Lab Table

Same as 6042 except equipped with four drawers 11-7/8" W $\,$ 2-1/4" H $\,$ x 15" D, ID., with master keyed locks instead of compartments.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6046 Twelve Student Lab Table Dimensions: Н D Overall..... 16' 0" 36" 48" Base Cabinets (3), O D... 35" 45" 18" 16" Compartments (12), I D... 13-7/8" 3" Double Faced Cupboards (3), I D... 16-1/2" 21-3/4" 44-1/4" Sinks (3), I D..... 16" {Sink Depth: 7"}

Equipment: Six cold water gooseneck faucets; two 4-way and two double gas cocks; six duplex AC receptacles; three epoxy drop-in resin sinks; three polypropylene sink outlets with strainer; six rod sockets. Top is 1" thick - specify material desired.

6048 Twelve Student Lab Table

Same as 6046 except equipped with twelve drawers, 11-7/8" W x 2-1/4" H x 15" D, ID., with master keyed locks instead of compartments.



6050 Eight Student Lab Table **Dimensions:** Н D Overall..... 10' 8" 48" 36" Base Cabinets (2), O D... 18" 35' 45" Compartments (8), I D... 13-7/8" 3" 16" Double Faced

16-1/2"

21-3/4"

44-1/4"


Cupboards (2), I D...

Equipment: Four cold water gooseneck faucets; one 4-way and two double gas cocks; four duplex AC receptacles; two drop-in epoxy resin sinks; two polypropylene sink outlets with strainers; four rod sockets. Top is 1" thick - specify material desired.

6052 Twelve Student Lab Table

Same as 6050 except equipped with eight drawers, 11-7/8" W x 2-1/4" H x 15" D, ID., with master keyed locks instead of compartments.


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6054 Six Student Lab Table

Dimensions:	W	Н	D
Overall	16' 0"	36"	30"
Base Cabinets (3), O D	24"	35"	28-1/4"
Drawers (12), ID	8-7/8"	6"	13"
Cupboards (3), I D	10-7/8"	29-1/4"	13"
Compartments (6), I D	13-7/8"	3"	16"
Sinks (3), I D	12"		6"
{Sink Depth: 6" }			

Equipment: Three cold water gooseneck faucets; two double and two single gas cocks; four duplex AC receptacles; three drop-in epoxy resin sinks; three polypropylene sink outlets with strainer; six rod sockets; three adjustable shelves. Top is 1 " thick - specify material desired.




6056 Four Student Lab Table

Dimensions:	W	Н	D
Overall	10' 8"	36"	30"
Base Cabinets (2), O D	24"	35"	28-1/4"
Drawers, (8), ID	8-7/8"	6"	13"
Cupboards (2), I D	10-7/8"	29-1/4"	13"
Compartments (4), I D	13-7/8"	3"	16"
Sinks (2), I D	12"		8"
{Sink Depth: 6"}			


Equipment: Two cold water gooseneck faucets; one double and two single gas cocks; three duplex AC receptacles; two drop-in epoxy resin sinks; two polypropylene sink outlets with strainers; four rod sockets; two adjustable shelves. Top is 1" thick - specify material desired.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6058 Twelve Student Lab Table Dimensions: Н D 36" 48" Base Cabinets (6), OD..... 24" 35" 16" Drawers (24), I D...... 8-7/8" 6" 13" Cupboards (6), I D...... 10-7/8" 29-1/4" 13" 3" 16" 8"

Equipment: Six cold water gooseneck faucets; two 4-way and two double gas cocks; six duplexAC receptacles; three drop-in epoxy resin sinks; three polypropylene sink outlets with strainers; six rod sockets; six adjustable shelves. Top is 1" thick - specify material desired.



6060 Eight Student Lab Table


{Sink Depth: 7" }

6000 Eight Student Lab Table				
Dimensions:	W	Н	D	
Overall10	O' 8"	36"	48	
Base Cabinets (4), OD	24"	35"	16	
Drawers (16), I D	8-7/8"	6"	13	
Cupboards (4), I D	10-7/8"	29-1/4"	13	
Compartments (8), ID	13-7/8"	3"	16	
Sinks (2), I D	16"		8"	
{Sink Depth: 7" }				


Equipment: Four cold water gooseneck faucets; one 4-way and two double gas cocks; four duplex AC receptacles; two drop-in epoxy resin sinks; two polypropylene sink outlets with strainers; four rod sockets; four adjustable shelves. Top is 1" thick - specify material desired.

6061 Eight Student Lab Table			
Dimensions:	W	Н	D
Overall	10' 8"	36"	48"
Sinks (2), I D	16"		8"
{Sink Depth: 7"}			

Equipment: Four cold water gooseneck faucets; one 4-way and two double gas cocks; six duplex AC receptacles; two epoxy resin sinks; two epoxy resin sink outlets with strainers; four rod sockets. Top is 1" thick - specify material desired.



BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6062 Six Student Lab Table

{Sink Depth: 6"}

Dimensions:	W	Н	D
Overall	16' 0"	30"	30"
Base Cabinets (3), OD	24"	29"	28-1/4"
Drawers (6), I D	8-7/8"	2-1/2"	13"
Drawers (6), I D	8-7/8"	6-1/2"	13"
Cupboards (3), I D		10-7/8"	23-1/4"
•	13"		
Compartments (6), ID	13-7/8"	3"	16"
Sinks (3), I D	. 12"		8"

Equipment: Three cold water gooseneck faucets; two double and two single gas cocks; four duplex AC receptacles; three drop-in epoxy resin sinks; three polypropylene sink outlets with strainers; six rod sockets; three adjustable shelves. Top is 1" thick - specify material desired.




6064 Four Student Lab Table

Dimensions:	W	Н	D
Overall	10' 8"	30"	30"
Base Cabinets (2), OD	24"	29"	28-1/4"
Drawers (4), I D	8-7/8"	2-12"	13"
Drawers (4), I D	8-7/8"	6-1/2"	13"
Cupboards (2), I D		10-7/8"	23-1/4"
1:	3"		
Compartments (4), ID	13-7/8"	3"	16"
Sinks (2), I D	12"		8"
Court Deptil. 0 }			


Equipment: Two cold water gooseneck faucets; one double and two single gas cocks; three duplex AC receptacles; two drop in epoxy resin sinks; two polypropylene sink outlets with strainers; four rod sockets; two adjustable shelves. Top is 1" thick - specify material desired.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6066 Two Student Lab Table				
Dimensions:	W	Н	D	
Overall	64"	36"	30"	
Base Cabinet (1), O D	24"	35"	28-1/4	
Cupboard (1), I D	10-7/8"	29-1/4"	13"	
Drawers (4), I D	8-7/8"	6"	13"	
Compartments (2), I D	13-7/8"	3"	16"	
Sink, I D	12"		8"	
{Sink Depth: 6" }				

Equipment: One cold water gooseneck faucet; two single gas cocks; two duplex AC receptacles; one drop-in epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets; one adjustable shelf. Top is 1" thick - specify material desired.




6068 Two Student Lab Table

Same as 6066 except cupboard and shelf are omitted and quantity of drawers increase to eight.




6070 Two Student Lab Table

Same as 6066 except quantity of drawers is decreased to three. Drawers are 8-1/2" H, I.D.



6072 Two Student Lab Table


Same as 6066 except cupboard & shelf are omitted & quantity of drawers increases to 6. Drawers are 8-1/2" H, I.D.



6074 Two Student Lab Table


Same as 6066 except drawers are omitted and cupboard width increases to 22-1/2".

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6076 Four Student Lab Table				
Dimensions:	W	Н	D	
Overall	64"	36"	48"	
Base Cabinets (2), O D	24"	35"	16"	
Cupboards (2), I D	10-7/8"	29-1/4"	13"	
Drawers (8), I D	8-7/8"	6"	13"	
Compartments (4), I D	15"	3"	16"	
Sink, I D	16"		8"	
{Sink Depth: 7" }				

Equipment: Two cold water gooseneck faucets; two double gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets; two adjustable shelves. Top is 1" thick - specify material desired.




6078 Four Student Lab Table

Same as 6076 except cupboards and shelves are omitted, and quantity of drawers increase to sixteen.




6080 Four Student Lab Table

Same as 6076 except quantity of drawers is decreased to six. Drawers are 8-1/2" $\,$ H, I D.



6082 Four Student Lab Table


Same as 6076 except cupboards & shelves are omitted & the quantity of drawers increases to twelve. Drawers are 8-1/2" H, I D.



6084 Four Student Lab Table


Same as 6076 except drawers are omitted and cupboard width is increased to 22-1/2".

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6088 Two Student Lab Table

Same as 6086 except quantity of drawers $\,$ is decreased to six. Drawers are 8-1/2" H.




6092 Two Student Lab Table

Same as 6086 except cupboard & shelf are omitted & quantity of drawers is increased to 9. Drawers are 8-1/2" H, I D.

6086 T	wo Stud	lent Lal	b Table
--------	---------	----------	---------


Dimensions:	W	Н	D
Overall	72"	36"	30"
Base Cabinet (1), O D	35-1/4"	35"	28-1/4"
Cupboard (1), I D	10-1/2"	29-1/4"	13"
Drawers (8), I D	8-7/8"	6"	13"
Compartments (2), I D	13-7/8"	3"	16"
Sink, I D	12"		8"
{Sink Depth: 6" }			

Equipment: One cold water gooseneck faucet; two single gas cocks; two duplex AC receptacles; one drop-in epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets; one adjustable shelf. Top is 1" thick - specify material desired.



6090 Two Student Lab Table


Same as 6086 except cupboard and shelf are omitted and the quantity of drawers is increased to twelve.



6094 Two Student Lab Table


Same as 6086 except drawers are omitted and the cupboard width is increased to 33-3/4".

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6096 Four Student Lab Table				
Dimensions:	W	Н	D	
Overall	72"	36"	48"	
Base Cabinets (2), O D	35-1/4"	35"	16"	
Cupboards (2), I D	10-1/2"	29-1/4"	13"	
Drawers (16), I D	8-1/2"	6"	13"	
Compartments (4), I D	13-7/8"	3"	16"	
Sink, I D	16"		8"	
{Sink Depth: 7"}				

Equipment: Two cold water gooseneck faucets; two double gas cocks; two duplex AC receptacles; one drop-in epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets; two adjustable shelves. Top is 1" thick - specify material desired.




6098 Four Student Lab Table

Same as 6096 except quantity of drawers is decreased to twelve. Drawers are 8-1/2" H.


6100 Four Student Lab Table

Same as 6096 except cupboards and shelves are omitted and the quantity of drawers is increased to twenty-four.



6102 Four Student Lab Table


Same as 6096 except cupboards & shelves are omitted; the quantity of drawers is increased to eighteen. Drawers are 8-1/2" H, I D.




6104 Four Student Lab Table

Same as 6096 except drawers are omitted and the width of cupboards is increased to 33-3/4".

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.





6156 Two Student Lab Table

Dimensions:	W	Н	D
Overall	64"	30"	24"
Base Cabinet (1) OD	18"	29"	22"
Cupboard (1), I D	16-1/2"	17-1/4"	20-3/4"
Compartments (2), I D	13-1/2"	3"	16"
Sink, I D	12"		8"
{Sink Depth: 6"}			

Equipment: One cold water gooseneck faucet; two single gas cocks; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets. Top is 1" thick - specify material desired.

6158 Two Student Lab Table

Same as 6156 except equipped with two drawers, 11-7/8" W x 2-1/4" H x 15" D, ID, with master keyed locks instead of compartments.

6160 Two Student Lab Table

Same as 6156 except 36" H.

6162 Two Student Lab Table

Same as 6158 except 36" H.

6164 Four Student Lab Table

Dimensions:	W	Н	D
Overall	64"	30"	42"
Double Faced Base			
Cabinet (1), OD	18"	29"	39-1/2"
Cupboards (2), ID	16-1/2"	17-1/4"	16-1/4"
Compartments (4), ID	13-1/2"	3"	16"
Sink, ID	12"		8"
{Sink Depth: 6" }			

Equipment: Two cold water gooseneck faucets; two double gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets. Top is 1" thick - specify material desired.

6166 Four Student Lab Table

Same as 6164 except equipped with four drawers, 11-7/8" W x 2-1/4" H x 15" D, ID, with master keyed locks instead of compartments.

6168 Four Student Lab Table

Same as 6164 except 36" H.

6170 Four Student Lab Table

Same as 6166 except 36" H.


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED; ORDER SEPARATELY.

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6105 Student Table for Biology, Physics, Chemistry

Dimensions:	W	Н	ט
Overall	56"	36"	56"
Pedestal Base, OD	20-1/2"	35"	20-1/2"
Drawers(4), ID	13"	2-3/4"	13"


Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" diameter epoxy resin sink, 7-1/2" deep; one epoxy resin sink plug with disc strainer; two AC duplex receptacles; four rod sockets; four master keyed locks. Top is 1" thick - specify material desired.



6107 Student Table for Biology, Physics, Chemistry

Dimensions:	W	Н	D
Overall	55"	36"	55"
Base Cabinets (4) O.D.	21"	35"	16"

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" diameter epoxy resin sink, 7-1/2" depth; one epoxy resin sink plug with disc strainer; two AC duplex receptacles; four rod sockets; twenty-four master keyed locks. Top is 1" thick - specify material desired.



6109A* Student Table for Biology, Physics, Chemistry

Dimensions:	W	Н	D
Overall	56"	36"	56"
Suspended Base			
Cabinets (4), O D	21"	15-3/4"	15-1/4"
Pedestal Base, OD	21-1/2"	35"	21-1/2"
Drawers (16) OD	7-3/8"	6"	13"

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" diameter epoxy resin sink, 7-1/2" depth; one epoxy resin sink plug with disc strainer; two AC duplex receptacles; four rod sockets; sixteen master keyed locks. Top is 1" thick - specify material desired.

6109B* Student Table

Same as 6109A except suspended base cabinets are single cupboards.

6109C* Student Table

Same as 6109A except suspended base cabinets are two drawers and one cupboard

6109D* Student Table


Same as 6109A except suspended base cabinets are two full width drawers

6109E* Student Table


Same as 6109A except suspended base cabinets are two small and one large full width drawers.

6109F* Student Table

Same as 6109A except suspended base cabinets are one small drawer



* Suspended case options are shown on next page.



6112A* Student Table for Biology, Physics, Chemistry

Dimensions:	W	Н	D
Overall	56"	36"	56"
Suspended Base			
Cabinets (4), O D	21"	15-3/4"	15-1/4"
Pedestal Base, OD	21-1/2"	28-1/2"	22-1/2"
Drawers (16) OD	7-3/8"	6"	13"

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" diameter epoxy resin trough (ID 51"L x 9"W x 4-1/4" D); one epoxy resin sink plug with disc strainer; two AC duplex receptacles; four rod sockets; sixteen master keyed locks. Top is 1" thick - specify material desired.

6112B* Student Table

Same as 6112A except suspended base cabinets are single cupboards.

6112C* Student Table

Same as 6112A except suspended base cabinets are two drawers and one cupboard

6112D* Student Table

Same as 6112A except suspended base cabinets are two full width drawers


6112E* Student Table

Same as 6112A except suspended base cabinets are two small and one large full width drawers.

6112BX Reagent Basket

Expanded metal basket with chemical resistant black finish shaped to fit into trough on 6112 Units.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED; ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6116 Student Table: Combined Sciences **Dimensions, Overall:**

36" H* x 56" Square 67-3/16" across corners 39" on four sides & 12" on four sides

Work surface is 1" thick chemical resistant epoxy resin, height is 36". Standard color is black. The work surface perimeter has an integral, 1/4" raised marine edge.

Equipment: One 12" diameter epoxy resin sink, 7-1/2 "in depth; one polypropylene sink outlet, two multi-service fixtures for cold water and gas; four rod sockets; and two GFCI electric receptacles.

The work surface is supported by a natural almond colored, molded fiberglass reinforced polyester shell, rated as non-burning per A.S.T.M., D-635 burn test. The shell is structurally reinforced and provides a complete protective envelope for plumbing and electrical wires. Support shell has removable access panels. The support shell is designed to accept four suspended storage cabinets; specify cabinet selection by suffix A, B, C, D, E or F following unit number. The black, electrostatically epoxy powder coated pedestal base is constructed of 10-gauge formed steel, and equipped with two removable access panels. The base is 20" square with 1/4" thick steel plates inside for attaching the pedestal to the floor. Traps, internal piping and internal electrical wiring are not included.

Student Table: Combined Sciences 6118

Same as #6116, except equipped with one epoxy resin trough. I. D., 51" W x 9" D and, 41/4" depth. The trough is designed to accept a two piece trough cover; not included, must specify.

6112BX Reagent Basket

Expanded metal basket with chemical resistant black finish, shaped to fit into trough on #6118 and #6119 Units.

36-3/4" H x 56" Square

6119 ADA Compliant Student Table: Combined Sciences


67-3/16" diagonal with trough 72-3/4" diagonal, perpendicular to trough 9" on four sides; 12" on two sides; and, 17-1/2" on two sides.


This table is designed to be compliant with ADA guidelines. The bi-level work surface provides four student stations, two with wheelchair access, and two with suspended cabinets.


Work top provides access at two levels. At installation the height of the bi-level top is at 36" and 34". Work surface is 1" thick chemical resistant epoxy resin. Standard color is black. The work surface perimeter has an integral, 1/4" raised marine edge.


Equipment: One epoxy resin trough. I. D., 51" W x 9" D and, 41/4" depth; one polypropylene sink outlet, two multi-service fixtures for cold water and gas, each equipped with wrist handles; four rod sockets; and two GFCI electric receptacles.

The black epoxy resin work surface accommodates a maximum length trough with services at each end. The trough is designed to accept a two piece trough cover; not included, must specify. The work surface is supported by a natural almond colored, molded fiberglass reinforced polyester shell, rated as non-burning per A.S.T.M. D-635 burn test. The shell is structurally reinforced and provides a complete protective envelope for plumbing and electrical wires. Support shell has removable access panels. The support shell is designed to accept two suspended storage cabinets; specify cabinet selection by suffix A, B, C, D, E or F following unit number. The black electrostatically epoxy powder coated pedestal base is constructed of 10-gauge formed steel, and equipped with two removable access panels. The base is 20" square with 1/4" thick steel plates inside for attaching the pedestal to the floor. Trap, internal piping and internal electrical wiring are not included.












Dimensions, Overall:





Multiple Student Tables



6560 Four Student Lab Table

Dimensions:	W	Н	D
Overall	10' 0"	30"	24"
Compartments (4), I D	16-1/2"	3"	15-5/8"


Table top is 1" thick - specify material desired. Leg shoes are included.

6562 Four Student Lab Table

Same as 6560 except equipped with four drawers, 13" W $\,$ x 2-1/4" H x 15" D, ID.

6564 Four Student Lab Table

Same as 6560 except compartments are eliminated. (i.e., solid rails)



6566 Four Student Lab Table

Dimensions:	W	Н	D
Overall	12' 0"	30"	24"
Compartments (4), I D	16-1/2"	3"	15-5/8"


Table top is 1" thick - specify material desired. Leg shoes are included.

6568 Four Student Lab Table

Same as 6566 except equipped with four drawers, 13" W $\,$ x $\,$ 2-1/4" H x 15" D, ID.

6570 Four Student Lab Table

Same as 6566 except compartments are eliminated. (i.e., solid rails)




6572 Six Student Lab Table

cluded.

Dimensions:	W	Н	D
Overall	12'	30"	24"
Compartments (6), I D	16-1/2"	3"	15-5/8"

6574 Six Student Lab Table

Same as 6572 except equipped with six drawers, 13" W $\,$ x $\,$ 2-1/4" H $\,$ x 15" D, ID.



6576 Six Student Lab Table

Dimensions:	W	Н	D
Overall	15'	30"	24"
Compartments (4), I D	16-1/2"	3"	15-5/8"

Table top is 1" thick - specify material desired. Leg shoes are included.

6578 Six Student Lab Table


Same as 6576 except equipped with six drawers, 13" W $\,$ x 2-1/4" H $\,$ x 15" D, ID.

6580 Six Student Lab Table

Same as 6576 except the compartments are eliminated, (i.e., solid

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6223 - A Six Student Organic Chemistry Table

This six student, two section table provides approximately 4 lineal feet of work top and one four foot base cabinet for each student; a total of 12 individual cupboards with one adjustable shelf each; and 12 drawers.

Dimensions:	W	Н	D
Work Top	12'	36"	53-5/8"
Base Cabinets (6), O D	47-1/4"	35"	19-3/4"
Cupboards (12), I D	22-1/2"	19-1/4"	18-3/4"
Drawers (12), I D	20-1/2"	8-1/2"	17"
Reagent Rack	12'	25-1/2"	12"
Epoxy Resin Trough, O D	11'7"		7-5/8"
{Trough Depth: 5-1/16"}			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8"}			

Equipment: One hot and cold water mixing faucet; six cold water cocks; six gas cocks; six vacuum cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy end sink; one polypropylene sink outlet; 12 adjustable shelves. Work top is 1" thick - specify material desired.

6223 - B Six Student Organic Chemistry Table

This six student, three section table provides approximately four lineal feet of work top and one 4-foot base cabinet for each student; a total of 18 individual cupboards with one adjustable shelf in each; and 18 drawers.

Dimensions:	W	Н	D
Work Top	12'	36"	53-5/8"
Base Cabinets (6), O D	47-1/4"	35"	19-3/4"
Cupboards (18), I D	14-1/2"	19-1/4"	18-3/4"
Drawers (18), I D	12-1/2"	8-1/2"	17"
Reagent Rack	12'	25-1/2"	12"
Epoxy Resin Trough, O D	11'7"		7-5/8
{Trough Depth: 5-1/16" }			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8"}			

Equipment: One hot and cold water mixing faucet; six cold water cocks; six gas cocks; six vacuum cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy end sink; one polypropylene sink outlet; 12 adjustable shelves. Work top is 1" thick - specify material desired.

6223 - C Six student Organic Chemistry Table


Same as 6223-B except with style #1892 base cabinets, providing 6 sections with 6 cupboards, 29-1/4" H., and 36 drawers.

Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6223 - D Six Student Organic Chemistry Table

This six student, four section table provides approximately 5 lineal feet of work top and one 5 foot base cabinet for each student; a total of six double cupboards with one adjustable shelf in each; and 24 drawers.

Dimensions:	W	Н	D
Work Top	15' 3"	36"	53-5/8"
Base Cabinets (6), O D	60"	35"	19-3/4"
Cupboards (6), I D	28-1/2"	19-1/4"	18-3/4"
Drawers (24), I D	26-1/2"	8-1/2"	17"
Reagent Rack	15' 3"	25-1/2"	12"
Epoxy Resin Trough, O D	14' 10"		7-5/8"
{Trough Depth: 5-1/16"}			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8" }			

Equipment: One hot and cold water mixing faucet; six cold water cocks; six gas cocks; six vacuum cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy end sink; one polypropylene sink outlet; and 6 adjustable shelves. Work top is 1" thick - specify material desired.



6225 - A Six Student Chemistry Table Qualitative & Quantitative


This six student, four section table provides approximately 4 lineal feet of work top and one 4 foot base cabinet for each student; a total of 24 individual cupboards with one adjustable shelf in each; and twenty-four drawers.

Dimensions:	W	Н	D
Work Top	12' 3"	36"	53-5/8"
Base Cabinets (6), O D	48"	35"	19-3/4"
Cupboards (24), I D	10-7/8"	19-1/4"	18-3/4"
Drawers (24), I D	8-7/8"	8-1/2"	17"
Reagent Rack	12' 3"	20-1/2"	12"
Epoxy Resin Trough, O D	11' 10"		7-5/8"
{Trough Depth: 5-1/16" }			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
Sink Depth: 12-5/8" }			

Equipment: One cold water bibb cock; six, cold water cocks, six gas cocks; four duplex AC receptacles; one epoxy drain trough, one epoxy end sink with a polypropylene sink outlet; twenty-four adjustable shelves. Work top is 1" thick - specify material desired.

6225 - B Six student Chemistry Table Qualitative & Quantitative

Same as 6225 - A except 12'0" W., with style #2178 base cabinets, providing for nine sections with 54 drawers, 12-1/2" W.




Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6225 - C Six Student Chemistry Table Qualitative and Quantitative


This six student, three section table provides approximately 4 lineal feet of work top and one 4-foot base cabinet for each student; one common sink cabinet; a total of 18 individual cupboards with one adjustable shelf each, and, 18 drawers.

Dimensions:	W	Н	D
Work Top	13' 10"	36"	53-5/8"
Sink Cabinet (1), OD	50-5/8"	35"	22-1/2"
Base Cabinets (6), O D	47-1/4"	35"	19-3/4"
Cupboards (18), I D	14-1/2"	19-1/4"	18-3/4"
Drawers (18), I D	12-1/2"	8-1/2"	17"
Reagent Rack	12'	20-1/2"	12"
Epoxy Resin Trough, O D	11'7"		7-5/8"
{Trough Depth: 5-1/16"}			
Epoxy Resin Sink, ID	25"		10"
{Sink Depth: 10" }			

Equipment: One cold water bibb cock; six cold water cocks; six gas cocks; four duplex AC receptacles; one epoxy drain trough; one epoxy sink; one polypropylene sink outlet; 18 adjustable shelves. Work top is 1" thick - specify material desired.

6225 - D Six Student Chemistry Table Qualitative and Quantitative

Same as 6225-C, except with style #1892 base cabinets; providing six sections with six cupboards, 29-1/4" H; and thirty-six drawers.



Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

6225 - E Six Student Chemistry Table Qualitative and Quantitative


This six student, three section table provides approximately 5 lineal feet of work top and one 5-foot base cabinet for each student; a total of 18 individual cupboards with one adjustable shelf each; and 18 drawers.

Dimensions:	W	Н	D
Work Top	14' 9-3/4"	36"	53-5/8"
Base Cabinets (6), O D	58-1/4"	35"	19-3/4"
Cupboards (18), I D	18-1/4"	19-1/4"	18-3/4"
Drawers (18), I D	16-1/4"	8-1/2"	17"
Reagent Rack	14' 9-3/4"	20-1/2"	12"
Epoxy Resin Trough, O D	14' 4-3/4"		7-5/8"
{Trough Depth: 5-1/16"}			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8" }			

Equipment: One cold water bibb cock; six cold water cocks; six gas cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy end sink; one polypropylene sink outlet; 18 adjustable shelves. Work top is 1" thick - specify material desired.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING & ELECTRIC CONDUIT ARE NOT INCLUDED.




6227 - B Six Student Physical Chemistry Table

This six student, three section table provides approximately 4 lineal feet of work top and one 4-foot base cabinet for each student; a total of 18 individual cupboards with one adjustable shelf each; and 18 drawers.

Dimensions:	w	н	D
Work Top	12'	36"	54"
Base Cabinets (6), O D	47-1/4"	35"	20-1/2"
Cupboards (18), ID	14-1/2	19-1/4	18-3/4"
Drawers (18), I D	12-1/2"	8-1/2"	17"
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8"}			

Equipment: One hot and cold water mixing gooseneck faucet; three cold water gooseneck faucets; three double gas cocks; four duplex AC receptacles; three epoxy resin oval cup sinks, 6" x 3"; one epoxy end sink; one polypropylene sink outlet; 18 adjustable shelves. Work top is 1" thick - specify material desired.



Reagent Rack Construction:


Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

6227 - A Four Student Physical Chemistry Table

This four student, three section table provides approximately 5 lineal feet of work top and one 5 foot base cabinet for each student; two sink cabinets; a total of 12 individual cupboards with one adjustable shelf each; and 12 drawers.

Dimensions:	W	Н	D
Work Top	11' 11-1/2"	36"	54"
Sink Cabinet (2), OD	24"	35"	22-1/2"
Base Cabinets (4), O D	58-1/4"	35"	22-1/2"
Cupboards (12), I D	18-1/4"	19-1/4"	20-3/4"
Drawers (12), I D	16-1/4"	8-1/2"	17"
Service Turret	30"	14"	14"
Epoxy Resin Sink,(2),ID	18"		15"
{Sink Depth: 10"}			

Equipment: Four cold water bibb cocks; four gas cocks; four air cocks; six duplex AC receptacles; two epoxy sinks; two polypropylene sink outlets; 12 adjustable shelves. Work top is 1" thick - specify material desired.



6227 - C Six Student Physical Chemistry Table


This six student, three section table provides approximately 4 lineal feet of work top and one 4-foot base cabinet for each student; one common sink cabinet; and, forty-two drawers.

Dimensions:	W	Н	D
Work Top	13' 10-3/4"	36"	53-5/8"
Sink Cabinet (1), OD	50-5/8"	35"	19-3/4"
Base Cabinets (6), O D	47-1/4"	35"	19-3/4"
Drawers (3), I D	20-1/2"	6"	17"
Drawers (2), I D	20-1/2"	2-1/4"	17"
Drawers (2), I D	43-3/4"	6"	17"
Reagent Rack	12'	20-1/2"	12"
Epoxy Resin Trough, O D	11'7"		7-5/8"
{Trough Depth: 5-1/16"}			
Epoxy Resin Sink, ID	25"		15"
{Sink Depth: 10"}			

Equipment: One hot and cold water mixing gooseneck faucet; six cold water cocks; six gas cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy sink; one polypropylene sink outlet. Work top is 1" thick - specify material desired.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING & ELECTRIC CONDUIT ARE NOT INCLUDED.



6229 - A Six Student Biochemistry Table


This six student, four section table provides approximately 5 lineal feet of work top and one 3 foot base cabinet and one 24" kneespace for each student; a total of 6 cupboards with one adjustable shelf each; and 24 drawers.

Dimensions:	W	Н	D
Work Top	15' 2-3/4"	36"	54"
Base Cabinets (6), O D	35-1/4"	35"	22-1/2"
Kneespace (6)	24"		
Cupboards (6), I D	16-1/2"	29-1/4"	20-3/4"
Drawers (24), I D	14-1/2"	6"	17"
Reagent Rack	15' 2-3/4"	20-1/2"	12"
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8" }			

Equipment: One cold water bibb cock; six cold water cocks; six gas cocks; six duplex AC receptacles; three epoxy resin oval cup sinks, 6" x 3"; one epoxy resin end sink; one polypropylene sink outlet; six adjustable shelves. Work top is 1" thick - specify material desired.

Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.



6229 - B Six Student Biochemistry Table


This six student, four section table provides approximately four lineal feet of work top and one, 4 foot base cabinet for each student; one common sink cabinet; a total of six cupboards with one adjustable shelf in each; and 24 drawers.

Dimensions:	W	Н	D
Work Top	13' 11"	36"	53-5/8
Sink Cabinet (1), OD	50-5/8"	35"	22-1/2
Base Cabinets (6), O D	47-1/4"	35"	22-1/2
Cupboards (6), I D	22-1/2"	29-1/4"	20-3/4
Drawers (24), I D	20-1/2"	6"	17"
Epoxy Resin Sink, ID	25"		15"
Sink Depth: 10"}			

Equipment: One hot and cold water mixing gooseneck faucet; three cold water gooseneck faucets; three double gas cocks; six duplex AC receptacles; three epoxy resin oval cup sinks, 6" x 3"; one epoxy resin sink; one polypropylene sink outlet; six adjustable shelves. Work top is 1" thick - specify material desired.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6229 - C Eight Student Biochemistry Table

This eight student, five section table provides approximately four lineal feet of work top; one, 4 foot base cabinet for each student; four sink cabinets; a total of eight cupboards with one adjustable shelf in each, & 40 drawers.

Dimensions:	W	Н	D
Work Top	20'	36"	54"
Sink Cabinet (4), OD	24"	35"	22-1/2"
Base Cabinets (8), O D	47-1/4"	35"	22-1/2"
Cupboards (8), I D	22-1/2"	29-1/4"	20-3/4"
Drawers (40), I D	20-1/2"	6"	17"
Box Curb	20'	10"	8-3/4"
Epoxy Resin Sink, (4) ID	18"		15"
{Sink Depth: 8" }			

Equipment: Four hot and cold water mixing gooseneck faucets; eight gas cocks; eight duplex AC receptacles; four epoxy resin sinks; four polypropylene sink outlets; 8 adjustable shelves. Work top is 1" thick - specify material desired. Box curb is made from the same material as work top.



6229 - D Six Student Biochemistry Table

This six student, four section table provides approximately five lineal feet of work top; one 3 foot base cabinet; and one 24" kneespace for each student; one common sink cabinet; a total of six cupboards with one adjustable shelf in each, and 24 drawers.

Dimensions:	W	Н	D
Work Top	17' 1-1/4"	36"	53-5/8"
Sink Cabinet (1), OD	50-5/8"	35"	22-1/2"
Base Cabinets (6), O D	35-1/4"	35"	22-1/2"
Kneespace (6), I D	24"		
Cupboards (6), I D	16-1/2"	29-1/4"	20-3/4"
Drawers (24), I D	14-1/2"	6"	17"
Reagent Rack	15' 2-3/4"'	20-1/2"	12"
Epoxy Resin Trough, O D	14' 9-3/4"		7-5/8"
{Trough Depth: 5-1/16"}			
Epoxy Resin Sink, I D	25"		15"
{Sink Depth: 10"}			


Equipment: one hot and cold water mixing gooseneck faucet; six cold water cocks; six gas cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy sink; one polypropylene sink outlet; six adjustable shelves. Work top is 1" thick - specify material desired.

Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

Research Tables

TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6258 - C Research Table

This unit is an island assembly consisting of:

Four, 47-1/4" wide, 2-drawer over cupboard base cabinets, #1578; four, 36" wide knee spaces; and one 50-5/8" wide sink cabinet with a finished back.

Dimensions:	W	Н	D
Work Top	16'	36"	53-5/8"
Base Cabinets (4), O D	24"	29"	22-1/2"
Drawers (8), I D	20-1/2"	6"	17"
Cupboards (4), ID	45-3/4"	21-3/4"	20-3/4"
Sink Cabinet (1), O D	50-3/8"	35"	22"
Epoxy Resin Sink, I D	25"		15"
{Sink Depth: 10"}			

Equipment: One hot and cold water mixing gooseneck faucet; four cold water gooseneck faucets; two double gas cocks; two double air cocks; two double-faced pedestal boxes, each containing two duplex AC receptacles; two, 6" x 3" epoxy resin oval cup sinks; one epoxy resin sink; one polypropylene sink outlet; and four adjustable shelves. Work top is 1" thick - specify material desired.


6258 - D Research Table

This unit is an island assembly consisting of:

Four, 35-1/4" wide, 2-drawer over cupboard base cabinets, #1574; one, 50-5/8" wide sink cabinet with a finished back.; four, 36" wide knee spaces; four, 35-1/4 wide wall cases with tack board backs, #4958, and one reagent rack; top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin.

Dimensions:	W	Н	D
Work Top	14'	36"	53-5/8"
Base Cabinets (4), O D	35-1/4"	35"	22-1/2"
Drawers (8), I D	14-1/2"	6"	17"
Cupboards (4) ID	33-3/4"	21-3/4"	20-3/4"
Sink Cabinet (1), O D	50-5/8"	35"	22"
Wall Cases (4), O D	35-1/4"	31-1/4"	11-3/4"
Reagent Rack, O A	12'	18"	12-1/4"
Epoxy Resin Sink, I D	25"		15"
{Sink Depth: 10"}			

Equipment: One hot and cold water mixing gooseneck faucet; four gas cocks; four air cocks; four duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet; and twelve adjustable shelves. Work top is 1" thick - specify material desired.




Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

Research Tables

TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6258 - E Research Table

This unit is a wall assembly consisting of:

One, 24" wide sink cabinet, #2328; two, 35-1/4" wide, 2-drawer over cupboard base cabinets, #1574; and one, 35-1/4" wide, 6-drawer and cupboard base cabinet #1846.

Dimensions:	W	Н	D
Overall	11'	44-3/4"	30"
Work Top	11'	36"	23"
Sink Cabinet (1), O D	24"	35"	22-1/2"
Base Cabinets (2), O D	35-1/4"	35"	22-1/2"
Drawers (4), I D	14-1/2"	6"	17"
Cupboards (2) ID	33-3/4"	21-3/4"	20-3/4"
Base Cabinet (1), O D	35-1/4"	35"	22-1/2"
Drawers (4), I D	14-1/2"	6"	17"
Drawers (2), I D	14-1/2"	2-1/4"	17"
Cupboard (1),I D	16-1/2"	21-3/4"	20-3/4"
Epoxy Resin Sink, ID	18"		15"
{Sink Depth: 8 "}			

Equipment: One hot and cold water mixing gooseneck faucet; three gas cocks; three air cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet; and three adjustable shelves. Work top is 1" thick - specify material desired. Box curb and ledge are same material as top.


6258 - F Research Table

This unit is a wall assembly consisting of:

One, 35-1/4", 5-drawer base cabinet, #2092; three, 35-1/4" wide, 2-drawer over cupboard base cabinet, #1574; and, one 24" wide sink cabinet, #2328.


Dimensions:	W	Н	D
Overall	13' 11"	44-3/4"	30"
Work Top	13" 11"	36"	23"
Base Cabinet (1), O D	35-1/4"	35"	22-1/2"
Drawers (2), I D	14-1/2"	6"	17"
Drawers (3), I D	33-3/4"	6"	17"
Base Cabinets (3), O D	35-1/4"	35"	22-1/2"
Drawers (6), I D	14-1/2"	6"	17"
Cupboards (3), I D	33-3/4"	21-3/4"	20-3/4"
Sink Cabinet (1), O D	24"	35"	22-1/2"
Epoxy Resin Sink (1), I D	18"		15"
{Sink Depth: 8 "}			

Equipment: One hot and cold water mixing gooseneck faucet; three cold water gooseneck faucets; three gas cocks; three air cocks; two duplex AC receptacles; three, 3-1/4" I D waste receptors; one epoxy resin sink; one polypropylene sink outlet; and, three adjustable shelves. Work top is 1" thick - specify material desired. Box curb and ledge are the same material as top.



General Chemistry Tables

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6230 - A Eight Student Chemistry Table


Dimensions:	W	Н	D
Work Top	12'	36"	53-5/8"
Base Cabinets (8), O D	35-1/4"	35"	19-3/4"
Cupboards (8), I D	16-1/2"	19-1/4"	18-3/4"
Drawers (48), I D	14-1/2"	8-1/2"	17"
Reagent Rack	12'	20-1/2"	12"
Epoxy Resin Trough, O D	11'7"		7-5/8"
{Trough Depth: 5-1/16"			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8" }			

6230 - B Eight Student Chemistry Table

Same as 6230 -A except with style "B" base cabinet shown above.

6230 - C Eight Student Chemistry Table

Same as 6230 -A except with style "C" base cabinet shown above.



Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.







These General Chemistry Tables provide approximately three lineal feet of work top and one 3 foot base cabinet for each student. Optional base cabinets provide for 2, 3, or 4-sections. Full height cupboards have one adjustable shelf.

Equipment: Eight single gas cocks; four cold water cocks; four duplex AC receptacles; one epoxy drain trough; one end sink; one polypropylene sink outlet; one cold water bibb cocks.

Work top is 1" thick - specify material desired.

6232 - A Ten Student Chemistry Table

(Ten base cabinets with 20 drawers and 20 cupboards)

Work Top: 14' 11-1/2" L x 53-5/8" W x 36" H. Work top is 1" thick - specify material desired.

Equipment: Ten single gas cocks; five cold water cocks; six duplex AC receptacles; one epoxy drain trough; one end sink; one polypropylene sink outlet; one cold water bibb cock.

6232 - B Ten Student Chemistry Table

Same as 6232 -A except with style "B" base cabinets shown above.

6232 - C Ten Student Chemistry Table

Same as 6232 -A except with style "C" base cabinets shown above.

6234 - A Twelve Student Chemistry Table

(Twelve base cabinets with 24 drawers and 24 cupboards.)

Work Top: 17' 10-1/2" L x 53-5/8" W x 36" H. Work top is 1" thick - specify material desired.

Equipment: Twelve single gas cocks; six cold water cocks; six duplex AC receptacles; one epoxy drain trough; one end sink; one polypropylene sink outlet; one cold water bibb cock.

6234 - B Twelve Student Chemistry Table

Same as 6234 -A except with style "B" base cabinets shown above.


6234 - C Twelve Student Chemistry Table

Same as 6234 -A except with style "C" base cabinets shown above.

SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY.


Table top is 1" thick - specify material desired.



6260 Two Student Physics Table

Dimensions:	W	Н	D
Overall	64"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Compartments (2), I D	13-1/2"	3"	16"
Cupboard, I D	16-1/2"	17-1/4"	20-3/4"

Equipment: One double gas cock; one duplex AC receptacle; two rod sockets. Cupboard is equipped with one adjustable shelf and one removable tote tray, # 6342.



6262 Four Student Physics Table

Dimensions:	W	Н	D
Overall	64"	30"	42"
Base Cabinet (1), O D	18"	29"	39-1/2"
Compartments (4), I D	13-1/2"	3"	16"
Cupboards (2), I D	16-1/2"	17-1/4"	16-1/4"

Equipment: One, 4-way gas cock; two duplex AC receptacles; two rod sockets. The double-faced base cabinet is equipped with one adjustable shelf and one removable tote tray on each side, #6342.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY.


Table top is 1" thick - specify material desired.





Dimensions:	W	Н	D
Overall	64"	30"	24"
Drawers (2), I D	14-1/2"	2-1/4"	15"


Equipment: One double gas cock; one duplex AC receptacle; two rod sockets, 36" apart and 4" from back edge.



Equipment: One double gas cock; one duplex AC receptacle; two rod sockets, 36" apart and 4" from back edge.

16-1/2"

15-5/8"




6272 Two Student Physics Table

Compartments (2), I D.....

Dimensions:	W	Н	D
Overall	64"	30"	24"


Equipment: One double gas cock; one duplex AC receptacle; two rod sockets, 36" apart and 4" from back edge.



6266 Four Student Physics Table

Dimensions:	W	Н	D
Overall	64"	30"	42"
Drawers (2), I D	14-1/2"	2-1/4"	15"


Equipment: One, 4-way gas cock; two duplex AC receptacles; two rod sockets, 36" apart and on center line.



6270 Four Student Physics Table

Dimensions:	W	Н	D
Overall	64"	30"	42"
Compartments(2), I D	16-1/2"	3"	15-5/8"

Equipment: One, 4-way gas cock; two duplex AC receptacles; two rod sockets, 36" apart and on center line.




6274 Four Student Physics Table

Dimensions:	W	Н	D
Overall	64"	30"	42"

Equipment: One, 4-way gas cock; two duplex AC receptacles; two rod sockets, 36" apart and on the center line.


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. Table top is 1" thick - specify material desired.



6280 Six Student Physics Table

Dimensions:	W	Н	D
Overall	15'	30"	24"
Compartments(2), I D	16-1/2"	3"	15-5/8"

Equipment: Three double gas cocks; three rod sockets; three duplex AC receptacles.




6282 Six Student Physics Table

Dimensions:	W	н	D
Overall	15'	30"	24"
Compartments(2) LD	13"	2-1/4"	16-1/2"

Equipment: Three double gas cocks; three rod sockets; three duplex AC receptacles.

SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

Table top is 1" thick - specify material desired. Box curb and ledge cap are same material as top.




6284 Six Student Physics Table

This unit is an island assembly consisting of: Six, 18" wide drawer over cupboard base cabinets, #1254; six, 42-1/2" W knee spaces; and, one double-faced box curb assembly.

Dimensions:	W	Н	D
Work Top	15' 6"	36"	60"
Box Curb, O D	15' 4"	9"	8"
Ledge Cap, O A	15' 6"	10"	
Base Cabinets (6), O D	18"	35"	22-1/2"
Drawers (6), I D	14-1/2"	6"	17"
Cupboards (6), I D	16-1/2"	21-3/4"	20-3/4"

Equipment: Twelve duplex AC receptacles; four gas cocks; four air cocks; and six adjustable shelves.



6286 Eight Student Physics Table

This unit is an island assembly consisting of:


Eight, 18" wide, 3-drawer base cabinets, #2454; eight, 20 wide knee spaces; and, one double-face box curb assembly.

opacco, and, one acable race box carb accombly.			
Dimensions:	W	Н	D
Work Top	13'	30"	54"
Box Curb, O D	12' 10"	7-3/4"	8"
Ledge Cap, O A	13'	10"	
Base Cabinets (8), O D	18"	29"	22-1/2"
Drawers (24), I D	14-1/2"	6-1/2"	17"

Equipment: Eight duplex AC receptacles.

Biology Tables


TABLE TOPS ARE 1" THICK - SPECIFY MATERIAL DESIRED.



6300 Two Student Biology Table

Dimensions:	W	Н	D
Overall	64"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Cuphoard LD	16-1/2"	23-1/4"	20-3/4"


Equipment: One full depth adjustable shelf.



6304 Two Student Biology Table

Dimensions:	W	Н	D
Overall	64"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Compartments (2), ID	13-7/8"	3"	16"
Cuphoard LD	16-1/2"	23-1/4"	20-3/4"


Equipment: One full depth adjustable shelf.



6308 Two Student Biology Table

Dimensions:	W	н	D
Overall	64"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Cupboard, I D	16-1/2"	23-1/4"	20-3/4"
Drawers (2), ID	11-7/8"	2-1/4"	15"


Equipment: One full depth adjustable shelf.



6302 Four Student Biology Table

Dimensions:	W	Н	D
Overall	64"	30"	42"
Base Cabinet (1), O D	18"	29"	39-1/2"
Cupboard, I D	16-1/2"	23-1/4"	38-1/2"

Equipment: One adjustable shelf.



6306 Four Student Biology Table

Dimensions:	W	н	D
Overall	64"	30"	42"
Base Cabinet (1), O D	18"	29"	39-1/2"
Cupboard (double-faced) I D	16-1/2"	23-1/4"	38-1/2"
Compartments (4) ID	13-7/8"	3"	16"

Equipment: One adjustable shelf.




6310 Four Student Biology Table

Dimensions:	W	н	D
Overall	64"	30"	42"
Base Cabinet (1), O D	18"	29"	39-1/2"
Cupboard (double faced) I D	16-1/2"	23-1/4"	38-1/2"
Drawers (4) ID	11-7/8"	2-1/4"	15"

Equipment: One adjustable shelf.

Biology Tables


TABLE TOPS ARE 1" THICK - SPECIFY MATERIAL DESIRED. Where applicable, drop leaf is 1" thick and made from specified top material.



6330 Biology Table

Dimensions:	W	Н	D
Overall (leaves up)	90"	36"	45"
Base Cabinet (1), O D	15-5/16"	35"	15-1/2"
Overall (leaves down)	54"	36"	45"
Cupboard, I D	13-1/2"	29-1/4"	14"


Equipment: Three adjustable shelves; five rod sockets; four, #6340 tote trays, 13-3/4" x 10-3/4" x 3" H; two drop leaves, each 18" W x 18" D.



6332 Biology Table

Dimensions:	W	Н	D
Overall (leaves up)	90"	36"	45"
Base Cabinet (1), O D	15-5/16"	35"	15-1/2"
Overall (leaves down)	54"	36"	45"
Drawers (4), ID	11-1/2"	6"	13"


Equipment: Five rod sockets; two drop leaves, each 18" W x 18" D.



6333 - A Two Student Biological Science Table

Dimensions:	W	Н	D
Overall	72"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Drawers (6), I D	14-1/2"	2-1/2"	17"
Compartments (2), I D	16-1/2"	3"	16"


Equipment: Six drawers and two compartments. Top material is 1" thick - specify material desired.



6333 - B Four Student Biological Science Table

Dimensions:	W	Н	D
Overall	72"	30"	48"
Base Cabinet (2), O D	18"	29"	22-1/2"
Drawers (12), I D	14-1/2"	2-1/2"	17"
Compartments (4), I D	16-1/2"	3"	16"

Equipment: Twelve drawers and four compartments. Top is 1" thick specify material desired.




6334 - A Six Student Biological Science Table

Dimensions:	W	Н	D
Overall	15'	30"	24"
Base Cabinet (3), O D	18"	29"	22"
Drawers (3), I D	14-1/2"	4-1/2"	17"
Cupboards (3), ID	16-1/2"	17-1/4"	20-3/4"
Compartments (6), I D	13-7/8"	3"	16"

Equipment: Three drawers and three adjustable shelves.

Top is 1" thick - specify material desired.



6334 - B Twelve Student Biological Science Table


Dimensions:	W	Н	D
Overall	15'	30"	48"
Base Cabinet (6), O D	18"	29"	22-1/2"
Drawers (24), I D	14-1/2"	4-1/2"	17"
Compartments (12), I D	13-7/8"	3"	16"

Equipment: Twenty-four drawers & 12 compartments.

Top is 1" thick - specify material desired.

Biological Science Tables

TRAP, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6335 - A Eight Student Biological Science Table

Dimensions:	W	Н	D
Overall	14'	30"	54"
Base Cabinet (8), O D	18"	29"	22-1/2"
Drawers (8), I D	14-1/2"	6-1/2"	17"
Drawers (16), I D	14-1/2"	6"	17"
Writing Slides (8)	16-3/8"		17-3/4"

Equipment: Two, 4-way gas cocks; two double-faced pedestal boxes each containing two duplex AC receptacles.

Top is 1" thick - specify material desired.



6335 - B Eight Student Biological Science Table


Dimensions:	W	Н	D
Overall	16'	30"	54"
Base Cabinet (8), O D	24"	29"	22-1/2"
Cupboards (8), ID	10-7/8"	14-3/4"	20-3/4"
Drawers (24), I D	8-7/8"	6"	17"
Drawers (8), I D	8-7/8"	6-1/2"	17"
Writing Slides (8)	22-3/8"		17-3/4"
Resin End Sink,OD	22-1/2"		14-1/2"
{Sink Depth: 12-5/8"}			

Equipment: Two, 4-way gas cocks; one cold water gooseneck faucet; two double-faced pedestal boxes, each containing two duplexAC receptacles; one epoxy resin sink; one polypropylene sink outlet.

Top is 1" thick - specify material desired.

Biological Science Tables

TRAP, DRAIN LINE, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6336 - A

6336 - A Six Student Biological Science Table


Dimensions: Overall	W 15' 18" 16-1/2" 35-1/4" 14-1/2" 16-1/2" 18" 14-1/2"	H 36" 35" 29-3/4" 35" 6" 29-1/4" 35" 6"	D 54" 22-1/2" 20-3/4" 22-1/2" 17" 20-3/4" 22-1/2" 17"
Base Cabinet (2), O D	18"	35"	22-1/2"

Equipment: Six cold water cocks; six gas cocks; six air cocks; six vacuum cocks; six duplex AC receptacles; three epoxy resin sinks; three polypropylene sink outlets; six adjustable shelves; one reagent rack with phenolic resin components, 3/4" thick facia, and 1" thick uprights and shelf. Top is 1" thick - specify material desired.

6336 - B Eight Student Biological Science Table

Dimensions:	W	Н	D
Overall	19' 11"	36"	54"
Base Cabinet (2), O D	18"	35"	19-3/4"
Cupboards (2), ID	16-1/2"	29-13/4"	18-3/4"
Base Cabinet (6), O D	35-1/4"	35"	19-3/4"
Drawers (24), I D	14-1/2"	6"	17"
Cupboards (6), ID	16-1/2"	29-1/4"	18-3/4"
Base Cabinet (2), O D	18"	35"	19-3/4"
Drawers (8), I D	14-1/2"	6"	17"
Resin End Sink,OD	18"		6-1/2"
{Sink Depth: 6"}			

Equipment: Four cold water gooseneck faucets; four double gas cocks; four double-faced pedestal boxes, each containing two duplex AC receptacles; four epoxy resin sinks; four polypropylene sink outlets; eight adjustable shelves. Top is 1" thick - specify material desired.



2009

Perimeter Unit/Base Cabinets - 24" Wide

Base cabinets used with perimeter table styles "6A" through "6P" are selected here.

All cabinets are 35" H x 16" D.

The number beside drawers indicates the quantity of that size drawer necessary to equal the full-height of the cabinet.

Drawers are 13" D, ID and equipped with locks. Cupboards are 14" D, ID.

Shelves are full depth and adjustable.

Cat. # This Unit when in Student section 10 This Unit when in Wall section AA	Cat. # This Unit when in Student section 12 This Unit when in Wall section AB	Cat. # This Unit when in Student section 14 This Unit when in Wall section AC	Cat. # This Unit when in Student section 16 This Unit when in Wall section AD
Cat. # This Unit when in Student section 18 This Unit when in Wall section AE	Cat. # This Unit when in Student section 20 This Unit when in Wall section AF	Cat. # This Unit when in Student section This Unit when in Wall section AG	Cat. # This Unit when in Student section 22 This Unit when in Wall section AH
Cat. # This Unit when in Student section 24 This Unit when in Wall section AJ	Cat. # This Unit when in Student section 26 This Unit when in Wall section AK	Cat. # This Unit when in Student section 28 This Unit when in Wall section AL	Cat. # This Unit when in Student section 30 This Unit when in Wall section AM
Cat. # This Unit when in Student section 32 This Unit when in Wall section AN 2009	Cat. # This Unit when in Student section 34 This Unit when in Wall section AO	Cat. # This Unit when in Student section 36 This Unit when in Wall section AP	Campbell Rhea Science - 45

Perimeter Unit/Base Cabinets - 24" Wide

Base cabinets used with perimeter table styles "6A" through "6P" are selected here.

All cabinets are 35" H x 16" D.

The number beside drawers indicates the quantity of that size drawer necessary to equal the full-height of the cabinet.

Drawers are 13" D, ID and equipped with locks. Cupboards are 14" D, ID.

Shelves are full depth and adjustable.

Cat. # This Unit when in Student section 38 This Unit when in Wall section AQ	Cat. # This Unit when in Student section 40 This Unit when in Wall section AR	Cat. # This Unit when in Student section 42 This Unit when in Wall section AS	Cat. # This Unit when in Student section 44 This Unit when in Wall section AT
Cat. # This Unit when in Student section 46 This Unit when in Wall section AU	Cat. # This Unit when in Student section 48 This Unit when in Wall section AV	Cat. # This Unit when in Student section 50 This Unit when in Wall section AW	Cat. # This Unit when in Student section 52 This Unit when in Wall section AX
Cat. # This Unit when in Student section 54 This Unit when in Wall section AY	Cat. # This Unit when in Student section 56 This Unit when in Wall section AZ	Cat. # This Unit when in Student section 58 This Unit when in Wall section BA	Cat. # This Unit when in Student section 60 This Unit when in Wall section BB
Cat. # This Unit when in Student section 62 This Unit when in Wall section BC Campbell Rhea Science -	Cat. # This Unit when in Student section 64 This Unit when in Wall section BD	Cat. # This Unit when in Student section 66 This Unit when in Wall section BE	Cat. # This Unit when in Student section 68 This Unit when in Wall section BF

Perimeter Unit/Base Cabinets - 35-1/4" Wide


Base cabinets used with perimeter table styles "6A" through "6P" are selected here.

All cabinets are 35" H x 16" D.


The number beside drawers indicates the quantity of that size drawer necessary to equal the full-height of the cabinet.


Drawers are 13" D, ID and equipped with locks. Cupboards are 14" D, ID.

Shelves are full depth and adjustable.



BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.





Perimeter Table Style 6A

Student Section
Perimeter Base Cabinet 60

Wall Section
Perimeter Base Cabinet AB

6A Perimeter Table

This table features four compartments in the Student Section for transit storage of books or tote trays.

Dimensions: Student Section Overall	W 64"	H 36"	D 42"
Sink, I D	16"		8"
Wall Section Overall	90"	36"	18"

Equipment: Two cold water gooseneck faucets; two double gas cocks; two single faced duplex AC pedestal type receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Top is 1" thick - specify material desired.

STORAGE VARIATIONS

BEGINNING WITH THIS STYLE PERIMETER TABLE, ADDITIONAL DESIGNS ARE CREATED BY SELECTING OTHER COMBINATIONS OF PERIMETER BASE CABINETS.

The Perimeter Table Style Number: The first two, letter/number combination.

The Base Cabinet under the Student Section: The two digit number following the Style Number.

The Base Cabinet in the Wall Section: The last two letters.











2009

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY.
TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.





6B 34 AB

6B Perimeter Table

This table features plain rails and a rod storage compartment in the Student Section.

Dimensions: Student Section	w	Н	D
Overall	64"	36"	42"
Rod Storage Compt.	4"	3"	39"
Sink, I D	16"		8"
Wall Section Overall	90"	36"	18"

Perimeter Table Style 6B

Student Section
Perimeter Base Cabinet 34

Wall Section
Perimeter Base Cabinet AB

Equipment: Two Multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Top is 1" thick - specify material desired.

STORAGE VARIATIONS

BEGINNING WITH THIS STYLE PERIMETER TABLE, ADDITIONAL DESIGNS ARE CREATED BY SELECTING OTHER COMBINATIONS OF PERIMETER BASE CABINETS.

The Perimeter Table Style Number: The first two, letter/number combination.

The Base Cabinet under the Student Section: The two digit number following the Style Number.

The Base Cabinet in the Wall Section: The last two letters.











#6B82AE

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED, ORDER SEPARATELY, TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.







6C 34 AO Perimeter Table Style 6C

6C Perimeter Table

Student Section Perimeter Base Cabinet 34

Wall Section Perimeter Base Cabinet AO

This table features a rod storage compartment in the Student Section and a trapezoid top measuring 48"W at the wall section and tapering to 42"W over the end compartment.

Dimensions: Student Section	W	н	D
Overall	72"	36"	42" - 48"
Rod Storage Compt.	4"	3"	39"
Sink, I D {Sink Depth: 7" }	16"		8"
Wall Section Overall	90"	36"	18"

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Top is 1" thick - specify material desired.

STORAGE VARIATIONS


BEGINNING WITH THIS STYLE PERIMETER TABLE, ADDITIONAL DESIGNS ARE CREATED BY SELECTING OTHER COMBINATIONS OF PERIMETER BASE CABINETS.

The Perimeter Table Style Number: The first two, letter/number combination.

The Base Cabinet under the Student Section: The two digit number following the Style Number.



#6C30AA



#6C44BC




6C 66 AE




#6C74AO

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

NOTE: STYLES 6D, 6E, 6F, 6G AND 6H PERIMETER TABLES include the wall section as part of the table. Variations in design are achieved by selecting 24" wide (only) Perimeter Base Cabinets for the Student Section only. Wall sections are available only as shown in each Perimeter Table Style.



Top Plan



Perimeter Table Style 6D

Student Section Perimeter Base Cabinet 60

6D Perimeter Table

Dimensions: Student Section	W	Н	D
Overall	48"	36"	72"
Base Cabinet (2) OD	24"	35"	16"
Sink, I D	10"		14"
Wall Section Overall	48-3/4"	36"	18"
Base Cabinet (2) OD	15-5/16"	35"	16"


Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Each cupboard is equipped with one adjustable shelf. Top is 1" thick - specify material desired.




Style 6E Perimeter Table (6E 60 Shown) Equipment is same as in Style 6D. Open cabinets have two adjustable shelves.



Style 6F Perimeter Table (6F 60 Shown) Equipment is same as in Style 6D. Cupboards have one open compartment and one adjustable shelf.



(6G 60 Shown) Equipment is same as in Style 6D. Cupboards have one drawer and one adjustable shelf.




(6H 60 Shown) Equipment is same as in Style 6D. Cabinets have four drawers.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY.
TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.


NOTE: STYLES 6J, 6K, 6L, 6M AND 6N PERIMETER TABLES include the wall section as part of the table. Variations in design are achieved by selecting 24" wide (only) Perimeter Base Cabinets for the Student Section only.

Wall sections are available only as shown in each Perimeter Table Style.



6J Perimeter Table

Dimensions: Student Section	W	Н	D
Overall	72"	36"	48"
Base Cab. (2),OD	24"	35"	16"
Sink, I D	14"		10"
Wall Section Overall	48-3/4"	36"	18"
Base Cab. (2),OD	15"	35"	16"



6J 54

Perimeter Table Style 6J

Student Section
Perimeter Base Cabinet 54

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Top is 1" thick - specify material desired.



Style 6K Perimeter Table

(6K 54 Shown) Equipment is same as in Style 6J.



Style 6L Perimeter Table

(6L 54 Shown)
Equipment is same as in
Style 6J.
Cupboard has one adjustable
shelf.



Style 6M Perimeter Table


(6M 54 Shown)
Equipment is same as in
Style 6J.
Cupboard has one adjustable
shelf.




Style 6N Perimeter Table

(6N 54 Shown)
Equipment is same as in
Style 6J.
Cupboard has one adjustable
shelf.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.







Perimeter Table Style 6P

6P Perimeter Table


Dimensions: Student Section	W	Н	D
Overall	48"	36"	72"
Base Cab. (2),OD	24"	35"	16"
Sink, I D {Sink Depth: 6"}	10"		14"
Wall Section Overall	96"	36"	24"
Base Cab. (2).OD	24"	35"	16"

Student Wall Section
Perimeter Table Style 50 Perimeter Base Cabinet AD

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Each cupboard is equipped with one adjustable shelf. Top is 1" thick - specify material desired.

Preparation Tables

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6606 Preparation Table

Dimensions:	W	Н	D
Work Top	84"	36"	24"
Sink Cabinet (1), O D	35-1/4"	35"	22-1/2"
Base Cabinet(1), O D	47-1/4"	35"	22-1/2"
Cupboard (1), I D	33-3/4"	21-3/4"	20-3/4"
Cupboard (1), I D	45-3/4"	29-1/4"	20-3/4"
Sink, I D	14"		10"
{Sink Depth: 6"}			

Equipment: One combination hot and cold water gooseneck faucet; one single gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; one adjustable shelf. Top is 1" thick - specify material desired.

6608 Preparation Table

Dimensions:	W	Н	D
Work Top	72"	36"	30"
Base Cabinets (2), OD	35-1/4"	35"	28-3/4"
Drawers (4), ID	14-1/2"	6"	17"
Drawers (2), ID	31-3/4"	6"	17"
Cupboard (1), ID	33-3/4"	21-3/4"	26-3/4"
Sink, ID	16"		12"
{Sink Depth: 8"}			
Reagent Shelf	72"	16-7/8"	8"

Equipment: One combination hot and cold water gooseneck faucet; one single gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Reagent rack: Shelf is 1" thick, uprights are 1" black phenolic resin. Top is 1" thick - specify material desired.


6609 Preparation Table

Same as 6608 except 84" long & the drawer base cabinet is #2136, 47-1/4" W.




Dimensions:	w	Н	D
Overall	72"	36"	30"
Sink Cabinet (1), O D	24"	35"	28-3/4"
Cupboard (1), I D22	2-1/2"	21-3/4"	26-3/4"
Base Cabinet (1), O D	21"	35"	22-1/2"
Drawers (4), I D	17-1/2"	6"	17"
Base Cabinet (1), O D	24"	35"	22-1/2"
Cupboard (1), I D22	2-1/2"	29-1/4"	20-3/4"
Fixture Panel & Shelf	72"	8"	7-1/2"
Sink, I D	18"		15"
{Sink Depth: 11"}			

Equipment: One hot and cold water gooseneck faucet; one single gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; one adjustable shelf. Top material is 1" thick - specify material desired. Fixture panel and shelf are same material as top.



Laboratory Wall Sinks


TRAPS AND SERVICE PIPING ARE NOT INCLUDED.



6630 Wall Sink

Dimensions:	W	Н	D
Overall	24"	46"	21"
Hi-back	24"	8-3/4"	4-1/4"
Ledge Cap	24"		4-3/4"
Sink, ID	21-1/2"		15-1/2"
{Sink Depth: 8	3-3/4")		

Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer. Sink, hi-back and ledge cap are 1-1/4" thick - specify material desired: Rhearock or Rhearesin.




6636 Wall Sink

Dimensions:	W	Н	D
Overall	37-1/4"	46"	24"
B. Cab.(1)OD	35-1/4"	35"	22-1/2"
Hi-back	37-1/2"	9"	4-1/4"
Ledge Cap	37-1/4"		4-3/4"
Drainboard	17-3/4"		19-3/4"
Cupboard,ID	33-3/4"	21-3/4"	20-3/4"
Sink, ID	16"		12"
{Sink Depth:	8")		

Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer; one epoxy resin sink. Drainboard, hi-back and ledge cap are 1" thick - specify material desired: Rhearock or Rhearesin.

6637 Wall Sink


Same as 6636 except 30" D with 18" x 15", 8" depth sink. Base cabinet is 28-3/4" D.; ledge cap and high back remain same. 2009



6632 Wall Sink

Dimensions:	W	Н	D
Overall	42"	46"	21"
Hi-back	42"	8-3/4"	4-1/4"
Ledge Cap	42"		4-3/4"
Drainboard	19-3/4"		16-3/4"
Sink, ID	21-1/2"		15-1/2"
{Sink Depth: 8	3-3/4")		

Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer. Sink, drainboard, hiback and ledge cap are 1-1/4" thick - specify material desired: Rhearock or Rhearesin.



6638 Wall Sink

Dimensions:	W	Н	D
Overall	48"	46"	24"
B. Cab.(1)OD	47-1/4"	35"	22-1/2"
Hi-back	48"	9"	4-1/4"
Ledge Cap	48"		4-3/4"
Drainboard	26-1/2"		19-3/4"
Cupboard,ID	45-3/4"	21-3/4"	20-3/4"
Sink, ID	18"		15"
{Sink Depth:	8")		

Equipment: One hot and cold water mixing faucet with soap dish; one epoxy sink outlet with disc strainer; one epoxy resin sink. Drainboard, hi-back and ledge cap are 1" thick - specify material desired: Rhearock or Rhearesin.

6639 Wall Sink


Same as 6638 except 30" D. Base cabinet is 28-3/4"D.; ledge cap and high back remain same.



6634 Wall Sink

W	Н	D
60"	46"	21"
60"	8-3/4"	4-1/4"
60"		4-3/4"
19-3/4"		16-3/4
21-1/2"		15-1/2
3/4")		
	60" 60" 60" 19-3/4" 21-1/2"	60" 46" 60" 8-3/4" 60" 19-3/4" 21-1/2"

Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer. Sink, drainboard, hi-back and ledge cap are 1-1/4" thick - specify material desired: Rhearock or Rhearesin.



6640 Wall Sink


Dimensions:	W	Н	D
Overall	60"	46"	24"
B. Cab.(1)OD	58-1/4"	35"	22-1/2"
Hi-back	60"	9"	4-1/4"
Ledge Cap	60"		4-3/4"
Drainboards(2)	18-1/2"		19-3/4"
Cupboard,ID	58-3/4"	21-3/4"	20-3/4"
Sink, ID	24"		16"
{Sink Depth: 8	3")		


Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer; one epoxy resin sink. Drainboards, hi-back and ledge cap are 1" thick - specify material desired: Rhearock or Rhearesin.

6641 Wall Sink

Same as 6640 except 30" D. Base cabinet is 28-3/4"D.; ledge cap and high back remain same.

Rinse Counters & Wash-Up Sinks





Dimensions:	W	Н	D
Overall	72"	36"	24"
Base Cabinet (1), O D	41-1/4"	35"	22-1/2"
Sink Cabinet (1), O D	30"	35"	22-1/2"
Cupboard (1), I D	19-1/2"	29-1/4"	20-3/4"
Cupboard (1), I D	28-1/2"	21-3/4"	20-3/4"
Drawers (4), I D	17-1/2"	6"	17"
Sink, I D	16"		8"
{Sink Depth: 7"}			

Equipment: One cold water gooseneck faucet; two adjustable shelves; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Top has a 4" high back splash, 2" front retainer, and side retainers 1" thick-specify material desired: Rhearock, Rhearesin or Stainless Steel.

6642-A Rinse Counter

Same as 6642 except opposite hand.

6642-B Rinse Counter

Same as 6642 except with fiberglass top.

6642-C Rinse Counter

Same as 6642-A except fiberglass top.

6643 Rinse Counter

Same as 6642 except with 16" x 12" sink.

6644 Rinse Counter

Same as 6642 except 30" high and drawer unit has three drawers instead of four.

6644-A Rinse Counter


Same as 6644 except opposite hand.


6644-B Rinse Counter

Same as 6644 except with fiberglass top.

6644-C Rinse Counter

Same as 6644-A except with fiberglass top.





6646	Rinse	Counter
------	-------	---------

Dimensions:	W	Н	D
Overall	9' 6-1/2"	36"	24"
Base Cabinet (1), O D	41-1/4"	35"	22-1/2"
Sink Cabinet (1), O D	30"	35"	22-1/2"
Base Cabinet (1), O D	41-1/4"	35"	22-1/2"
Cupboard (1), I D	19-1/2"	29-1/4"	20-3/4"
Cupboard (1), I D	28-1/2"	21-3/4"	20-3/4"
Cupboard (1), I D	39-3/4"	29-3/4"	20-3/4"
Drawers (4), I D	17-1/2"	6"	17"
Sink, I D	16"		8"

{Sink Depth: 7"}

Equipment: One cold water gooseneck faucet; three adjustable shelves; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Top has 4" high back splash, 2" high front retainer, and side retainers are 1" thick - specify material desired: Rhearock, Rhearesin, or Stainless Steel.

6646-A Rinse Counter

Same as 6646 except opposite hand.

6646-B Rinse Counter

Same as 6642 except with fiberglass top.

6646-C Rinse Counter

Same as 6646-A except fiberglass top.

6647 Rinse Counter

Same as 6646 except with 16" x 12" sink.

6648 Rinse Counter

Same as 6646 except 30" high and drawer unit has three drawers instead of four.

6650	Wash-Up	Sink

Dimensions:	VV	н	ט
Overall	60"	36"	30"
Base Cabinet (1), O D	58-1/4"	35"	28-1/2
Cupboard (1), I D	56-3/4"	21-3/4"	26-3/4
Stainless Steel Sink			
Assembly, I D	54"		22"
{Sink Depth: 7-1/2"}			
Back splash	11-1/4"		
Ledge Cap	4-1/4"		

Equipment: Three combination hot and cold water swing spout faucets; one stainless steel sink assembly; one stainless steel sink outlet with basket strainer. Integral top and sink assembly of seamless welded construction is 16 gauge, 18-8 type, 302 stainless steel. Exposed surfaces are polished to a #4 finish. Sink assembly is completely under coated for sound deadening.

6651 Wash-Up Sink

W	Н	D
67"	36"	30"
18"	35"	22-1/2"
16-1/2"	29-1/4"	20-3/4"
28"		20"
	67" 18" 16-1/2"	67" 36" 18" 35" 16-1/2" 29-1/4"

Sink Depth: 8-3/4"}

Equipment: One combination hot and cold water mixing faucet; one epoxy resin sink; one polypropylene sink outlet with strainer. Cupboards have one adjustable shelf in each. Top is 1" Rhearesin

Rinse Counters & Wash-Up Sinks


TRAPS & SERVICE PIPING ARE NOT INCLUDED

7286 Island Sink Assembly

Dimensions:	W	Н	D
Overall	54"	36"	54"
Base Cabinets (2), O D	50-5/8"	35"	22-1/2"
Stainless Steel Sinks (2), I D	32"		16"

{Sink depth: 10"}

Equipment: Two hot and cold water mixing faucets with swing spouts; four cold water gooseneck faucets; two integral stainless steel sinks; two stainless steel sink strainers with tailpieces. Trap and continuous waste not included. Interceptor trap is recommended for use in art rooms. Top and integral sinks are 16 gauge, type 304 stainless steel. Exposed surfaces are polished to #4 finish.




7288 Wash Up Sink

Dimensions:	W	Н	D
Overall w/o High Back	60"	36"	30"
Base Cabinet (1), O D	58-1/4"	35"	28-3/4"
Cupboard (1), I D	56-3/4"	21-3/4"	26-3/4"
Stainless Steel Sink, I D	54"		22"

{Sink depth: 7-1/2"}

Sink assembly has 11-1/4" H back splash and 4-1/4" D ledge cap.

Equipment: Two cold water gooseneck faucets; one combination hot and cold water faucet with swing spout; one stainless steel sink assembly; one stainless steel sink outlet with basket strainer and tailpiece. Trap is not included. Integral top and sink assembly of seamless welded construction is 16-gauge, type 304 stainless steel. Exposed surfaces are polished to #4 finish.




7289 Wash Up Sink

1203 Wasii op Silik			
Dimensions:	W	Н	D
Overall w/o High Back	76"	36-1/4"	30"
Base Cabinets (2), O D	18"	25"	28-3/4"
Shelf (1)	76"	12"	
(Shelf with 12" H back and	3 solid oak braces	s)	
Stainlage Stool Sink I D	68_1/2"		22"

Stainless Steel Sink, I D. 68-1/2" 22" {Sink depth: 7-1/2"}

Sink assembly has 11-1/2" H back splash and 4-1/4" D ledge cap.

Equipment: 1" Rhearesin shelf with four polypropylene pegs and solid oak shelf brackets; three combination hot and cold water mixing faucets; one stainless steel sink assembly; one stainless steel sink outlet with basket strainer and tailpiece. Trap is not included. Integral top and sink assembly of seamless welded construction is 16-gauge, type 304 stainless steel. Exposed surfaces are polished to #4 finish.





Dillicitatoria.	**		
Overall w/o Rack	74"	36-1/4"	24"
Base Cabinets (2), O D	18"	25"	22-1/2"
Pipe Support Rack	89"	54"	8"
Stainless Steel Sink, O D.	75"		24"
{Sink depth: 7-1/2"}			

2009


Equipment: Oak pipe support rack has Rheatex shelf and six, #9426 cold water faucets; base unit has two removable wood access panels; stainless steel sink has bottom that slopes to drain and is 16 gauge, type 304 stainless steel with stainless steel outlet with basket strainer and tailpiece. Exposed surfaces are polished to #4 finish.

ADA Accessible, Wash Up Sink & Counter

8815 ADA Accessible Rinse Sink with Counter


Dimensions:	W	Н	D
Overall	80"	41"	24"
Countertop		33" & 36"	
Base Cabinet (2), O D	24"	35"	22-1/2"
Kneespace, O D	30"		
Cupboard (2), I D	22-1/2"	29-1/4"	20-3/4"
Drawers (1), I D	20-1/2"	6"	17"


Assembly designed to include provisions for wheelchair space at sink and services. Rinse counter provides a long sloped counter, integral sink, continuous raised edges and coved corners to retain spilled materials and liquids. Top assembly is one piece, fiberglass reinforced polyester, almond in color, with highly durable surface. Sink assembly has bi-level work surfaces to accommodate recommended maximum 34" wheelchair height and 36" for stand up height. Stand up work surface slopes toward wheelchair work surface, which in turn, slopes toward integral sink. Molded integral sink is sloped from front to back with overall depth not to exceed 6-1/2" D. A molded integral ledge is located at rear of sink to accommodate services. Casework assembly consists of one, 1278L cabinet, and one 2338 sink cabinet (without sink hangers). A removable one piece closure panel conceals sink service piping. Unit has one hot and cold water mixing faucet with wrist blade handles.



<u>Pegboards</u>

Standard Pegboard





Sloping Pegboard

STAINLESS STEEL PEGBOARDS:

6667-A Stainless Steel Pegboard

Overall: 24" W x 30" H x 3/4" thick Made of #304 stainless steel with a #4 finish; equipped with 32 polypropylene pegs.

6667-B Stainless Steel Pegboard with Stainless Steel Trough

Same as 6667-A, except stainless steel drip trough is included.

6668-A Stainless Steel Pegboard

Overall: 30" W x 30" H x 3/4" thick Made of #304 stainless steel with a #4 finish; equipped with 50 polypropylene pegs.

6668-B Stainless Steel Pegboard with Stainless Steel Trough

Same as 6668-A, except stainless steel drip trough is included.

PHENOLIC PEGBOARDS:

6660 Pegboard

Overall: 22-1/2" W x 24" H x 1" thick Equipped with 28 polypropylene pegs.

6660-B Sloping Pegboard

Same as 6660, except pegboard slopes; 5" thick

6662 Pegboard

Overall: 30" W x 24" H x 1" thick Equipped with 38 polypropylene pegs.

6664 Pegboard

Overall: 32" W x 30" H x 1" thick Equipped with 53 polypropylene pegs.

6664-B Sloping Pegboard

Same as 6664, except pegboard slopes; 5" thick

6666 Pegboard

Overall: 48" W x 30" H x 1" thick Equipped with 68 polypropylene pegs.

PHENOLIC PEGBOARDS:

6670 Pegboard

Overall: 16" W x 24" H x 1" thick Equipped with 24 polypropylene pegs.

6672 Pegboard

Overall: 22-1/2" W x 24" H x 1" thick Equipped with 28 polypropylene pegs.

6672 - B Sloping Pegboard

Same as 6672 except pegboard slopes; 5" thick

6674 Pegboard

Overall: 20" W x 30" H x 1" thick Equipped with 32 polypropylene pegs.

6676 Pegboard

Overall:30" W x 24" H x 1" thick Equipped with 39 polypropylene pegs.

6678 Pegboard

Overall: 32" W x 30" H x 1" thick. Equipped with 53 polypropylene pegs.

6678 - B Sloping Pegboard

Same as 6678 except pegboard slopes; 5" thick.


Utility Shelf/Graduate Rack & Drip Trough

6679 - A Stainless Steel Drip Trough

Trough Size: 1-1/2" W x 3/4" D x (Specify Length)

Lip Size: 1" W. Trough is fabricated from 22 gauge stainless steel with a 3/8" O D $\rm x$

3/4" long copper drain stub.



Stainless Steel Utility Shelf/Adjustable Graduate Rack

Unit#	W	Н	D
6657-18	18"	4"	12"
6657-20	20"	4"	12"
6657-24	24"	4"	12"
6657-30	30"	4"	12"
6657-32	32"	4"	12"
6657-48	48"	4"	12"






Constructed of 304 stainless steel with a #4 finish. Shelf system is fully adaptable and will install easily with any pegboard system, wall or casework shelf system. Each shelf is manufactured with a rail system underneath for support and for adaptation of brackets, enabling customizing. Each unit is supplied with required hardware for installation. Special sizes are available on request.

Service Islands

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6172 Service Island			
Dimensions:	W	н	D
Overall	26"	36"	24"
Base Cabinet (1), O D	24"	35"	22"

Equipment: Two cold water gooseneck faucets; two, 90° wall mounted gas cocks; two duplex AC receptacles; one, 14" x 10" x 6", I D , epoxy resin sink; one polypropylene sink outlet with disc strainer. Top is 1" thick - specify material desired.

6174 Service Island

Same as 6172 except 42" H.





6176 Service Island			
Dimensions:	W	Н	D
Overall	26"	36"	26"
Base Cabinet (1), I D	24"	35"	24"

This compact unit has services on all four sides. Wood hinged door provides access to plumbing and storage space.

Equipment: Two cold water gooseneck faucets; eight single gas cocks; four duplex AC receptacles; one, 14" x 10" x 6", ID , epoxy resin sink; one polypropylene sink outlet with disc strainer. Top is 1" thick - specify material desired.

6178 Service Island

6176 Carriag Island

Same as 6176 except 42" H.

Service Islands


TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6180 Service Island

Dimensions:	W	Н	D
Overall	48"	36"	41-1/2"
Base Cabinet (3), O D	24"	35"	12-1/4"

Equipment: One adjustable shelf in each cupboard; three duplex AC receptacles; three multi-service fixtures, each consisting of one cold water gooseneck and two gas cocks; one, 16" diameter stainless steel sink with a stainless steel strainer. Top is 1" thick - specify material desired.

This versatile unit has services on three sides for use with three #6184 Four Student Tables. This unit can also be grouped with conventional rectangular tables.



6182 Service Island

Dimensions:	W	Н	D
Overall	48"	36"	41-9/16"
Sink, I D	21"		18"
{Sink Depth: 1	0" }		

When grouped with three #6512 Student Tables, this Service Island with services on three sides, provides the center for an ideal work arrangement.

Equipment: Three multi-service fixtures, each consisting of one cold water gooseneck and two gas cocks; three duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Top is 1" thick - specify material desired.



6188 Service Island

Dimensions:	W	Н	D
Overall	54"	36-1/4"	46-3/4
Sink	31"		27"

{Sink Depth: 6"}

Designed to be used with 30" H tables, 30" or 36" W. Equipment: Three multi-service fixtures, each containing one

cold water gooseneck and two gas cocks; three duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Top is 1" thick - specify material desired.







Dimensions:	L	W	Н
Overall		54"	24"- 42" 30"

Top is 1" thick - specify material desired.

Campbell Rhea Science - 60



Tri-Fascia Service Islands



6190 Tri-Fascia Service Island **Dimensions:**

Overall 34" on three sides x 20" on three sides and

Specified Height *

Sink, I D......19-1/2" on three sides x 15-1/4" on three sides, and 7" D.

* Service Island heights available:

ADA compliant at 34" H., or 36" H., for general use. Specify height desired.

Equipment: Three, multi-service fixtures, each containing one cold water faucet and two gas cocks; three duplex G F I C receptacles; and one polypropylene sink outlet with strainer.

Both the work surface and the support shell are molded fiberglass reinforced polyester, and rated as not burning per A.S.T.M., D-635 burn test. A black vinylester gel coating provides exceptional chemical resistance for the work surface, sink and raised service turrets. The work surface perimeter has an integral, 1/4" raised marine edge. The work surface is supported by a natural almond colored, molded fiberglass reinforced polyester shell. The shell is structurally reinforced and provides a complete protective envelope for plumbing and electrical wiring. The 20" x 20" square pedestal base is black electrostatically epoxy powder coated, steel and has two removable access panels.

Movable Tri-Fascia Service Island

6195 Movable Tri-Fascia Service Island Dimensions:

Overall..... 34" on three sides x 20" on three sides and


36" H. *{Not adjustable}* 19-1/2" on three sides x 15-1/4" on three sides, Sink, I D.....

and 7" Depth.

Equipment: Three multi-service fixtures containing one cold water faucet and two gas cocks; three duplex G F C I receptacles; and one polypropylene sink outlet with strainer. Two hose assemblies (one cold water & one gas), each 36" long with 1/2" male pipe threads at top and two-way, quick-connect couplings at floor. Gas socket and cold water plug, both with 1/2" female threads, to be connected by plumbing contractor to service rough-ins in floor pit. One 1-1/2" waste hose assembly 30" long with hose clamp and tailpiece at top for connecting to sink outlet and straight through, quick-connect coupling at floor. Socket with 1-1/2" female pipe threads to be connected by plumbing contractor to the waste stub-up in floor pit.

Work surface, sink and raised service turrets are molded in one piece from black fiberglass reinforced polyester. An integral raised marine edge is incorporated at the work surface perimeter. Work surface is supported by a molded fiberglass reinforced polyester shell, in natural almond color. The shell is structurally reinforced and provides a complete protective envelope for plumbing and electrical wires. The fiberglass work surface and the support shell are fabricated of vinyl-ester gel coats and special polyester resins formulated to provide exceptional chemical resistance and rated as not-burning per A. S. T. M., D-635 burn test. The hexagon pedestal base is 10 gauge formed steel finished black and has two removable access panels. The three feet have nonskid, composition bottom leveling glides.

Cold water and gas piping within the support shell connecting the fixtures to each other and to the hose assemblies must be furnished and installed by the plumbing contractor. Traps must be furnished by and installed below the floor level by the plumbing contractor. Electrical wire and conduit connecting the receptacles within the support shell must be furnished by and installed by the electrical contractor and must terminate with a flexible cord and a 3-wire, grounded plug.



Tri-Fascia Ventilation Enclosure/Service Island

6198 Tri-Fascia Ventilated Work Center/Service Island

Dimensions:


Overall 70" W x 84" H

Work Surface 35-3/4" W on three sides,

20-3/4" W on three sides,

and 36" H.

Caution: This is not a Fume Hood and must not be expected to function as one. Please refer to CampbellRhea's LabShield™ Fume Hood catalog if fume hood is desired.



Equipment: One multi-service fixture containing one cold water faucet and two gas cocks; three duplex G F I C receptacles; and one epoxy resin oval cup sink, 3" x 6"; three rod sockets with three, 18" burette rods; three vapor-tight incandescent light fixtures (bulbs are not included) and one light switch. Top is 1" Rhearesin. Blower, motor and switch must be ordered separately.


Access to the work center is gained through three openings, 44" W and 28" H. Each opening is equipped with a hinged, 19" safety panel, which can be lowered to increase air velocity through the hood opening.


The support shell and the top of the superstructure are molded of glass-reinforced polyester with a chemical resistant smooth surface coating, white in color. The 20" square pedestal base is constructed of 10 gauge formed steel, finished black, and has two removable access panels.

The sides of the superstructure are constructed of shaped, 1/4" smoke colored polycarbonate panels. Three vapor-tight light fixtures (bulbs not included) are provided in the superstructure.

The 8-5/8" diameter center exhaust column provides exhaust at the work surface or at the top plenum, depending on the positioning of the damper. An 11" diameter exhaust duct stub is provided in the top of the superstructure for exhausting through the ceiling. Pressure drop through the hood will not exceed 3/4" W.C. Exhaust volume required equals 1500 C.F.M.

Wood Open Frame Tables









TELESCOPING LEG with Glide

Heavy-duty, telescoping stainless steel leg with heavy-duty non-marring glide. Allows for 30" to 37" table height adjustability. Stainless steel lock-pin rod slides into aluminum guides on each side and passes completely through the 2-1/4" solid lumber leg and predrilled telescoping leg. Lock pin is anchored to leg with 8" long, zinc plated steel check chain attached with a tamper free screw.

Not available on Pedestal Tables. See Suffix Notes below to specify this leg.



TABLE SCHEDULE / 30" HIGH

Top is 1" thick - specify material.

Overall

w

54" 24"- 42" 30"

30" HIGH						
	TABLES WI	TH	TABLES WITI	Н	PEDESTAL	-
TABLES	COMPART	MENTS	DRAWERS		TABLES	
Catalog	Catalog		Catalog		Catalog	Pairs of
No.	No.	Compts.	No.	Drawers	No.	Glides
6500	6500C	2	6500D	2		
6502	6502C	2	6502D	2		
6504	6504C	2	6504D	2		
6506	6506C	2	6506D	2	6506G	2
6508	6508C	2	6508D	2		
6510	6510C	2	6510D	2	6510G	2
6512	6512C	2	6512D	2	6512G	2
6514	6514C	4	6514D	4	6514G	4
6516	6516C	4	6516D	4	6516G	4
6518	6518C	2	6518D	2	6518G	2
6520	6520C	2	6520D	2	6520G	2
6522	6522C	4	6522D	4	6522G	4
6524	6524C	4	6524D	4	6524G	4
6526	6526C	2	6526D	2	6526G	2
6528	6528C	2	6528D	2	6528G	2
6530	6530C	4	6530D	4	6530G	4
6532	6532C	4	6532D	4	6532G	4
6534	6534C	3	6534D	3	6534G	3
6536	6536C	3	6536D	3	6536G	3
6538	6538C	6	6538D	6	6538G	6
6540	6540C	6	6540D	6	6540G	6
6542	6542C	4	6542D	4	6542G	4
	6544C	3	6544D	3	6544G	3
6546	6546C	4	6546D	4	6546G	4
	6548C	3	6548D	3	6548G	3
6550	6550C	8	6550D	8	6550G	8
	6552C	6	6552D	6	6552G	6
6554	6554C	8	6554D	8	6554G	8
	6556C	6	6556D	6	6556G	6
	PLAIN TABLES Catalog No. 6500 6502 6504 6508 6510 6512 6514 6516 6518 6520 6522 6524 6526 6528 6530 6532 6534 6536 6538 6540 6542 6546	PLAIN TABLES WITABLES COMPARTM Catalog Catalog No. No. 6500 6500C 6502 6502C 6504 6504C 6506 6506C 6508 6506C 6510 6510C 6512 6512C 6514 6514C 6516 6516C 6518 6518C 6520 6520C 6522 6522C 6524 6524C 6526 6526C 6528 6526C 6528 6528C 6530 6530C 6532 6532C 6534 6534C 6536 6536C 6538 6536C 6538 6538C 6540 6540C 6542 6542C 6544C 6546 6546C 6556 6550C 6552C 6554 6550C	PLAIN TABLES TABLES COMPARTMENTS Catalog No. No. No. Compts. 6500 6500C 2 6502 6502C 2 6504 6504C 2 6508 6508C 2 6508 6508C 2 6510 6510C 2 6511 6510C 2 6512 6512C 2 6514 6514C 4 6516 6516C 4 6518 6518C 2 6520 6520C 2 6521 6520C 2 6522 6520C 2 6524 6524C 4 6526 6526C 2 6528 6528C 2 6530 6530C 4 6532 6532C 4 6534 6534C 3 6536 6536C 3 6540 6540C 6	PLAIN TABLES TABLES WITH COMPARTMENTS TABLES WITH DRAWERS Catalog Catalog Catalog No. No. Compts. No. 6500 6500C 2 6500D 6502 6502C 2 6502D 6504 6504C 2 6504D 6506 6506C 2 6506D 6508 6508C 2 6508D 6510 6510C 2 6510D 6512 6512C 2 6512D 6514 6514C 4 6514D 6516 6516C 4 6516D 6518 6518C 2 6518D 6520 6520C 2 6520D 6522 6520C 2 6520D 6524 6524C 4 6524D 6526 6526C 2 6528D 6530 6530C 4 6530D 6534 6534C 3 6534D <t< td=""><td> PLAIN TABLES WITH TABLES WITH TABLES COMPARTMENTS DRAWERS </td><td> PLAIN TABLES WITH DRAWERS TABLES </td></t<>	PLAIN TABLES WITH TABLES WITH TABLES COMPARTMENTS DRAWERS	PLAIN TABLES WITH DRAWERS TABLES

^{*} ALL TABLES MEASURING 36" WIDE AND OVER ARE DOUBLE-FACED TABLES.

MODIFICATIONS AND SUFFIX NOTES:

1. IF A TABLE 36" HIGH IS DESIRED, ADD THE SUFFIX -36- TO THE CATALOG NUMBER. EXAMPLE: 6500-36. 2. IF A TABLE WITH TELESCOPING LEGS IS DESIRED, ADD THE SUFFIX - A TO THE CATALOG NUMBER. **EXAMPLE 6500-A**

All tables shown in this schedule are built of FAS, or better grade Red Oak or White Maple, as specified. Compartments are 16-1/2" W x 3" H x 15-5/8" D, I.D. Drawers are 14-1/2" W x 2-1/4" H x 15" D, I.D.

Table legs are equipped with die formed chemical resistant, hard plastic polyethylene leg shoes, with closed bottoms. If specified, master keyed locks can be furnished on tables with drawers.

MAINSTAY™: Metal Open Frame Tables



MAINSTAY, Metal Open Frame Tables

The black epoxy powder coated steel table frame - each side rail and two legs - is welded construction, with integral welded plate and welded 1/2" nut at attachment points inside the legs. Stabilizing end panel rail is attached with use of provided Allen wrench, 1/2" bolts and lock washers.

Tables are shipped knocked down. Front & back rails, and stabilizing end panels are predrilled for easy attachment of work surface. 1" thick, black Phenolic work surface is standard, and included. Each leg is equipped with a heavy-duty, 1" height adjustable threaded foot glide.

Work surface is shipped separately and overlaps the table frame by 1" on all sides. Other top materials are available if specified.

Dimensions below are overall and include the 1" work surface.

Dimensions, Overall, INCLUDING SPECIFIED 1" TOP:

Unit #	L	W	Н
6506L	54"	24"	30"
6506L-34 (ADA)	54"	24"	34"
6506L-36	54"	24"	36"
6512L	60"	30"	30"
6512L-34 (ADA)	60"	30"	34"
6512L-36	60"	30"	36"

Campbell Rhea Science - 64

Adjustable Tables with Hand Crank

Unit can be used by a wheelchair-bound student, as a basic classroom table, or as a satellite table with tri-fascia service islands, #6190, or #6195; casework service islands #6182, or #6188. Unit allows great laboratory/classroom flexibility, since it can be adjusted in height for a variety of purposes, or used as a basic, classroom table that meets ADA guidelines. Tables will support a 500 lbs. static load.

The hand-crank adjustable pedestal is constructed from cold rolled steel, with a black finish. Pedestal has an integral stabilizing rail. Rail and legs are designed with cutouts and can be used as electrical raceways. Pedestal feet are equipped with four glides. The hand-crank's gearing mechanism is enclosed within the pedestal. Unit is shipped knocked down, and handle can be mounted to the left or right at the time of assembly. Handle slides out for cranking adjustments, and then slips back beneath the table top when not in use.

Top material is 1" thick Rheatex. Tables with wood frames have a height adjustment of 27" to 36"; tables without the wood frame adjust from 24" to 36". Floor space between pedestal feet varies between 36" W and 48" W; see individual units listed below. Tables with wood frames have a 3" \times 3/4" solid oak frame.

36-1/2" between feet			48-1/2" b	etween feet	
Unit #	W	D	Unit #	W	D
8734	48"	24"	8738	54"	24"
8736	48"	30"	8740	54"	30"
			8742	60"	24"
			8744	60"	30"
			8746	64"	24"
			8748	64"	30"

		Tables without W	ood Frames - Heigh	nt Adjustme	ent: 24" to 36"	
36" between feet		48" between feet				
Unit #	W	D	Unit #	W	D	
8696	48"	24"	8702	54"	24"	
8698	48"	30"	8704	54"	30"	
8700	48"	36"	8706	60"	24"	
			8708	60"	30"	
			8710	64"	24"	
			8712	64"	30"	
			8714	64"	36"	



Example: 8734




Example: 8696


Kneespace Components:

Use in Base Cabinet Assemblies

- Leg sections are 29" or 35" H.
- Length of components must be specified.
- Components 28" D are for 30" D tops. Components 22" D are for 24" D tops. All rails are 4-7/8" High.

- All drawers are 13" W x 2-1/4" H x 15" D, I.D.





SINGLE	LEG
6970	29" HIGH
6972	35" HIGH

	697	72 35	" HIGH
\bigcup	J		


	VVIIII COI	MPARTMENT (S)		WITH DRA	٠,
Catalog		Length	Catalog		Length
Number	Depth	(Specify)	Number	Depth	(Specify)
1 COMP	ARTMENT		1 DRAWE	R	
6988	22"	24" to 96"	7012	22"	24" to 96"
6990	28"	24" to 96"	7014	28"	24" to 96"
2 COMP	ARTMENTS	;	2 DRAWE	RS	
6992	22"	48" to 96"	7016	22"	48" to 96"
6994	28"	48" to 96"	7018	28"	48" to 96"



4-7/8" HIGH. Specify Length.



PLAIN FRAMES		
Catalog		Length
Number	Depth	(Specify)
6976	22"	24" to 96"
6978	28"	24" to 96"



LEGS LEFT WITH COMPARTMENT(S)

Length


(Specify)

(Specify Leg Height)

Depth

Catalog

Number



LEGS LEFT WITH DRAWER(S)

Depth


Length

(Specify)

(Specify Leg Height)

Catalog

Number



			LEGS LI	<u>EFT</u>		LEGS L	<u>EFT</u>	
		//	1 COMP	ARTMENT		1 DRAW	ER	
		r	6996	22"	24" to 96"	7020	22"	24" to 96"
			6998	28"	24" to 96"	7022	28"	24" to 96"
	*							
			2 COMP.	ARTMENTS	3	2 DRAW	ERS	
	TH PLAIN		7000	22"	48" to 96"	7024	22"	48" to 96"
(Specify L	_eg Height	t)	7002	28"	48" to 96"	7026	28"	48" to 96"
Catalog		Length	7			110		
Number	Depth	(Specify)						
LEGS LEI			LEGS R	IGHT		LEGS R	IGHT	
6980	<u>FT</u> 22"	24" to 96"	LEGS R	IGHT ARTMENT		LEGS R		
	FT	24" to 96" 24" to 96"			24" to 96"			24" to 96"
6980	<u>FT</u> 22"		1 COMP	ARTMENT	24" to 96" 24" to 96"	1 DRAW	ER	24" to 96" 24" to 96"
6980	FT 22" 28"		1 COMP. 7004 7006	22" 28"	24" to 96"	1 DRAW 7028 7030	ER 22" 28"	
6980 6982	FT 22" 28"		1 COMP. 7004 7006 2 COMP.	ARTMENT 22" 28" ARTMENTS	24" to 96"	1 DRAW 7028 7030 2 DRAW	ER 22" 28" ERS	24" to 96"
6980 6982 LEGS RIG	FT 22" 28" 3HT	24" to 96"	1 COMP. 7004 7006 2 COMP. 7008	ARTMENT 22" 28" ARTMENTS 22"	24" to 96" 48" to 96"	1 DRAW 7028 7030 2 DRAW 7032	ER 22" 28" ERS 22"	24" to 96" 48" to 96"
6980 6982 <u>LEGS RIG</u> 6984	ET 22" 28" 28" EHT 22"	24" to 96" 24" to 96"	1 COMP. 7004 7006 2 COMP.	ARTMENT 22" 28" ARTMENTS	24" to 96"	1 DRAW 7028 7030 2 DRAW	ER 22" 28" ERS	24" to 96"
6980 6982 LEGS RIG 6984	ET 22" 28" 28" EHT 22"	24" to 96" 24" to 96"	1 COMP. 7004 7006 2 COMP. 7008	ARTMENT 22" 28" ARTMENTS 22"	24" to 96" 48" to 96"	1 DRAW 7028 7030 2 DRAW 7032	ER 22" 28" ERS 22"	24" to 96" 48" to 96"


Adjustable Kneespace Components:

Customize to Fit at Job site


- Components 22" Deep are for 24" Deep tops
- Components 28" Deep are for 30" Deep tops
- All rails are 4-7/8" High by 3/4", solid oak
- · Available in plain rails only
- Units with legs will be shipped with 35" High legs, unless specified otherwise.

Designed to be used in casework assemblies, or with legs to right or left, and manufactured to be easily customized at the job site. Only available with plain rails, and in lengths listed. Lengths given are to be cut-to-fit. Shipped assembled, components may be dismantled, cut and reassembled to fit job site conditions (i.e., column in wall, sink in kneespace, offset walls, etc.). Leg height must be specified. Top is 1" thick, specify material.

Adjustable	' Deep e, Plain Rails Legs)	Adjustab	" Deep le, Plain Rails o Legs)
Catalog #	Length	Catalog #	Length
7506	24"	7524	24"
7508	30"	7526	30"
7510	35-1/4"	7528	35-1/4"
7512	41-1/4"	7530	41-1/4"
7514	47-1/4"	7532	47-1/4"
7516	60"	7534	60"
7518	72"	7536	72"
7520	84"	7538	84"
7522	96"	7540	96"







22" Deep			
Adjustable, Plain Rails With			
Legs LEFT			
Specify Leg Height			

Length

24"

30"

35-1/4"

41-1/4"

47-1/4" 60"

72"

84"

96"

Catalog #

7542

7544

7546

7548

7550

7552

7554 7556

7558

2009

Catalog #	Length
7560	24"
7562	30"
7564	35-1/4"
7566	41-1/4"
7568	47-1/4"
7570	60"
7572	72"
7574	84"
7576	96"

Legs LEFT

Specify Leg Height

22" Deep Adjustable, Plain Rails With Legs RIGHT **Specify Leg Height**

Catalog #	Length
7578	24"
7580	30"
7582	35-1/4"
7584	41-1/4"
7586	47-1/4"
7588	60"
7590	72"
7592	84"
7594	96"

28" Deep Adjustable, Plain Rails With **Legs RIGHT Specify Leg Height**

Catalog #	Length
7598	30"
7600	35-1/4"
7602	41-1/4"
7604	47-1/4"
7606	60"
7608	72"
7610	84"
7612	96"

Campbell Rhea Science - 67

Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

ADA

TABLE OF CONTENTS for


ADA Compatible/Compliant Casework, Furniture & Equipment

<u>Item</u>	<u>Pages</u>
ADA Standards	1
Base Cabinets 33" H 33" H Corner	2-6 7
Eyewash	10
Kneespace Components	8
Safety Center Shower & Eyewash Sink & Casework Lab Station Sink Closure Panel Assembly	10 10 9 8
Tables Adjustable	11
Wash up Sink	8

ADA Compliant vs. ADA Accessible

A variety of basic casework cabinetry has been designed to complete the laboratory or classroom assembly requirements for the physically challenged.

Casework units are 34 inches high *overall*, and 22-1/2 inches deep. One inch thick top material must be specified.



Numerous base cabinet design combinations meet the ADA's recommended dimensions. Work areas that meet the needs of the physically challenged are easily designed by including our casework assembly Lab Work Station, or our Kneespace Components.

However, and quite obviously, some casework unit designs are more ADA *accessible* than others. Base cabinets in 41-1/4", 58-1/4", or even 70-1/4" widths, are available in the 33" height; however, the designer must weigh the placement, both in the casework assembly and in the overall room layout, for these units to be truly usable by persons restricted to wheelchairs.

CampbellRhea's Design Engineering and Drafting Departments are prepared to assist in the coordination of functional preliminary designs that will meet ADA guidelines in your project. Contact your CampbellRhea distributor for access to this design service.

Casework in this specialized section has been designed to dimensionally meet ADA guidelines for accessibility; however, designers, architects and planners are advised to review and verify ADA requirements at the time of their project.


	 -	Pull Out	3
Number Width 3597 12-3/8" 3598 15-5/16" 3599 18" 3600 21" 3601 24"	Number Width 3603 12-3/8" 3604 15-5/16" 3605 18" 3606 21" 3607 24"	Number Width 3608 18" 3609 21" 3610 24"	Number Width 3611 18" 3612 21" 3613 24"
3 — — — —	Pull Out 7-1/4 —	4 — I	4 — — — — —
Number Width 3614 12-3/8" 3615 15-5/16" 3616 18" 3617 21" 3618 24"	Number Width 3619 18" 3620 21" 3621 24"	Number Width 3622 18" 3623 21" 3624 24"	Number Width 3632 12" 3633 15-5/16" 3634 18" 3635 21" 3636 24"
Pull Out	4 4	6 — — — — — — — — — — — — — — — — — — —	7-1/4 7-1/4 File
Number Width 3637 18" 3638 21" 3639 24"	Number Width 3640A 18" 3640B 21" 3640C 24"	Number Width 3641 18" 3642 21" 3643 24"	Number Width 3644 18" 3645 21" 3646 24"
Number Width 3647 18" 3648 21" 3649 24"	How width 3650 3651 3652 4-1/4 File Width 21" 24"	Pull Out	Pull Out 3-1/4 4-1/4 5-1/4 - File Number Width 3662 18" 3664 21" 3666 24"

Number Width 3680A 27" 3680B 30" 3680C 35-1/4" 3680D 41-1/4" 3680E 47-1/4"	Number Width 3681A 24" 3681B 27" 3681C 30" 3681D 35-1/4" 3681E 41-1/4" 3681F 47-1/4"	2 Individual Cupboards Number Width 3682A 24" 3682B 27" 3682C 30" 3682D 35-1/4" 3682E 41-1/4" 3682F 47-1/4"	Number Width 3683C 30" 3683D 35-1/4" 3683E 41-1/4" 3683F 47-1/4"
Number Width 3684A 24" 3684B 27" 3684C 30" 3684D 35-1/4" 3684E 41-1/4" 3684F 47-1/4"	Number Width 3685A 24" 3685B 27" 3685C 30" 3685D 35-1/4" 3685E 41-1/4" 3685F 47-1/4"	Number Width 3686A 24" 3686B 27" 3686C 30" 3686D 35-1/4" 3686E 41-1/4" 3686F 47-1/4"	Number Width 3687A 24" 3687B 27" 3687C 30" 3687D 35-1/4" 3687E 41-1/4"
Number Width 3688A 24" 3688B 27" 3688C 30" 3688D 35-1/4" 3688E 41-1/4"		- - - -	Number Width 3693A 24" 3693B 27" 3693C 30" 3693D 35-1/4" 3693E 41-1/4" 3693F 47-1/4"
Number Width 3694A 24" 3694B 27" 3694C 30" 3694D 35-1/4" 3694E 41-1/4" 3694F 47-1/4"	3 — — — — — — — — — — — — — — — — —	Number Width 3696A 24" 3696B 27" 3696C 30" 3696D 35-1/4" 3696E 41-1/4" 3696F 47-1/4"	Number Width 3697A 24" 3697B 27" 3697C 30" 3697D 35-1/4" 3697E 41-1/4" 3697F 47-1/4" Campbell Phea ADA - 3


6 6 3	4 — — — — — — — — — — — — — — — — — —	4 4	Pull Out 6-1/4 — 7-1/4 — File —
Number Width 3698A 24" 3698B 27" 3698C 30" 3698D 35-1/4" 3698E 41-1/4"	Number Width 3699A 24" 3699B 27" 3699C 30" 3699D 35-1/4" 3699E 41-1/4" 3699F 47-1/4"	Number Width 3700A 24" 3700B 27" 3700C 30" 3700D 35-1/4" 3700E 41-1/4" 3700F 47-1/4"	Number Width 3701E 41-1/4" 3701F 47-1/4"
4 — — — — — — — — — — — — — — — — — — —	4 - -	4 — — 6 — 1 —	63
Number Width 3702A 24" 3702B 27" 3702C 30" 3702D 35-1/4" 3702E 41-1/4" 3702F 47-1/4"	Number Width 3703A 24" 3703B 27" 3703C 30" 3703D 35-1/4" 3703E 41-1/4" 3703F 47-1/4"	Number Width 3704A 24" 3704B 27" 3704C 30" 3704D 35-1/4" 3704E 41-1/4" 3704F 47-1/4"	Number Width 3705A 24" 3705B 27" 3705C 30" 3705D 35-1/4" 3705E 41-1/4" 3705F 47-1/4"
<u> </u>	3 - I	8 — I — — — — — — — — — — — — — — — — —	- - 3 - - -
Number Width 3706A 24" 3706B 27" 3706C 30" 3706D 35-1/4" 3706E 41-1/4"	Number Width 3707A 24" 3707B 27" 3707C 30" 3707D 35-1/4" 3707E 41-1/4" 3707F 47-1/4"	Number Width 3708A 24" 3708B 27" 3708C 30" 3708D 35-1/4" 3708E 41-1/4" 3708F 47-1/4"	Number Width 3709A 24" 3709B 27" 3709C 30" 3709D 35-1/4" 3709E 41-1/4" 3709F 47-1/4"
— 6 — 6 — — 1	4 — — — — — — — — — — — — — — — — — — —	4 	- I - 3
Number Width 3710A 24" 3710B 27" 3710C 30" 3710D 35-1/4" 3710E 41-1/4" 3710F 47-1/4"	Number Width 3711A 24" 3711B 27" 3711C 30" 3711D 35-1/4" 3711E 41-1/4" 3711F 47-1/4"	Number Width 3712A 24" 3712B 27" 3712C 30" 3712D 35-1/4" 3712E 41-1/4" 3712F 47-1/4"	Number Width 3713D 35-1/4" 3713E 41-1/4" 3713F 47-1/4"

33" Base Cabinets - ADA Compliant Height

All units are 22-1/2" D, unless noted otherwise



Number Width 3730A 24" 3730B 27" 3730C 30" 3730D 35-1/4" 3730E 41-1/4"	Number Width 3731A 24" 3731B 27" 3731C 30" 3731D 35-1/4" 3731E 41-1/4" 3731F 47-1/4"	- - - 4	Number Width 3735D 35-1/4" 3735E 41-1/4" 3735F 47-1/4"
Number Width 3736D 35-1/4" 3736E 41-1/4"	- - - 4	Number Width 3753A 12-3/8" 3753B 15-5/16" 3753C 18" 3753D 21" 3753E 24"	Number Width 3755A 24" 3755B 27" 3755C 30" 3755D 35-1/4" 3755E 41-1/4" 3755F 47-1/4"
6" deep sink front Number Width 3757A 12-3/8" 3757B 15-5/16" 3757C 18" 3757D 21" 3757E 24"	6" deep sink front Number Width 3759A 24" 3759B 27" 3759C 30" 3759D 35-1/4" 3759E 41-1/4" 3759F 47-1/4"	Number Width 3760 50-5/8"	Number Width 3762 50-5/8"
Number Width 3763 58-1/4"	(Same as 3762 except with a finished back.) Number Width 3764 58-1/4" Same as 3762 except with finished back. This unit is 22" D		




Cabinets - ADA Compliant Height Corner

All units are 22-1/2" D, unless noted otherwise



Equipped with 1 adjustable shelf

Number Width 3794 34-1/4"



Equipped with 2 revolving metal shelves

34-1/4"

Number Width 3796

Kneespace Components: ADA Compliant

Kneespace components for ADA accessibility are designed for use in casework assemblies, or with legs to the left or right. Leg height of 33" must be specified. The 4-7/8" H x 3/4" solid lumber front rails are machined to allow appropriate clearance for use in ADA accessible areas. The ADA guidelines state that kneespace components allow a minimum of 30" of machined clearance area; therefore, components are available in 35-1/4", 41-1/4" or 47-1/4" widths.

Number	Width	<u>Depth</u>	
7075A	30"	22"	
7075 B	35-	22"	
7075 C	41-1/4"	22"	
7075 D	47-1/4"	22"	7075
Number	Width	<u>Depth</u>	
<u>LEGS LEFT</u>			
7076 A	35-1/4"	22"	7076
7076 B	41-1/4"	22"	
7076 C	47-1/4"	22"	
LEGS RIGHT			Ψ
7077 A	35-1/4"	22"	

ADA Closure Panel Assembly

22"

8760 ADA Closure Panel

7077 B

7077 C

W (Specify) H D
Overall... 30" - 48" 33" 22-1/2"


41-1/4" 47-1/4"

8762 ADA Closure Panel

W (Specify) H D
Overall... 48" - 60" 33" 22-1/2"

Closure panel assembly is designed to conceal plumbing, service piping and underneath area of installed sink, while providing for wheelchair access.

Note: Sink and waste are not included




ADA Accessible, Wash Up Sink & Counter

8815 ADA Accessible Rinse Sink with Counter

Dimensions:	W	Н	D
Overall	80"	41"	24"
Countertop		33" & 36"	
Base Cabinet (2), O D	24"	35"	22-1/2"
Kneespace, O D	30"		
Cupboard (2), I D	22-1/2"	29-1/4"	20-3/4"
Drawers (1), I D	20-1/2"	6"	17"

Assembly designed to include provisions for wheelchair space at sink and services. Rinse counter provides a long sloped counter, integral sink, continuous raised edges and coved corners to retain spilled materials and liquids. Top assembly is one piece, fiberglass reinforced polyester, almond in color, with highly durable surface. Sink assembly has bi-level work surfaces to accommodate recommended maximum 34" wheelchair height and 36" for stand up height. Stand up work surface slopes toward wheelchair work surface, which in turn, slopes toward integral sink. Molded integral sink is sloped from front to back with overall depth not to exceed 6-1/2" D. A molded integral ledge is located at rear of sink to accommodate services. Casework assembly consists of one, 1278L cabinet, and one 2338 sink cabinet (without sink hangers). A removable one piece closure panel conceals sink service piping. Unit has one hot and cold water mixing faucet with wrist blade handles.




ADA Accessible, Casework Lab Station

8774 Casework Laboratory Work Station


Equipment: One epoxy resin sink, 15" x 11" x 5-1/2" O.D.; one hot and cold water gooseneck faucet with 4" wrist handles and aerator; one single gas cock; one duplex AC pedestal receptacle, GFCI type, 20 amp; one, 1-1/2" epoxy resin sink outlet; one #9632 "P" trap assembly. One inch thick top with 1/4" thick, flush fitting sink cover; specify top material.

Sink cabinet is rigidly constructed with a full horizontal top frame, top vertical rails at front and rear, and a vertical rear panel at bottom for additional rigidity. Double-walled end panels provide space for retraction of pocket doors. Door pulls are AL-2 style, a 3/8" round aluminum wire type, 4-3/8" long for ample finger hold. Doors do not extend more than 1" past front edge of counter top when in full retracted position. Toe rails fold back, and cupboard bottom hinges up and locks in place to cover sink, trap and piping. In up, locked position, this provides approved clearance space for wheelchair access. Interior side panels are removable for access to door hardware. All interior panels are oak plywood finished to match exterior casework.

8778 Casework Laboratory Work Station Same as 8774, except 41-1/4" wide.




Mobile, ADA Accessible Lab Station



6007 Mobile, ADA Accessible Lab Station

Dimensions:	W	D	Н
Overall	65-3/4"	30"	32"
Wheelchair access	32"	30"	30"



Equipment: One cold water fixture with electric pump and two 3-way switches. One each, 2-1/2 gallon polyethylene carboy for supply and waste. One epoxy resin cup sink, 3" x 6" diameter. One gas cock and one air cock with 10 foot supply hose. (Note: Gas and air supply must be provided from fixed sources in classroom or lab. As a safety precaution, no propane, gas or oxygen cannisters should be contained within the unit.) Four, 5" diameter casters - two rigid, two swivel with locks. One aluminum crossbar assembly with two rod sockets. One 25 foot electric supply cord, 16-3SJ with plug (NEMA S-15P), one automatic rewind reel. Carboys, electric pump and cord with its rewind wheel are housed in the two door cupboard on one end of unit. The other end unit has two drawers with a pullout board on one side, and three drawers with a pullout writing board on the opposite side. Unit is equipped with three duplex, 15 amp. 120 volt AC receptacles; one is GFCI type for complete circuit protection. Support frame for top is 1" x 2-1/2" steel tubing, with black acid resistant finish. Top is 1" thick - specify material desired.

Campbell Rhea ADA - 9

ADA Barrier-Free Safety Center & Safety Station



9617 Barrier-Free Emergency Shower & Eyewash

Dimensions: Overall, 7'6" H.

Equipment: 10" diameter orange ABS plastic shower head extends 32" from support pipe, allowing wheel chair maneuverability. A Full flow, stay-open valve is operated by the pull rod and handle. Shower operates until handle is pushed up to close valve. Pull rod has been lengthened to 38" for accessibility.

The eye and face wash unit has a 12" stainless steel bowl and four gentle spray outlet heads, each with a self-regulating volume control, removable spray cover, and a reticulated polyurethane filter o remove particles from the water. The frame assembly is extended 25" from the support pipe and lowered to 31" high to be accessible from a wheel chair. The full flow stay-open ball valve is operated by a die cast aluminum flat/paddle handle, 26-1/2 " from the floor. Eye/face wash operates until the valve is manually closed.

Unit is furnished with a 9" diameter aluminum floor flange and intermediate galvanized pipe and fittings. Both inlet and outlet are 1-1/4" IPS female.




6774A Barrier-Free Safety Center

Dimensions Overall W D H 35-1/4" 22-1/2" 84'

Lower section is designed to provide access for a wheelchair to the eyewash fountain, and specially designed offset shower head with extended pull rod. Closure panels conceal service piping

Upper section with two fixed shelves provides storage space for sand bucket, blankets, fire extinguisher, first-aid kit and other emergency supplies (not included)

Equipment One stainless steel surface mounted eyewash fountain; one emergency shower head with pull chain. Deck top is 3/4" white laminated plastic.





9622 ADA Accessible Recessed Eye Wash with Drain Pan

Handicapped accessible wall mounted eye/face wash with stainless steel cover and drain pan. Opening cover pulls outlet head assembly down from vertical to horizontal position and activates water flow. Horizontal grab bar is easily grasped and pulled in an emergency. While unit is in operation, waste water is collected by drain pan and returned into unit for drainage. Unit remains in operation until cover is returned to a closed position.

Spray head assembly has two spray heads mounted on supply arms. Each spray head has internal flow control and filter to remove impurities from water.

Valve: 1/2" IPS brass stay-open ball valve. 1/2" IPS female inlet. Waste 1-1/2" OD chrome plated brass.

Adjustable Tables with Hand Crank

Unit can be used by a wheelchair-bound student, as a basic classroom table, or as a satellite table with tri-fascia service islands, #6190, or #6195; casework service islands #6182, or #6188. Unit allows great laboratory/classroom flexibility, since it can be adjusted in height for a variety of purposes, or used as a basic, classroom table that meets ADA guidelines. Tables will support a 500 lbs. static load.

The hand-crank adjustable pedestal is constructed from cold rolled steel, with a black finish. Pedestal has an integral stabilizing rail. Rail and legs are designed with cutouts and can be used as electrical raceways. Pedestal feet are equipped with four glides. The hand-crank's gearing mechanism is enclosed within the pedestal. Unit is shipped knocked down, and handle can be mounted to the left or right at the time of assembly. Handle slides out for cranking adjustments, and then slips back beneath the table top when not in use.

Top material is 1" thick Rheatex. Tables with wood frames have a height adjustment of 27" to 36"; tables without the wood frame adjust from 24" to 36". Floor space between pedestal feet varies between 36" W and 48" W; see individual units listed below. Tables with wood frames have a 3" \times 3/4" solid oak frame.

	36-1/2" between feet			48-1/2" between feet		
Unit #	W	D	Unit #	W	D	
8734	48"	24"	8738	54"	24"	
8736	48"	30"	8740	54"	30"	
			8742	60"	24"	
			8744	60"	30"	
			8746	64"	24"	
			8748	64"	30"	

36" between feet				48" between feet		
it #	W	D	Unit #	W	D	
96	48"	24"	8702	54"	24"	
98	48"	30"	8704	54"	30"	
00	48"	36"	8706	60"	24"	
			8708	60"	30"	
		^	8710	64"	24"	
			8712	64"	30"	
			8714	64"	36"	

