

CATALOG

School Science Casework



Laboratory
Design & Supply

770.932.1118


Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

Life Skills / Home Economics

TABLE OF CONTENTS

<u>Item</u>	<u>Pages</u>	<u>Item</u>	<u>Pages</u>
<i>Bed, Roll-a-way</i>	11	<i>Task Light</i>	8
<i>Cleaning Equipment Storage</i>	9,10	<i>Towel Storage</i>	7,8
<i>Cooktop</i>	4	<i>Trash, Recycle</i>	26
<i>Demonstration Mirror</i>	2,3	<i>Tray Storage</i>	7.8
<i>Dishwasher</i>	3	<i>Utility Hook</i>	8
<i>Disposal</i>	5	<i>Valance</i>	8
<i>Exhaust Hood</i>	4	<i>Vegetable Storage</i>	7
<i>Fire Blanket</i>	6	<i>Wall Cases</i>	13-22
<i>Fire Extinguisher</i>	6	<i>36" H Wall Cases</i>	24-25
<i>First Aid Kit</i>	6	<i>Wall Corner Case</i>	23
<i>Fitting Stand</i>	2	<i>Wardrobe Storage</i>	7
<i>Folio Storage</i>	9,10,11		
<i>Food Prep</i>	3		
<i>Ironing Board Storage</i>	9,10,11		
<i>Laundry Hamper</i>	7		
<i>Magazine Rack</i>	8		
<i>Microwave</i>	5		
<i>Cart</i>	7		
<i>Mirror</i>			
<i>Demonstration</i>	2,3		
<i>4-mirror Wardrobe</i>	11		
<i>Triple, Wardrobe</i>	9		
<i>Mixer Cabinet</i>	7		
<i>Mobile Demonstration Units</i>	3		
<i>Pot & Pan Storage</i>	7,8		
<i>Range</i>	4		
<i>Recycle Center</i>	26		
<i>Refrigerator</i>	5		
<i>Roll-a-way Bed</i>	11		
<i>Sewing Machine Cabinet</i>	1		
<i>Stackable Storage</i>	8		
<i>Stove</i>	4		


Life Skills: Home Economics



7230 Sewing Machine Cabinet

Dimensions:	W	H	D
Base Cabinet	24"	29"	24"
Pull Out Platform	21-1/2"		20-1/2"
Drop Leaf	21-1/2"		12"

This rigidly constructed cabinet is provided with a pullout platform designed to accommodate free arm or other surface mounted machines. The platform is supported on extra heavy duty, full extension, ball bearing, metal slides. The vertical lift mechanism has an adjustable, counterbalancing torsion spring that allows the machine to be raised, lowered and stored in the upright position. Positive adjustable stops are provided so that the machine may be elevated to the desired height. The top of the platform and the 12" drop leaf are 3/4" thick with black, 3mm PVC molding on edges and plastic laminated work surfaces. Cabinet is provided with one duplex AC electric receptacle.




7240 Four Student Sewing Machine

Dimensions:	W	H	D
Overall	52-1/4"	30"	52-1/4"

Unit consists of four #D7230 sewing machine cabinets under one large table top. Top is 1" thick Rheutex.


Life Skills: Home Economics



7208 Fitting Stand

Dimensions:	W	H	D
Overall	18"	18"	14"


Equipped with black rubber tread on top surface. Legs and rails are solid oak lumber. Leg shoes included.



7210 Fitting Stand

Dimensions:	W	H	D
Overall	36"	36"	30"

Equipped with retractable steps; one adjustable shelf in open cabinet section; steps and top are covered with black rubber tread.



7214 Demonstration Mirror

Dimensions:	W	H
Mirror Overall	44"	22"

May be mounted on counter top or ceiling. Adjustable in both height and angle of tilt. Anodized aluminum frame and supports.

7216 Demonstration Mirror

Same as 7214 except mirror is 58" W.


7218 Demonstration Mirror

Same as 7214 except mirror is 68" W.

7212 Portable Triple Mirror

Dimensions:	W	H
Overall	70"	
Center Mirror	22"	55"
Wing Mirrors (2)	22"	55"

Wing mirrors pivot to any desired angle. Frames and stand are heavy gauge, anodized aluminum. Floor stand, or wall mount.




7219-A Motorized Visual Aid Mirror

Dimensions:	W	H	D
Overall	66"	16"	34"

This motorized mirror has 11" of vertical adjustment, as well as variable tilt to provide maximum flexibility. Mirror is 1/4" plate glass with an adhesive backing bonded to 1/4" hardboard, and finished with a 1-1/2" x 1-1/2" steel angle frame. The 3/4" oak plywood box is 60" x 30" x 12-3/4" high, finished to match casework, and can be flush surface mounted, or recessed into, ceiling. Four, 1/2" diameter, threaded steel hanger rods are provided for bolting or welding to ceiling joists. Two toggle type, wall switches with stainless steel cover plates are furnished, temporarily pre-wired for testing; to be re-wired at job site by others. A junction box above the ceiling and a double wall box for two switches must be provided by others. The switch leg requires six, 16 A.W. G. conductors. Power rating: 3 amps, 120 volts AC, 60 Hz, single phase.


Life Skills: Home Economics



7220 Mobile Demonstration Unit

Dimensions:	W	H	D
Overall (less mirror)	49-1/4"	36"	30"

Equipment: One demonstration mirror # 7214, adjustable in height and tilts to desired angle; one adjustable shelf; four rubber tired casters, two rigid and two swivel with locks. Top is 1" thick Rheatex.



7223 Mobile Demonstration Unit


Dimensions:	W	H	D
Overall (less mirror)	60"	37-1/2"	26"

Equipment: One demonstration mirror (# 7214 modified adjustable in height and tilt); one cabinet has one fixed shelf, the second cabinet has two fixed shelves; one Thermadore ST-12 cooktop (120 Volts, AC); one 20 foot cord; one cold water jug; one waste jug; one # 9752 stainless steel sink with strainer; center section of cabinet has four drawers for storage; four rubber tired casters, two rigid and two swivel with locks. Top is 1" thick Rheatex.

6215 Food Preparation Perimeter Table

Dimensions:	W	H	D
Overall	107"	36"	83"
Wall Section	75"	36"	24"
Neck	30"	36"	30"
Student Section	53"	36"	83"

Equipment: One stainless steel sink, 16" x 11-1/2", I.D., with strainer; one mixing faucet; two duplex AC receptacles; two adjustable shelves; two #4000 mixer cabinets and two #4014 tray storage cabinets under student section.



6769 Under-Counter Dishwasher

This unit features twelve cycles, including four automatic cycles: power scrub, normal wash, water saver, and rinse and hold. This unit is equipped with an 800 watt heating element for fast convection heat drying and an energy saving drying cycle which dries with fan circulated un-tempered air. The washer insures the water will reach 140°, regardless of the supply water temperature. The wash chamber has a polypropylene tub which resists abrasions, scratches and stains. The self cleaning filtering system insures all dirt and food particles are flushed down the drain after each drain period. Unit is sound insulated and come with leveling legs and positive grip door latch. Door colors include almond, white or black; specify.

Dimensions:	W	D	H
Overall	24"	24-1/2"	34"

Allow 48" clearance when door is opened.

Motor: 1/3 horsepower.

Electric Service Required: 15 amps, 120 volt AC, 60HZ.

Hot Water Inlet: 3/8", NPT female fitting.





Drain: 5/8", I D hose.

Recommended Water Pressure: 15 to 180 PSI.

Recommended Water Temperature: 120° F to 140° F.

Life Skills: Home Economics

The buy out product market periodically has unadvertised changes; therefore, these items are representative of our offering at time of publication. Please confirm product details and dimensions at time of purchase.



9968 Cooktop

Overall Dimensions:	W	H	D
Edge to edge	1.64 ft (500mm)		.984 ft (300mm)
Opening cut to receive	1.591 ft (485mm)		.915 ft (279mm)

Contour™ electric cooktop combines beauty and easy cleaning of glass ceramic surface with 1200 watt (per burner) Hi Light elements to give quick response. 110 volt amp breaker or 230 volt amp breaker. Pencil edge (rounded edge) is standard.



9970 Exhaust Hood for Cooktop

Overall Dimensions: 7" H x 19-7/8" D

High performance stainless steel exhaust hood available in 30" and 36" widths. Features include two speed fan, washable grease filter and recessed light. Hood must be vented horizontally or vertically; duct size is 3-1/4" x 10". Duct not shown. Requires 115 Volt, 60Hz, 10Amp service.

9986 GE™ 30" Free-standing Electric Range

Overall Dimensions: 48-7/8" H x 26-1/4" D x 29-7/8" W

Equipped with standard oven design that requires hand-cleaning. Large oven capacity at 5.0 cu. ft. provides large interior for cooking more dished and large meals at one time. Coil heating elements provide consistent and even heat on cooktop with two, 6" and two, 8" plug in burners, removable for easy cleaning. Clear view oven door window; dual element alternates the upper broiling element and the lower baking element for even heating and optimal baking results. Electronic, digital clock and timer features an easy to use timer with an audible signal to help coordinate cooking times. Infinite heat controls are located on the back splash. Equipped with a removable full-width storage drawer. Available finishes are white, bisque, black or stainless steel. Limited one year warranty from GE.

40 amp rating at 208 volts and 240 volts; KW rating at 208 volts is 9.9; KW rating at 240 volts is 12.6. Approximate shipping weight is 158 lbs.



Life Skills: Home Economics

The buy out product market periodically has unadvertised changes; therefore, these items are representative of our offering at time of publication. Please confirm product details and dimensions at time of purchase.

9972 16.3 Cu. Foot Refrigerator and Freezer

No-frost, top freezer, refrigerator with 16.3 cu. ft. total capacity. Freezer capacity, 3.93 cu. ft. Storage in refrigerator door includes built-in pockets for eggs and covered butter compartment. Slide out twin crispers, up-front temperature controls, and wire slide out shelves in refrigerator. Freezer door storage for boxes includes juice can rack. Refrigerator/freezer has fixed rollers. Ice maker available, if specified.

Dimensions: **W** **H** **D**
Overall 28" 63-3/4" 31-1/4" (includes handle)
Weight: 221 lbs.
Allow for full swing of door: 56-5/8"



9988 GE Spacemaker II Microwave Oven



Dimensions Overall: 11-3/16 H x 12-9/32" D x 23 " W
Total capacity: 1 cu. ft. (800 watts)
Weight 29 lbs.

Convenience controls allow cooking and reheating at the touch of a button. Auto and time defrost, automatically defrosts for a specified amount of time. Equipped with a turntable on/off, ideal for oversized or oblong dishes. Equipped with electronic touch controls and clock. Power is 120volt, 11.5 amp. Standard is white; black available if specified. Options include a 27" built-in kit or under cabinet hanging kit..

9940 Disposal

The In-Sink-Erator, Model 333/SS, disposal is powerful, smooth operating and rugged system. The 'quick-lock' mounting mechanism locks the disposer securely in place with a simple twist. Fits standard 3-1/2" stainless steel sink outlet. An exclusive corrosion shield guards against caustic action of detergents and waste. Disposal has a stainless steel grinding chamber, and stainless steel shredding elements. The rotating shredder features a self-cleaning surface with two heavy-duty cast, 360° swivel impellers. Unit is provided with an exclusive 'wrenchette' to easily self service unit and free jams.

Disposer has a special connection to accommodate a dishwasher drain hose, where codes will permit.

Unit has 1/2 HP motor which operates at 1725 rpm, 115 V, 6.7 amps. and 60 HZ. Shipping weight :19 lbs. Overall height is 13". Grinding chamber capacity: 6-1/4 cups. Unit has a triple lip commercial type water seal, cushioned anti-splash baffle, and permanently lubricated upper and lower bearings. Manufacturer provides a 3-year warranty on parts and a 1-year warranty on labor.

Life Skills: Home Economics



9960 Fire Blanket / Wall-mount Metal Storage Case

Wool blanket smothers flames fast to help minimize burn injuries. Also useful for general first aid. Blanket measures 62" x 84", and is naturally fire retardant, 100% wool. Heavy duty 22-gauge steel cabinet with red enamel finish, mounts on wall. Drop hinge door for quick access.

Cabinet measures 19-1/2" H x 17" W x 12" D.

9960-A Fire Blanket / Wall-mount Pouch

Washable, lightweight woven fiberglass emergency fire blanket. Velcro pull tab on bottom releases a 5' x 6' fiberglass blanket. Sparks, flash fires and flying particles can easily be smothered to prevent further spread; and, blanket is of sufficient size to wrap a fire victim. Weight of blanket may vary by 1-5 oz. Continuous service temperature to 1000°F. Red herculite pouch for wall hanging.

Pouch measures approximately 14-1/2" W x 18-1/2" H.

9962 First Aid Kit

First Aid Kit contains a combination of both unit material and bulk packaged products, combining convenience and reliability of "unit-first-aid" along with the economy of bulk materials. Kit contains adhesive bandages, adhesive bandages with non-adherent pads, bandage compress, gauze pads, triangle bandages, burn cream, two sizes of stretch bandage, adhesive tape, non-adherent pads, 1 oz. and 4 oz. eye flush with eye pads, eye cup and tape, antiseptic towelettes, cold pack, latex gloves, forceps, scissors, and a First Aid instruction booklet. Overall dimensions: 9-1/2" x 13-1/2" x 2-3/4". Can be wall mounted.



9964 Fire Extinguisher

Lightweight steel cylinder, noncorrosive parts inside and out.

Waterproof, easy-to-read gauges. Positive squeeze-grip operation with stainless steel handle. Heavy-duty mounting bracket for convenient readiness during any emergency. Dry Chemical A:B:C Rated Extinguisher. Charged with specially formulated siliconized dry chemical UL rated A:B:C for fighting wood, paper, fabric fires - plus grease, flammable liquid (gasoline, oil) and electrical equipment fires (motors, appliances, switches). Dry chemical extinguishers exceed Department of Transportation safety requirements and are US Coast Guard approved. Unit is covered by OSHA Hazard Communication Standard and Material Safety Data Sheets (MSDS) are available from manufacturer.

Overall dimensions: 15-1/4" High x 4-1/4" Diameter

Weight: 5 lbs.

Life Skills: Home Economics




4000 Mixer Cabinet

Dimensions: W D H

Overall 18" 22-1/2" 35"

Equipment: One pull out hide-a-shelf, which locks firmly at counter height.



4001 Microwave Cart


Dimensions: W D H
Overall 37-1/8" 20-1/2" 32-1/2"



4010 Towel Storage

Dimensions: W D H
Overall 12-3/8" 22-1/2" 35"


Equipment: Unit is equipped with on chrome, three prong towel bar.



4012 Tray Storage

Dimensions: W D H
Overall 12-3/8" 22-1/2" 35"

Equipment: Cupboard is fitted with 2 vertical plywood dividers to provide storage for serving trays or cookie sheets.



4022 Tray Storage

Dimensions: W D H
Overall 12-3/8" 22-1/2" 35"

Equipment: Cupboard fitted with 2 vertical plywood dividers to provide storage for serving trays or cookie sheets.



4032 Pot & Pan Storage

Dimensions: W D H
Overall 18" 22-1/2" 35"

Equipment: Equipped with one double-row pot and pan rack with 14 hooks. Unit provides storage for any utensil with a handle.

4014 Tray Storage

Same as 4012 except 15-5/16" W.

4024 Tray Storage


Same as 4022 except 15-5/16" W.

4016 Tray Storage

Same as 4012 except 18" W.

4026 Tray Storage


Same as 4022 except 18" W.



4034 Vegetable Storage

Dimensions: W D H
Overall 12-3/8" 22-1/2" 35"


Equipment: Equipped with three plastic vegetable trays. Provides storage for dry vegetables.



4048 Laundry Hamper Unit

Dimensions: W D H
Overall 24" 22-1/2" 35"

Equipment: Equipped with one removable hamper for soiled aprons and towels.



4061 Wardrobe Insert


Dimensions: W D H
Overall 18" 19" 34-1/2"

Equipment: Insert shown above: two, file drawers equipped with file followers, 14-1/2" W x 11-1/4" H x 17" D; and, 1 top drawer with partitions, 14-1/2" W x 6" H x 17" D, ID.


4063 Wardrobe Insert

Same as 4061, except top drawer is omitted and replaced with a compartment & one, #6346 plastic tote tray, 19" L x 13-3/4" W x 3-1/2" D.


Life Skills: Home Economics




Quarter Round Shelf
Intended for use on wall case ends
7150 12" W x 31-1/4" H - Right
7152 12" W x 31-1/4" H - Left
7154 16" W x 31-1/4" H - Right
7156 16" W x 31-1/4" H - Left




7354 Straight Edge Valance
Constructed from 13/16" solid oak for use over sinks, ranges and refrigerators; 6" W, specify length.




7356 Scalloped Edge Valance
Constructed from 13/16" solid oak for use over sinks, ranges and refrigerators; 6" W, specify length.



7340 Tray and Pan Rack
Dimensions: W H D
Overall11" 10" 16"
Constructed of 3/4" (19mm) oak plywood; joints are mortised, tenoned, glued and screwed; three storage slots are each approximately 2-1/2" W.




7348 Towel Bar
Three prongs, pull out type.



7350 Utility Hook
Double prong hooks provide storage for mops, brooms, etc.



8962 Task Light
18" L. White enamel housing with white acrylic diffuser. Unit is pre-wired with on off switch and outlet.
8964 Task Light
Same as 8962 except 36" L.
8966 Task Light
Same as 8962 except 42" L.



7377 Stackable Storage
Dimensions: W H D
Overall 42-1/8" 21-1/16" 31"
Equipped with five compartments. Designed to accommodate materials up to 40" x 30". Can be 'stacked' horizontally or vertically to create a single storage unit or full wall of storage.

7378 Toe Space/Base for Stackable Storage (Not Shown)
Optional base/toe space unit for stackables. 3/4" x 4" hardwood plywood sized to form a 2-1/4" deep toe space. Specify length desired based on arrangement of stackables.



7367 Magazine Rack
Dimensions: W H D
Overall 41-1/4" 30" 12"
Three slots for magazines, clear plexi-glass panels at front edges hold magazines on shelf and allow viewing for selection.

Life Skills: 84" H. Storage




7170 Cleaning Utensil Case

Dimensions: W H D

Overall 24" 84" 22-1/2"

Equipment: Two fixed shelves; four hanger hooks; 8" high white plastic laminate lining in bottom; vented door, 3-point latching system.




7172 Cleaning Utensil Case

Dimensions: W H D

Overall 24" 84" 22-1/2"

Equipment: 12" pegboard under fixed shelf; 24" high white plastic laminate lining at bottom for protection from refuse container; vented doors; 3-point latching system.



7173 Cleaning Case

Dimensions: W H D

Overall 24" 84" 22-1/2"

Equipment: Five adjustable shelves; one pegboard, 22-1/2" x 39-5/8"; one fixed shelf; and an 8" H white plastic laminate liner at bottom. Five spring clips on inside of door for mops and brooms.



7176 Triple Mirror Wardrobes

Dimensions: W H D

Overall 24" 84" 22-1/2"

Equipment: Three doors, each with mirror; one fixed hat shelf and hanger rod provided in wardrobe space behind doors; 3-point latching system.




7174 Ironing Board Storage

Dimensions: W H D

Overall 24" 84" 22-1/2"

Equipment: Five adjustable transite shelves for iron storage; space on opposite side for board storage; 3-point latching system.




7189 Food Staples Storage

Dimensions: W H D

Overall 24" 84" 22-1/2"

Equipment: Case equipped with 7 pull out trays; vented door; with 3-point latching system.

Life Skills: 84" H. Storage



7180 Oven Case

Dimensions: W H D
Overall 24" 84" 24"


Equipment: Cupboards above and below oven opening; one adjustable shelf in lower cupboard. Opening is designed to be cut-in-field for proper fit of brand and model of oven selected.

7182 Oven Case

Same as 7180 except 27" W., and each cupboard has double doors.

7184 Oven Case

Same as 7180 except 35-1/4" W., and each cupboard has double doors.




7185 Oven Case for Two Ovens

Dimensions: W H D
Overall 30" 84" 24"
Cupboard (ID) 28-1/2" 14-1/4" 22-1/4"
Drawer (ID) 26-1/2" 8-1/2" 17"

Equipment: Unit has double door cupboard at top and drawer for storage below. The 3/4" plywood panel will accommodate two built-in ovens. Openings are cut at the job site to fit the


brand and model of units selected. Maximum cutout opening is 24" W x 21" H for each oven. Behind the plywood cutout panel, oak rails are provided for mounting the oven inserts.



7190 Food Staples Storage

Dimensions: W H D
Overall 24" 84" 22-1/2"


Equipment: One full depth, fixed shelf at top; two half depth fixed shelves; two full depth adjustable shelves; one full depth fixed shelf with four compartments for four 6344 plastic tote trays. Open compartment at bottom; vented door; 3-point latching system.



7191 Food Staples Storage

Dimensions: W H D
Overall 35-1/4" 84" 22-1/2"


Equipment: Five adjustable shelves; six compartments for #6346 plastic tote trays. Doors are vented; three point latching system.



7192 Cleaning Utensil Storage

Dimensions: W H D
Overall 47-1/4" 84" 22-1/2"

Equipment: One fixed shelf at top; three adjustable shelves on left; tall storage on right provided with 12" pegboard at top; 8" plastic laminate liner at bottom; vented doors; 3-point latching system.



7194 Ironing Board Storage


Dimensions: W H D
Overall 47-1/4" 84" 22-1/2"

Equipment: Five adjustable transite shelves for iron storage; space on each side for board storage; and, 3-point latching system.

7194-A Ironing Board Storage

Same as 7994, except unit has three adjustable shelves in each of the three tiers. Shelves are 14-3/4" W x 19" D.


Life Skills: 84" H. Storage



7195 Self-Contained Ironing Board and Storage

Dimensions:	W	H	D
Overall	47-1/4"	84"	22-1/2"
Left side case, O D	22-1/2"	84"	22-1/2"
Right side case, O D	23-1/2"	84"	22-1/2"
Iron-a-Way Unit, O D	14-15/16"	59-15/16"	4-1/2"


Equipment: A fully self-contained unit, with an Iron-a-Way™ and shelving in the left half of the case. A hanger bar/closet is located in the right half. Only available in left hand unit as shown. Iron-a-Way™ and control panel are recessed within a separate interior door, hinged to give access to four 12" D adjustable shelves in the section behind. Iron-a-Way™ unit includes fold down ironing board, timer switch, electrical outlet, control panel and an iron storage shelf with an insulated heat shield. The electrical contractor must provide flexible conduit from rough-in to pre-wired control panel.



7198 Food Staples Storage

Dimensions:	W	H	D
Overall	47-1/4"	84"	22-1/2"


Equipment: One full depth fixed shelf at top; one fixed shelf above four vegetable trays on right and two adjustable shelves on left; plus two partial depth fixed shelves and two full depth adjustable shelves; vented doors; and, a 3-point latching system.



7196 Four Mirror Wardrobe

Dimensions:	W	H	D
Overall	47-1/4"	84"	22-1/2"

Equipment: Four doors, each with a mirror; one fixed hat shelf and hanger rod provide wardrobe space behind the doors; 3-point latching system.



7200 Roll-Away Bed Storage


Dimensions:	W	H	D
Overall	47-1/4"	84"	22-1/2"

Equipment: One fixed shelf and one adjustable shelf; case has no bottom; doors have 3-point latching system.

7201 Roll-Away Bed Storage

Same as 7200 except 41-1/4" W.


Folio Storage



7840 Hutch Folio Storage
Dimensions Overall:

W	H	D
35-1/4"	48"	16"


Capacity: 36 compartments.
7842 Hutch Folio Storage
Same as 7840 except with wood hinged doors.



7844 Hutch Folio Storage
Dimensions Overall:

W	H	D
47-1/4"	48"	16"


Capacity: 54 compartments.
7846 Hutch Folio Storage
Same as 7844 except with wood hinged doors.



7848 Hutch Folio Storage
Dimensions Overall:

W	H	D
35-1/4"	48"	16"


Capacity: 39 compartments.
7850 Hutch Folio Storage
Same as 7848 except with wood hinged doors.



7852 Hutch Folio Storage
Dimensions Overall:

W	H	D
47-1/4"	48"	16"


Capacity: 54 compartments.
7854 Hutch Folio Storage
Same as 7852 except with wood hinged doors.



7860 Base Folio Storage
Dimensions Overall:

W	H	D
36"	36"	17"


Capacity: 22 compartments.
Top is 1" thick Rheatex
7862 Base Folio Storage
Same as 7860 except with wood hinged doors.



7864 Base Folio Storage
Dimensions Overall:

W	H	D
48"	36"	17"


Capacity: 33 compartments.
Top is 1" thick Rheatex
7866 Base Folio Storage
Same as 7864 except with wood hinged doors.



7868 Base Folio Storage
Dimensions Overall:

W	H	D
36"	36"	17"


Capacity: 22 compartments.
Top is 1" thick Rheatex
7870 Base Folio Storage
Same as 7860 except with wood hinged doors.



7872 Base Folio Storage
Dimensions Overall:

W	H	D
48"	36"	17"


Capacity: 36 compartments.
Top is 1" thick Rheatex
7874 Base Folio Storage
Same as 7872 except with wood hinged doors.



7884 Tall Folio Storage
Dimensions Overall:

W	H	D
47-1/4"	84"	16"


Capacity: 90 compartments.
7886 Tall Folio Storage
Same as 7884 except with wood hinged doors.



7888 Tall Folio Storage
Dimensions Overall:

W	H	D
30"	84"	16"

Capacity: 60 compartments.
7890 Tall Folio Storage
Same as 7888 except with wood hinged doors.



7892 Tall Folio Storage
Dimensions Overall:

W	H	D
47-1/4"	84"	16"

Capacity: 90 compartments.
7894 Tall Folio Storage
Same as 7892 except with wood hinged doors.

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

OPEN FRONT - NO DOOR




12"
HIGH




16-3/16"
HIGH



23-3/4"
HIGH



31-1/4"
HIGH



13" DEEP

4201 12-3/8"
4203 15-5/16"
4205 18"
4207 21"
4209 24"
4211 27"
4213 30"
4215 35-1/4"
4217 41-1/4"
4219 47-1/4"

13" DEEP

4241 12-3/8"
4243 15-5/16"
4245 18"
4247 21"
4249 24"
4251 27"
4253 30"
4255 35-1/4"
4257 41-1/4"
4259 47-1/4"

13" DEEP

4281 12-3/8"
4283 15-5/16"
4285 18"
4287 21"
4289 24"
4291 27"
4293 30"
4295 35-1/4"
4297 41-1/4"
4299 47-1/4"


13" DEEP

4321 12-3/8"
4323 15-5/16"
4325 18"
4327 21"
4329 24"
4331 27"
4333 30"
4335 35-1/4"
4337 41-1/4"
4339 47-1/4"

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

WOOD DOOR, HINGED RIGHT




12"
HIGH

13" DEEP

4361	12-3/8"
4363	15-5/16"
4365	18"
4367	21"
4369	24"

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE




16-3/16"
HIGH

13" DEEP

4381	12-3/8"
4383	15-5/16"
4385	18"
4387	21"
4389	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4"
HIGH

13" DEEP

4401	12-3/8"
4403	15-5/16"
4405	18"
4407	21"
4409	24"

ONE ADJUSTABLE SHELF



31-1/4"
HIGH

13" DEEP

4421	12-3/8"
4423	15-5/16"
4425	18"
4427	21"
4429	24"

TWO ADJUSTABLE SHELVES

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

WOOD DOOR, HINGED LEFT




12"
HIGH

13" DEEP

4441	12-3/8"
4443	15-5/16"
4445	18"
4447	21"
4449	24"

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE




16-3/16"
HIGH

13" DEEP

4461	12-3/8"
4463	15-5/16"
4465	18"
4467	21"
4469	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4"
HIGH

13" DEEP

4481	12-3/8"
4483	15-5/16"
4485	18"
4487	21"
4489	24"

ONE ADJUSTABLE SHELF



31-1/4"
HIGH

13" DEEP



4501	12-3/8"
4503	15-5/16"
4505	18"
4507	21"
4509	24"

TWO ADJUSTABLE SHELVES

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

GLAZED DOOR, HINGED LEFT




16-3/16"
HIGH

13" DEEP

4521	12-3/8"
4523	15-5/16"
4525	18"
4527	21"
4529	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4"
HIGH

13" DEEP

4541	12-3/8"
4543	15-5/16"
4545	18"
4547	21"
4549	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



31-1/4"
HIGH

13" DEEP



4561	12-3/8"
4563	15-5/16"
4565	18"
4567	21"
4569	24"

TWO ADJUSTABLE SHELVES

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

GLAZED DOOR, HINGED LEFT




16-3/16"
HIGH

13" DEEP

4581	12-3/8"
4583	15-5/16"
4585	18"
4587	21"
4589	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4"
HIGH

13" DEEP

4601	12-3/8"
4603	15-5/16"
4605	18"
4607	21"
4609	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



31-1/4"
HIGH

13" DEEP



4621	12-3/8"
4623	15-5/16"
4625	18"
4627	21"
4629	24"

TWO ADJUSTABLE SHELVES

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

WOOD HINGED, DOUBLE DOORS



12"
HIGH

13" DEEP

4641	24"
4643	27"
4645	30"
4647	35-1/4"
4649	41-1/4"
4651	47-1/4"

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE




16-3/16"
HIGH

13" DEEP

4665	24"
4667	27"
4669	30"
4671	35-1/4"
4673	41-1/4"
4675	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4"
HIGH

13" DEEP

4689	24"
4691	27"
4693	30"
4695	35-1/4"
4697	41-1/4"
4699	47-1/4"

ONE ADJUSTABLE SHELF



31-1/4"
HIGH

13" DEEP



4713	24"
4715	27"
4717	30"
4719	35-1/4"
4721	41-1/4"
4723	47-1/4"

TWO ADJUSTABLE SHELVES

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

HINGED DOUBLE, GLAZED DOORS




16-3/16"
HIGH

13" DEEP

4737	24"
4739	27"
4741	30"
4743	35-1/4"
4745	41-1/4"
4747	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4"
HIGH

13" DEEP

4761	24"
4763	27"
4765	30"
4767	35-1/4"
4769	41-1/4"
4771	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



31-1/4"
HIGH

13" DEEP



4785	24"
4787	27"
4789	30"
4791	35-1/4"
4793	41-1/4"
4795	47-1/4"

TWO ADJUSTABLE SHELVES; NOT AVAILABLE IN ILLUSION STYLE

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE


WOOD SLIDING DOORS



12"
HIGH

13" DEEP


4809	24"
4811	27"
4813	30"
4815	35-1/4"
4817	41-1/4"
4819	47-1/4"



16-3/16"
HIGH

13" DEEP


4833	24"
4835	27"
4837	30"
4839	35-1/4"
4841	41-1/4"
4843	47-1/4"



23-3/4"
HIGH

13" DEEP

4857	24"
4859	27"
4861	30"
4863	35-1/4"
4865	41-1/4"
4867	47-1/4"



31-1/4"
HIGH



13" DEEP

4881	24"
4883	27"
4885	30"
4887	35-1/4"
4889	41-1/4"
4891	47-1/4"

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE


GLAZED SLIDING DOORS



16-3/16"
HIGH

13" DEEP


4905	24"
4907	27"
4909	30"
4911	35-1/4"
4913	41-1/4"
4915	47-1/4"



23-3/4"
HIGH

13" DEEP

4929	24"
4931	27"
4933	30"
4935	35-1/4"
4937	41-1/4"
4939	47-1/4"



31-1/4"
HIGH



13" DEEP

4953	24"
4955	27"
4957	30"
4959	35-1/4"
4961	41-1/4"
4963	47-1/4"

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE


GLASS SLIDING DOORS



12"
HIGH

13" DEEP


4977	24"
4979	27"
4981	30"
4983	35-1/4"
4985	41-1/4"
4987	47-1/4"



16-3/16"
HIGH

13" DEEP


5001	24"
5003	27"
5005	30"
5007	35-1/4"
5009	41-1/4"
5011	47-1/4"



23-3/4"
HIGH

13" DEEP

5025	24"
5027	27"
5029	30"
5031	35-1/4"
5033	41-1/4"
5035	47-1/4"



31-1/4"
HIGH

13" DEEP


5049	24"
5051	27"
5053	30"
5055	35-1/4"
5057	41-1/4"
5059	47-1/4"

Wall Corner Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

Not available in DECOR Casework line.

WALL CORNER CASE




WOOD HINGED DOOR

NUMBER	DIMENSIONS
--------	------------

5275A	13" D x 23-7/8" H (1 shelf)
5276A	13" D x 31-1/4" H (2 shelves)
5293	13" D x 36" H (2 shelves)

WALL CORNER CASE



GLAZED HINGED DOOR

NUMBER	DIMENSIONS
--------	------------

5279A	13" D x 23-7/8" H (1 shelf)
5280A	13" D x 31-1/4" H (2 shelves)
5296	13" D x 36" H (2 shelves)

36" High Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

Open Front




36"
HIGH

13" DEEP

5301	12-3/8"
5303	15-5/16"
5305	18"
5307	21"
5309	24"
5311	27"
5313	30"
5315	35-1/4"
5317	41-1/4"
5319	47-1/4"

Wood Door, Hinged Right




36"
HIGH

13" DEEP

5341	12-3/8"
5343	15-5/16"
5345	18"
5347	21"
5349	24"

Wood Door, Hinged Left




36"
HIGH

13" DEEP

5361	12-3/8"
5363	15-5/16"
5365	18"
5367	21"
5369	24"

Glazed Door, Hinged Right




36"
HIGH

13" DEEP

5381	12-3/8"
5383	15-5/16"
5385	18"
5387	21"
5389	24"

Glazed Door, Hinged Left



36"
HIGH


13" DEEP

5401	12-3/8"
5403	15-5/16"
5405	18"
5407	21"
5409	24"

36" High Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

Wood Hinged Doors




36"
HIGH

13" DEEP

5421	24"
5423	27"
5425	30"
5427	35-1/4"
5429	41-1/4"
5431	47-1/4"

Glazed Hinged Doors




36"
HIGH

13" DEEP

5445	24"
5447	27"
5449	30"
5451	35-1/4"
5453	41-1/4"
5455	47-1/4"

Wood Sliding Doors




36"
HIGH

13" DEEP

5469	24"
5471	27"
5473	30"
5475	35-1/4"
5477	41-1/4"
5479	47-1/4"

Glazed Sliding Doors




36"
HIGH

13" DEEP

5493	24"
5495	27"
5497	30"
5499	35-1/4"
5501	41-1/4"
5503	47-1/4"

Glass Sliding Doors




36"
HIGH

13" DEEP

5517	24"
5519	27"
5521	30"
5523	35-1/4"
5525	41-1/4"
5527	47-1/4"


Recycling Storage & Trash Center




4050 Recycle Center

Dimensions:	W	D	H
Overall:	27"	24-1/2"	35"
Drawer:			7"
Door:	27"		21-3/8"

Designed to sit under counter, recycle center is equipped with one drawer and conceals two plastic bins for recycling or trash. False door is mounted to slide out, activated by push on foot pedal. Pull out tray is equipped with metal frame to secure two plastic trash cans. Door covers opening for pullout and side area with two vertical cubby storage compartments.



**Front
view**




**Side
view**

4046 Trash Storage

Dimensions:	W	D	H
Overall:	24"	22-1/2"	35"

Equipment: Equipped with separate bottom from unit. Casters permit smooth removal of trash container. Round aluminum vents in toe rail are standard.



**Montgomery Township
High School
Home Ec Lab
Augusta County, VA**

**Dealer:
Delta Graphic Inc. (DGI
Chester VA**

**Architect:
Rodriquez Ripley Maddux Motley Architects
Roanoke VA**


Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

Art & Crafts

TABLE OF CONTENTS

<u>Item</u>	<u>Pages</u>	<u>Item</u>	<u>Pages</u>
Art Bench	2	Map Storage	16
Art Horse	2	Magazine Rack	5, 8, 11
Art Work Tower	2	Mobile	
		Compartments	11
Book Case	8	Magazine	11
		Storage	11
Ceramics Island	1	Tote Tray	11
Chart Storage	12-13	Wardrobe	10
Compartment Storage	11	Molding Tray	3
Craft Storage	8		
		Notebook	8
Damp Storage	4		
Display	7, 9	Paper Storage	12-13
Drawing Board Storage	5		
Drawing Table	1	Recycle Center	17
Drying Rack, Portable	5	Rock Storage	16
Folio Storage	6	Sink	3
		Supply Case	7,9
Glazing Booth	4	Storage	3, 8, 11
		Stackable	5
Instructor's Storage Case	9		
		Tote Tray	11, 14, 15
Kiln	2	Trash, Recycle	17
Light Table	2	Wardrobe	8-10
		Wash-up Sink	3
		Wedging Station	1
		Work Tower	2

Art & Craft



7251 Two Student Wedging Station

Dimensions:	W	H	D
Overall	48"	36-1/4"	25-5/16"
Shelf	48"		7"
Back		64-3/4"	

Equipment: Unit has solid oak through bolted frame; stainless steel wire for cutting clay. Top is 1-1/4" Rhearesin. Hinged, drop down secondary tops are of 1-1/4" Rheatex. Shelf across top edge of back is 1-1/4" Rheatex.

7250 Ceramics Island

Dimensions:	W	H	D
Overall	84"	36"	48"
Upper Section	60"	36"	48"
Lower Section	25"	26"	48"

Equipment : Assembly provides cupboard and drawer storage spaces and bases for potters wheel. Included: Two, 24" W x 25"H open base units for potters wheel; two, 18" W x 35" H base cupboards, each with one adjustable shelf; two, 18" W x 35" H base cabinets, each with four drawers; two, 22" W apron rails; one AC duplex receptacle; and two, #7262 clay bins. Top is 1" thick Rheatex.

7252 Kiln

Energy saving kiln is even-firing powerhouse, with its 3 inch fire brick is able to reach cone 10 in 240 or 204 volt single or 3 phase, repeatedly. Firing chamber is at 6.4 cubic feet providing plenty o room for larger stoneware or porcelain loads. Also available in single phase models.

Electrical Requirements:

240 Volts 29.3 Amps 11520 Watts

208 Volts 31.7 Amps 11000 Watts

Copper wire Size: 8

Breaker Size 40

NEMA Receptacle Configuration: 15-50



7252V Kiln EnviroVent-2 Ventilation System by Skutt

Downdraft ventilation system can vent up to 2, 12 cubic feet each, kilns with one Environvent-2 motor. Wall mounted design eliminates heat exposure and prevents transfer vibrations into the kiln. A spring loaded plenum cup (see illustration) is placed under the kiln with tension between the bottom of the kiln and the floor. Holes in the kiln floor are drilled in a tight pattern so the cup can cover them all. The other end is connected by 3" ducting to a fan which is mounted to the wall. The plenum cup has additional holes from which it draws room temperature air into the mix with the heated air from the kiln - this keeps the vented air from being too hot; and prevents the formation of a vaccumn in the kiln so as not to affect firing time and the ware is not at risk.

Motor: 120 V, 1.4 amps

Heat Exiting Blower: 160 degrees F maximum

Static Pressure: 140 cfm

Maximum kiln capacity for use with EnviroVent-2:


12 cubic feet; with 24 cubic feet possible with additional plenum cup kit.

7252F Kiln Furniture Kit

Kit comes with shelves and triangular shaped posts of varying heights to accommodate ware, and are coordinated with capacity for the 7252 Kiln above. Kiln furniture is designed to fire to Cone 10 temperatures..



Art & Craft




7255 Drawing Table

Dimensions:

	W	H	D
Overall	36"	39-1/4" 2	2-1/8"

Equipment: Adjustable top section 24", self edged on four sides; pencil stop; one equipment drawer.




7254 Drawing Table

Dimensions:

	W	H	D
Overall	42"	40"	30"

Equipment: Quality drawing board with adjustable angle, metal edges and pencil stop; one equipment drawer. Legs and rails are solid red oak lumber.




7264

Art Horse

Dimensions:

	W	H	D
Overall	30"	12"	33"

Equipment: Provided with 2 cleats for holding paintings; storage shelf below; and 4 plastic glides.




7258 Light Table

Dimensions:

	W	H	D
Overall	42"	36"	30"

Equipment: Unit has metal frame construction, with white baked on enamel. light box has four, 20 watt lights with the light box providing heat diffusion. The surface remains cool and evenly illuminated, even if left on for long periods of time. Tilt is adjustable from 0 to 40 degrees.




7266

Art Bench

Dimensions:

	W	H	D
Overall	17"	12"	17"

Equipment: Provided with storage shelf below; and four adjustable plastic glides.



7267 Student Work Tower

Dimensions:

	W	H	D
Overall	84"	84"	30"

Equipment: Complete with support rails for two Phenolic shelves; two power adapters; 2 track light systems each with 2 baffled spotlights (bulbs not included); and 10 heavy duty bolt clips. Requires 125V, 20 amp. duplex receptacle in ceiling directly above unit. Unit fastens to floor for extra stability.

Art & Craft

7289 Wash Up Sink



Dimensions:	W	H	D
Overall w/o High Back	76"	36-1/4"	30"
Base Cabinets (2), O D	18"	25"	28-3/4"
Shelf (1)	76"		12"

(Shelf with 12" H back and 3 solid oak braces)

Stainless Steel Sink, I D	68-1/2"	22"
{Sink depth: 7-1/2"}		

Sink assembly has 11-1/2" H back splash and 4-1/4" D ledge cap.

Equipment: 1" phenolic shelf with four polypropylene pegs and solid oak shelf brackets; three combination hot and cold water mixing faucets; one stainless steel sink assembly; one stainless steel sink outlet with basket strainer and tailpiece. Trap is not included. Integral top and sink assembly of seamless welded construction is 16-gauge, type 304 stainless steel. Exposed surfaces are polished to #4 finish.



7290 Island Sink Assembly



Dimensions:	W	H	D
Overall w/o Rack	74"	36-1/4"	24"
Base Cabinets (2), O D	18"	25"	22-1/2"
Pipe Support Rack 89"	54"		8"
Stainless Steel Sink, O D	75"		24"
{Sink depth: 7-1/2"}			

Equipment: Oak pipe support rack has Rheatex shelf and six, #9426 cold water faucets; base unit has two removable wood access panels; stainless steel sink has bottom that slopes to drain and is 16 gauge, type 304 stainless steel with stainless steel outlet with basket strainer and tailpiece. Exposed surfaces are polished to #4 finish.

7306 Molding Table

Dimensions:	W	H	D
Overall	60"	30"	24"

Equipment: Assembly consists of one, 18" W x 22-1/2" D cupboard with one adjustable shelf; one Phenolic resin shelf assembly, 8" W x 21"H; two #7262 clay bins. Counter top and curb are 1" thick Rheatex.




7322 General Storage Mobile Unit

Dimensions:	W	H	D
Overall	47-1/4"	66"	24"

Equipment: Equipped with four adjustable shelves; four, 5" casters, 2 rigid and 2 swivel with locks; doors are equipped with 3-point latching system.

Art & Craft

Units equipped with pullout shelves behind cabinet doors should not be located in a corner or next to any cabinet, case or other obstruction, which would keep the door from having an opening swing of approximately 110°. This allowance is required to allow pullout trays or shelves to clear back edge of door. If the unit must be located in a corner, a filler strip of at least 6", must be provided between the case and the wall.





3950 Damp Storage Unit
35-1/4" W x 22-1/2" D x 35" H.
Two adjustable black expanded metal shelves; one removable galvanized drip pan in bottom. Interior is completely lined with galvanized metal.

3952 Damp Storage Unit
Same as # 3950, except 47-1/4" W.


8143 Damp Storage
Dimensions: **W** **H** **D**
Overall 35-1/4" 84" 22-1/2"
Five adjustable metal shelves; one removable galvanized drip pan at bottom.

8145 Damp Storage
Same as 8143, except 47-1/4" W.



7309 Glazing Booth
Dimensions: **W** **H** **D**
Overall 38" 84" 24"
Superstructure 36" 24"

Equipment: Superstructure of 18 gauge chemical resistant painted sheet steel; constant exhaust volume, with air filters in upper back of hood serving as diffusers to promote more uniform airflow at face opening; vapor proof incandescent light fixtures with switches; 8" diameter duct stub. Blower and motor are not included. Counter top is 1" thick Rhearsin.



7309 Glazing Booth
Dimensions: **W** **H** **D**
Overall 26" 84" 24"

Equipment: Superstructure of 18 gauge chemical resistant painted sheet steel; constant exhaust volume, with air filters in upper back of hood serving as diffusers to promote more uniform airflow at face opening; vapor proof incandescent light fixtures with switches; 6" diameter duct stub. Blower and motor are not included. Counter top is 1" thick Rhearsin.

Art & Craft



7377 Stackable Storage

Dimensions: **W** **H** **D**
Overall 42-1/8" 21-1/16" 31"

Equipped with five compartments. Designed to accommodate materials up to 40" x 30". Can be 'stacked' horizontally or vertically to create a single storage unit or full wall of storage.

7378 Toe Space/Base for Stackable Storage (Not Shown)

Optional base/toe space unit for stackables. 3/4" x 4" hardwood plywood sized to form a 2-1/4" deep toe space. Specify length desired based on arrangement of stackables.



7367 Magazine Rack


Dimensions: **W** **H** **D**
Overall 41-1/4" 30" 12"

Three slots for magazines, clear plexi-glass panels at front edges hold magazines on shelf and allow viewing for selection.

7394 Portable Drying Rack

Dimensions: **W** **H** **D**
Overall 49" 61" 37"

Heavy weight steel with dark blue enamel finish and 3" rubber swivel coasters. Fifty (50) drying shelves, each 31" x 48", lip up and stay up, 12" high. A light touch lowers each shelf individually as needed. A one inch space is provided between each shelf to prevent smearing of printed surfaces. Special design allows the use of the entire shelf space for drying.



7314 Drawing Board Storage Unit

Dimensions: **W** **H** **D**
Overall 35-1/4" 84" 22-1/2"

Upper and lower sections provide storage for drawing boards. Top of each section is adjustable; three point latching handle. Maximum board size is 3/4" x 20" x 26". Boards are not included. Capacity: 40 boards.


7315 Drawing Board Storage Unit

Same as 7314, except 47-1/4" W and board capacity is 68.


7316 Drawing Board Storage Unit

Same as 7314, except 41-1/4" W and board capacity is 56.


Folio Storage




7840 Hutch Folio Storage
W H D
Overall: 35-1/4" 48" 16"
Capacity: 36 compartments.
7842 Hutch Folio Storage
Same as 7840 except with wood hinged doors.




7844 Hutch Folio Storage
W H D
Overall: 47-1/4" 48" 16"
Capacity: 54 compartments.
7846 Hutch Folio Storage
Same as 7844 except with wood hinged doors.




7848 Hutch Folio Storage
W H D
Overall: 35-1/4" 48" 16"
Capacity: 39 compartments.
7850 Hutch Folio Storage
Same as 7848 except with wood hinged doors.




7852 Hutch Folio Storage
W H D
Overall: 47-1/4" 48" 16"
Capacity: 54 compartments.
7854 Hutch Folio Storage
Same as 7852 except with wood hinged doors.




7860 Base Folio Storage
W H D
Overall: 36" 36" 17"
Capacity: 22 compartments. Top is 1" thick Rheatex
7862 Base Folio Storage
Same as 7860 except with wood hinged doors.




7864 Base Folio Storage
W H D
Overall: 48" 36" 17"
Capacity: 33 compartments. Top is 1" thick Rheatex
7866 Base Folio Storage
Same as 7864 except with wood hinged doors.




7868 Base Folio Storage
W H D
Overall: 36" 36" 17"
Capacity: 22 compartments. Top is 1" thick Rheatex
7870 Base Folio Storage
Same as 7860 except with wood hinged doors.




7872 Base Folio Storage
W H D
Overall: 48" 36" 17"
Capacity: 36 compartments. Top is 1" thick Rheatex
7874 Base Folio Storage
Same as 7872 except with wood hinged doors.



7884 Tall Folio Storage
W H D
Overall: 47-1/4" 84" 16"
Capacity: 90 compartments.
7886 Tall Folio Storage
Same as 7884 except with wood hinged doors.




7888 Tall Folio Storage
W H D
Overall: 30" 84" 16"
Capacity: 60 compartments.
7890 Tall Folio Storage
Same as 7888 except with wood hinged doors.



7892 Tall Folio Storage
W H D
Overall: 47-1/4" 84" 16"
Capacity: 90 compartments.
7894 Tall Folio Storage
Same as 7892 except with wood hinged doors.


84" High Storage & Display Cases



6910 Display and Supply Case

Dimensions:	W	H	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Cupboard I D	45-3/4"	29-1/4"	20-3/4"


Equipment: Three adjustable shelves in upper section; one full depth adjustable shelf in lower section. Counter top is 1" thick - specify material desired.



6912 Display and Supply Case

Dimensions:	W	H	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Cupboard I D	45-3/4"	21-1/4"	20-3/4"
Drawers(2) ID	20-1/2"	6"	17"


Equipped with three adjustable shelves in upper section; one full depth adjustable shelf in lower section. Counter top is 1" thick - specify material desired.



6914 Display and Supply Case

Dimensions:	W	H	D
Overall	49-1/4"	84"	24"
Upper Case	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Cupboard I D	22-1/2"	29-1/4"	20-3/4"
Drawers(4) ID	20-1/2"	6"	17"


Equipment: Three adjustable shelves in upper section; one full depth adjustable shelf in lower section. Counter top is 1" thick - specify material desired.



6916 Display and Supply Case

Dimensions:	W	H	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Drawers(8) ID	20-1/2"	6"	17"


Equipment: Three adjustable shelves in upper section. Counter top is 1" thick - specify material desired.



6918 Display and Supply Case

Dimensions:	W	H	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Drawers(4) ID	20-1/2"	6"	17"
Drawers(2) ID	43-3/4"	6"	17"

Equipment: Three adjustable shelves in upper section. Counter top is 1" thick - specify material desired.




6920 Display and Supply Case

Dimensions:	W	H	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Drawers(2) ID	20-1/2"	2-1/4"	17"
Drawers(3) ID	20-1/2"	6"	17"
Drawers(2) ID	43-3/4"	6"	17"


Equipment: Three adjustable shelves in upper section. Counter top is 1" thick - specify material desired.

Special Purpose 84" High Storage




6926 Notebook Case

Dimensions: **W** **H** **D**
 Overall 27" 84" 16"
 Compartments, I. D.
 (total of 72) 12-3/8" 1-7/8" 10-3/4"
 Equipment: 3-point locking handle.




6928 Book Case

Dimensions: **W** **H** **D**
 Overall 27" 84" 16"
 Equipment: Five adjustable shelves; 3-point locking handle.



6952 Wardrobe Case

Dimensions: **W** **H** **D**
 Overall 27" 84" 16"
 Equipment: One pullout hanger; one fixed shelf; door equipped with a 3-point latching system.



6954 Wardrobe and Supply Case


Dimensions: **W** **H** **D**
 Overall 47-1/4" 84" 22-1/2"
 Equipment: One hanger rod; one fixed hat shelf; three adjustable shelves; 3-point locking handle. Wardrobe on right.

6954-A Wardrobe and Supply Case

Same as 6954 except 41-1/4" W.


6954-B Wardrobe and Supply Case

Same as 6954 except 35-1/4" W




8111 Magazine Display and Storage

Dimensions: **W** **H** **D**
 Overall 35-1/4" 84" 22-1/2"
 Unit has two adjustable sloping shelves at top; one fixed shelf over four, 18" D drawers




7359 Storage and Display Case

Dimensions: **W** **H** **D**
 Overall 47-1/4" 84" 22-1/2"
 Top section equipped with 3 adjustable shelves and one fixed shelf. Bottom has eight drawers, 45" W x 18" D x 3" H.



8113 Magazine Display and Storage


Dimensions: **W** **H** **D**
 Overall 47-1/4" 84" 22-1/2"
 Open compartment with two sloping shelves for magazine display; one adjustable shelf behind wood hinged door cupboard in lower section.



8115 Craft Storage

Dimensions: **W** **H** **D**
 Overall 41-1/4" 84" 22-1/2"
 Upper section is pegboard lined; lower section has two adjustable shelves and fixed vertical divider; double doors have 3-point latching system.

Special Purpose 84" High Storage



6955-A Wardrobe & Supply Case

Dimensions: **W** **H** **D**
 Overall 35-1/4" 84" 22-1/2"
 File Drawer (2) ID 14-1/2" 11-1/2" 17"


Equipment: One hanger rod; one fixed shelf; two file drawers with followers, one open compartment, 16-1/2" x 6-3/4" x 18-1/2", ID ; one, 10" x 12" mirror; one pin tray and towel bar on right hand door; doors equipped with 3-point locking system.

6955-B Wardrobe & Supply Case

Same as 6955-A, except 41-1/4" W. File drawers remain same size.

6955-C Wardrobe & Supply Case


Same as 6955-A, except 47-1/4" W. File drawers remain same size.



6956 Wardrobe and Supply Case

Dimensions: **W** **H** **D**
 Overall 47-1/4" 84" 16"

Equipment: One pullout hanger; one fixed hat shelf; six adjustable shelves. Door is equipped with 3-point locking handle.



6960 Wardrobe and Supply Case

Dimensions: **W** **H** **D**
 Overall..... 41-1/4" 84" 22-1/2"
 File Drawer (1),ID 14-1/2" 6" 17"
 File Drawer (2),ID 14-1/2" 11-1/4" 17"

Equipment: One hanger; 1 fixed hat shelf; 2 adjustable shelves; 2 large file drawers with file followers; 1 shallow drawer with adjustable partitions to accommodate record cards up to 3" x 5"; one, 10" x 12" mirror; pin tray and towel bar on right hand door; door equipped with a 3-point locking system.

6961 Wardrobe and Supply Case

Same as 6960 except 35-1/4" W.

6961-A Wardrobe and Supply Case

Same as 6960 except 47-1/4" W.

6961-B Wardrobe and Supply Case

Same as 6961-A except equipped with tote tray & compartment instead of drawer.

6962 Wardrobe and Supply Case

Same as 6960 except tote tray compartment instead of shallow drawer.

6963 Wardrobe and Supply Case

Same as 6961 except no small drawer, & with one, 19" x 13-3/4" x 3" tote tray.



6957 Instructor's Case

Dimensions: **W** **H** **D**
 Overall 35-1/4" 84" 22-1/2"

File Drawers -

three, I. D. 14-1/2" 11-1/4" 17"


Equipment: Three file drawers with metal slides, file followers and label holders. Open compartment above for magazine display. Left wardrobe compartment is equipped with hat shelf and hanger rod. Door is equipped with 3-point locking handle.

6958 Instructor's Case

Same as 6957 except 41-1/4" W with file drawers 17-1/2" W.

6959 Instructor's Case

Same as 6957 except 47-1/4" W with file drawers 17-1/2" W.



6964 Illuminated Display Case

Dimensions: **W** **H** **D**
 Overall 58-1/4" 84" 22-1/2"

Equipment: Upper section is 48" H and equipped with plate glass sliding doors; two adjustable plate glass shelves with center shelf bracket; one single tube fluorescent light fixture with switch. (Bulbs are not included) Lower section has wood sliding doors.

6966 Illuminated Display Case

Same as 6964 except 41-1/4" W.

6968 Illuminated Display Case

Same as 6964 except 47-1/4" W.



Campbell Rhea Art & Crafts - 9

Mobile Storage Units

7330 Wardrobe Mobile

Dimensions:	W	H	D
Overall	47-1/4"	66"	24"

Equipment: Unit is equipped with one fixed shelf with hanger rod below. Doors have 3-point latching system.




7332 Display & Storage Mobile

Dimensions:	W	H	D
Overall	47-1/4"	66"	24"

Equipment: Upper section is equipped with two adjustable shelves and glass sliding doors. Lower section has one adjustable shelf.


Mobile Storage Units



7323 Mobile Storage Unit

Dimensions: **W** **H** **D**
Overall 47-1/4" 66" 24"


Equipment: Equipped with three fixed shelves with dividers; four, 5" casters, two rigid and two swivel with locks; doors are equipped with 3-point latching system.



7324 Compartment Mobile Unit

Dimensions: **W** **H** **D**
Overall 47-1/4" 66" 24"

Equipment: Case has two vertical dividers forming three compartments. Each compartment equipped with five adjustable shelves, for a total of 18 cubicles. Unit has four, 5" casters, 2 rigid and 2 swivel with locks. Doors are equipped with 3-point latching system.




7325 Mobile Storage

Dimensions: **W** **H** **D**
Overall 41-1/4" 66" 24"

Two tiers; one has section with fixed shelf and area for storage of 10 notebooks above; second tier has 10 compartments for ten, #6346 plastic tote trays (included but not shown); equipped with four, 5" casters, 2 rigid and 2 swivel with locks; three point latching handle.

2009




7326 Mobile Tote Tray Case

Dimensions: **W** **H** **D**
Overall 47-1/4" 66" 24"

Equipment: Three tiers with 12 fixed shelves in each hold thirty-six #6347 tote trays, 19" x 13-3/4" x 3", included. Doors have 3-point latching system. Unit equipped with four, 5" casters, two fixed and two swivel with locks.

7327 Mobile Tote Tray Case

Same as 7326 except with four tiers equipped with a total of forty-eight #6345 tote trays, 19" x 9-1/2" x 3".



7328 Magazine Display & Storage Mobile

Dimensions: **W** **H** **D**
Overall 47-1/4" 66" 24"

Equipment: A double faced unit equipped with four sloping magazine shelves on one side and four adjustable shelves on the other.

Campbell Rhea Art & Crafts - 11

Chart & Paper Storage

Units equipped with pullout shelves behind cabinet doors should not be located in a corner or next to any cabinet, case or other obstruction, which would keep the door from having an opening swing of approximately 110°. This allowance is required to allow pullout trays or shelves to clear back edge of door. If the unit must be located in a corner, a filler strip of at least 6", must be provided between the case and the wall.



7311 Paper Storage Unit

Dimensions:	W	H	D
Overall	35-1/4"	84"	22-1/2"

Two adjustable shelves and one fixed shelf; six pull out trays provide storage for paper up to 18" x 24".

7313 Paper Storage Unit

Same as 7311, except 41-1/4" W. Provides storage for paper up to 18" x 35".



8135 Paper Storage

Dimensions:	W	H	D
Overall	47-1/4"	84"	22-1/2"

Equipment: Two adjustable shelves and one fixed shelf in upper section; lower section has six pull out trays to accommodate paper up to 18" L x 42" W.

3980 Paper Storage

Dimensions:	W	D	H
Overall	41-1/4"	28-3/4"	35"

Equipped with 8 pullout drawers.

Provides storage for paper up to 36" L x 24" W.

3982 Paper Storage

Same as 3980, except 35" D.

Provides storage for paper up to 36" L x 30" W.

3984 Paper Storage

Dimensions:	W	D	H
Overall	47-1/4"	28-3/4"	35"


Equipped with 8 pullout drawers.

Provides storage for paper up to 42" L x 24" W.

3986 Paper Storage

Same as 3984, except 35" D.

Provides storage for paper up to 42" L x 30" W.



3980 - 3986

Chart & Paper Storage

Units equipped with pullout shelves behind cabinet doors should not be located in a corner or next to any cabinet, case or other obstruction, which would keep the door from having an opening swing of approximately 110°. This allowance is required to allow pullout trays or shelves to clear back edge of door. If the unit must be located in a corner, a filler strip of at least 6", must be provided between the case and the wall.

3891 Chart & Paper Storage

35-1/4" W x 28-1/2" D x 35" H

Equipped with 7 pullout shelves providing storage for paper up to 30" L x 24" W.

3892 Chart & Paper Storage

47-1/4" W x 28-1/2" D x 35" H


Equipped with 7 pullout shelves providing storage for paper up to 42" L x 24" W.

3893 Chart & Paper Storage

Same as #3892 except 29" high and equipped with five pullout shelves.

3894 Chart & Paper Storage

Same as #3892 except 34-1/2" D and providing storage for paper up to 42" L x 30" W




3891-3894


3895 Paper Storage & Cupboard

47-1/4" W x 22-1/2" D x 35" H

Equipped with one pullout tray



3895



3962 - 3966

3962 Chart & Paper Storage

41-1/4" W x 22-1/2" D x 35" H.

Equipped with 7 pullout shelves. Provides storage for paper up to 36" L x 18" W.

3964 Chart & Paper Storage

Same as # 3962, except 28-1/2" D. Provides storage for paper up to 36" L x 24" W.

3966 Chart & Paper Storage

Same as # 3962, except 34-1/2" D. Provides storage for paper up to 36" L x 30" W.


3958 Illustrative Material Unit

35-1/4" W x 22-1/2" D x 35" H.

Equipped with pullout rack with nine rails.

3960 Illustrative Material Unit

Same as #3958, except 47-1/4" W.




Tote Trays & Tote Tray Storage

Tote tray storage units over 47-1/4" wide, will be divided into two or more separate cases, Shelves are 1" thick and adjustable; except for a fixed center shelf. STANDARD units contain no vertical dividers between trays, unless structurally required. If specified, tray compartment dividers provided will be chrome plated 3/16" diameter bent wire.



Note these Quality Features:

- Made of sturdy high impact plastic with high gloss finish -- unbreakable in normal use.
- Smooth surface resists soiling -- easily cleaned.
- Resists inorganic chemicals.
- Light weight and easy to handle.
- Handy aluminum card holder is standard on trays.



6339 Plastic Tote Tray	W	D	Depth
Overall Dimensions	16"	12"	3"
6340 Plastic Tote Tray	W	D	Depth
Overall Dimensions	13-3/4"	10-3/4"	3"
6342 Plastic Tote Tray	W	D	Depth
Overall Dimensions	16"	12"	3-1/4"
6344 Plastic Tote Tray	W	D	Depth
Overall Dimensions	19"	10-1/2"	3-1/2"
6346 Plastic Tote Tray	W	D	Depth
Overall Dimensions	19"	13-3/4"	3-1/2"

5892 Tote Tray Case

Dimensions: W H D
 Overall: 24" 84" 22-1/2"
 Capacity: 24 trays.
 Equipment: Equipped with one storage compartment and eleven (11) adjustable shelves and one fixed center shelf. Twenty four, #6344, Plastic Tote Trays are included. Door has 3-point latching handle.

5895 Tote Tray Case

Dimensions: W H D
 Overall..... 35-1/4" 84" 22-1/2"
 Capacity: 36 trays.
 Equipment: Case is equipped with one upper compartment, eleven (11) adjustable shelves, one fixed shelf and a total of thirty six (36), Plastic Tote Trays, #6344, included. Door has 3-point latching handle.

5893 Corner Storage

Same as 5891 except left handed return.

5896 Tote Tray Case

Capacity: 36 trays.
 Same as 5895 except 47-1/4" W, with thirty-six, #6346 Plastic Tote Trays.


5894 Tote Tray Case

Capacity: 16 trays.
 Same as 5892 except with fourteen (14) adjustable shelves and one fixed center shelf. #6344, Plastic Tote Trays included.


5899 Tote Tray Case

Capacity: 48 trays.
 Same as 6358 except 41-1/4"W, with forty eight #6344 plastic tote trays included.


Tote Tray Base Cabinets




3881 Tote Tray Storage
 18" W x 22-1/2" D x 35" H.
 Six, #6346 tote trays provided.



3883 Tote Tray Storage
 35-1/4" W x 22-1/2" D x 35" H.
 Two tiers containing a total of twelve #6346 trays.



3884 Tote Tray Storage
 47-1/4" W x 22-1/2" D x 35" H.
 Three tiers containing a total of eighteen #6346 trays.




3886 Tote Tray Storage
 47-1/4" W x 22-1/2" D x 35" H.
 Provided with four tiers containing a total of twenty four #6344 trays.

3884-A Tote Tray Storage
 Same as #3884 except 41-1/4" W with 18 #6339 trays

3884-B Tote Tray Storage
 Same as #3884 except 35-1/4 W with 18 #6344 trays.

Tote Trays & Tote Tray Storage

Tote tray storage units over 47-1/4" wide, will be divided into two or more separate cases, Shelves are 1" thick and adjustable; except for a fixed center shelf. STANDARD units contain no vertical dividers between trays, unless structurally required. If specified, tray compartment dividers provided will be chrome plated 3/16" diameter bent wire.




6348 Tote Tray Case

Dimensions: **W** **H** **D**
Overall: 27" 84" 22-1/2"

Capacity: 24 trays.

Equipment: Case has eleven (11) adjustable shelves, one center fixed shelf and one storage compartment. Plastic Tote Trays # 6340, included. Door equipped with 3-point latching handle.




6350 Tote Tray Case

Dimensions: **W** **H** **D**
Overall: 27" 84" 22-1/2"

Capacity: 32 trays.

Equipment: Case has fourteen (14) adjustable shelves and one center fixed shelf. Plastic Tote trays #6340 are included. Door equipped with 3-point latching handle.




6351 Tote Tray Case

Dimensions: **W** **H** **D**
Overall 47-1/4" 84" 22-1/2"

Capacity: 42 trays.

Equipment: Case has thirteen (13) adjustable shelves, and one center fixed shelf. Plastic Tote trays #6339 are included. Door equipped with 3-point latching handle.



6352 Tote Tray Case


Dimensions: **W** **H** **D**
Overall..... 47-1/4" 84" 22-1/2"

Capacity: 48 trays

Equipment: Case has fourteen (14) adjustable shelves and one fixed center shelf. Forty eight Plastic Tote Trays, #6339, 16" x 12" x 3", included. Doors equipped with 3-point latching system.

6353 Tote Tray Case

Same as 6352 except 41-1/4" W.




6356 Tote Tray Case

Dimensions: **W** **H** **D**
Overall..... 47-1/4" 84" 22-1/2"

Capacity: 64 trays.

Equipment: Case has fourteen (14) adjustable shelves and one fixed center shelf. 64, #6344 Plastic Tote Trays, are included. Doors equipped with 3-point latching system.



6357 Tote Tray Case

Dimensions: **W** **H** **D**
Overall..... 47-1/4" 84" 22-1/2"

Capacity: 48 trays.


Equipment: Case has fourteen (14) adjustable shelves and one fixed center shelf. # 6346 Plastic Tote Trays are included. Doors equipped with 3-point latching system.

6358 Tote Tray Case


Capacity: 48 trays.
Same as 6357 except 35-1/4" W ; Plastic Tote Trays # 6344" are included.

Rock & Map Storage Cases


(SPECIFY COUNTER TOP MATERIAL Note: These Units cannot be equipped with locks.)




3928 Rock and Map Storage
Overall: 21" W x 23-1/2" D x 44" H
Unit has 8 drawers, 17-1/2" W x 2-7/8" H x 20-3/4" D; one drawer 17-1/2" W x 6-1/4" H x 20-3/4" D. Label holders on all drawers.




3929 Rock and Map Storage
Overall: 21" W x 23-1/2" D x 44" H
Unit has 8 drawers, 16-3/4" W x 2-7/8" H x 19-1/2" D & 1 drawer 16-3/4" W x 6-1/4" H x 19-1/2" D. Label holders on all drawers.




3930 Rock and Map Storage
Overall: 41-1/4" W x 23-1/2" D x 44" H
Provided with 16 drawers, 17-1/2" W x 2-7/8" H x 20-3/4" D; two drawers 17-1/2" W x 6-1/4" H x 20-3/4" D. Label holders on all drawers.



3931 Rock and Map Storage
Overall: 27" W x 30-1/2" D x 44" H.
Unit equipped with twelve drawers, 23-1/2" W x 2-1/4" H x 27-3/4" D. Label holders on all drawers.




3932 Rock and Map Storage
27" W x 30-1/2" D x 44" H.
Provided with 12 drawers 22-3/4" W x 2-1/4" H x 26-1/2" D. Label holders on all drawers.



3933 Rock and Map Storage
47-1/4" W x 30-1/2" D x 44" H.
Provided with 12 drawers 43-3/4" W x 2-1/4" H x 27-3/4" D. Label holders on all drawers.

3933

Recycle Center




4050 Recycle Center

Overall: 27"W x 24-1/2"D x 35" H


Drawer: 7" H

Door: 27" W x 21-3/8" H


Designed to sit under counter, recycle center is equipped with one drawer and conceals two plastic bins for recycling or trash. False door is mounted to slide out, activated by push on foot pedal. Pull out tray is equipped with metal frame to secure two plastic trash cans. Door covers opening for pullout and side area with two vertical cubby storage compartments.



**Front
view**



**Side
view**



4046 Trash Storage

Dimensions: **W** **D** **H**
Overall: 24" 22-1/2" 35"

Equipment: Equipped with separate bottom from unit. Casters permit smooth removal of trash container. Round aluminum vents in toe rail are standard.

Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.


Music

TABLE OF CONTENTS

<u>Item</u>	<u>Pages</u>
<i>Banner Storage</i>	<i>4</i>
<i>Cello Rack</i>	<i>5</i>
<i>Drum Storage</i>	<i>5</i>
<i>Flag Storage</i>	<i>4</i>
<i>Folio Storage</i>	<i>1,2</i>
<i>Hat Storage</i>	<i>3,4</i>
<i>Instrument Storage</i>	<i>6,7</i>
<i>Lectern</i>	<i>1</i>
<i>Percussion Accessory Storage</i>	<i>5</i>
<i>Robe Storage</i>	<i>3,4</i>
<i>Snare Drum Rack</i>	<i>5</i>
<i>Sousaphone Rack</i>	<i>5</i>
<i>Uniform Storage</i>	<i>3,4</i>
<i>Mobile</i>	<i>4</i>

Music

Director's Lectern, Platform & Sheet Music Storage




7720 Director's Lectern

Dimensions: W H D

Overall 24" 41-3/4" 24"

Equipment: Cupboard equipped with two adjustable shelves and four heavy duty casters, two rigid and two swivel with locks. Sloping top with pencil stop is 3/4" thick Rheutex.




7721 Mobile Lectern with Storage

Dimensions: W H D

Overall 21" 41-3/4" 22"

Equipped with four drawers; four heavy duty casters, two rigid and two swivel with locks. Sloping top with pencil stop is 3/4" Rheutex.




7722 Portable Lectern

Dimensions: W H D

Overall 24" ** 24"

* *height at front is 3-3/4"; height at rear 9-3/4".*

Equipment: Sloping top with pencil stop is 3/4" thick Rheutex.




7724 Director's Platform

Dimensions: W H D


Overall 36" 8" 36"

Equipment: Top is 1" thick Rheutex covered with a ribbed rubber mat.


Folio Storage




7840 Hutch Folio Storage
W H D
Overall: 35-1/4" 48" 16"
Capacity: 36 compartments.
7842 Hutch Folio Storage
Same as 7840 except with wood hinged doors.




7844 Hutch Folio Storage
W H D
Overall: 47-1/4" 48" 16"
Capacity: 54 compartments.
7846 Hutch Folio Storage
Same as 7844 except with wood hinged doors.




7848 Hutch Folio Storage
W H D
Overall: 35-1/4" 48" 16"
Capacity: 39 compartments.
7850 Hutch Folio Storage
Same as 7848 except with wood hinged doors.




7852 Hutch Folio Storage
W H D
Overall: 47-1/4" 48" 16"
Capacity: 54 compartments.
7854 Hutch Folio Storage
Same as 7852 except with wood hinged doors.




7860 Base Folio Storage
W H D
Overall: 36" 36" 17"
Capacity: 22 compartments. Top is 1" thick Rheatex
7862 Base Folio Storage
Same as 7860 except with wood hinged doors.




7864 Base Folio Storage
W H D
Overall: 48" 36" 17"
Capacity: 33 compartments. Top is 1" thick Rheatex
7866 Base Folio Storage
Same as 7864 except with wood hinged doors.



7868 Base Folio Storage
W H D
Overall: 36" 36" 17"
Capacity: 22 compartments. Top is 1" thick Rheatex
7870 Base Folio Storage
Same as 7860 except with wood hinged doors.




7872 Base Folio Storage
W H D
Overall: 48" 36" 17"
Capacity: 36 compartments. Top is 1" thick Rheatex
7874 Base Folio Storage
Same as 7872 except with wood hinged doors.



7884 Tall Folio Storage
W H D
Overall: 47-1/4" 84" 16"
Capacity: 90 compartments.
7886 Tall Folio Storage
Same as 7884 except with wood hinged doors.



7888 Tall Folio Storage
W H D
Overall: 30" 84" 16"
Capacity: 60 compartments.
7890 Tall Folio Storage
Same as 7888 except with wood hinged doors.




7892 Tall Folio Storage
W H D
Overall: 47-1/4" 84" 16"
Capacity: 90 compartments.
7894 Tall Folio Storage
Same as 7892 except with wood

Music


Uniform, Hat & Robe Storage

All cases are 84" high and 22-1/2" deep.




NUMBER	WIDTH
7900	18"
7902	24"

Robe Storage: One hanger rod.




NUMBER	WIDTH
7904	30"
7906	35-1/4"
7908	41-1/4"
7910	47-1/4"

Robe Storage: One hanger rod.




NUMBER	WIDTH
7912	18"
7914	24"

Uniform Storage: Two hanger rods. One fixed shelf




NUMBER	WIDTH
7916	30"
7918	35-1/4"
7920	41-1/4"
7922	47-1/4"

Uniform Storage: Two hanger rods. One fixed shelf




NUMBER	WIDTH
7923-18	16-5/16"
7923-24	22-5/16"
7923-30	28-5/16"
7923-35-1/4	33-5/16"
7923-41-1/4	39-9/16"
7923-47-1/4	45-9/16"

Wire Shelves 7923 through 7923-47-1/4":
Constructed of hot rolled carbon steel, bright basic wire with a chrome plated finish. All shelves are 19-1/4" D.




NUMBER	WIDTH
7924	18"
7926	24"

Hat and Uniform Storage:
One hanger rod. Three wire shelves




NUMBER	WIDTH
7928	30"
7930	35-1/4"
7932	41-1/4"
7934	47-1/4"

Uniform Storage: One hanger rod. Three wire shelves



NUMBER	WIDTH
7936	18"
7938	24"

Hat Storage: Five wire shelves




NUMBER	WIDTH
7940	30"
7942	35-1/4"
7944	41-1/4"
7946	47-1/4"

Hat Storage: Five wire shelves

Music


Uniform, Hat, Flag/Banner & Robe Storage

All cases are 84" high and 22-1/2" deep.




NUMBER
7948

WIDTH
30"



NUMBER
8300
8302

WIDTH
18"
24"



NUMBER
8314
8316
8318


WIDTH
35-1/4"
41-1/4"
47-1/4"

Flag & Banner Storage:

Equipped with one support bracket on each side and a ribbed rubber floor mat.


One Fixed Shelf
One Hanger Rod

One Fixed Shelf
One Hanger Rod
One Full Width Drawer




NUMBER
8304
8306
8308

WIDTH
35-1/4"
41-1/4"
47-1/4"



NUMBER
8320
8322
8324

WIDTH
35-1/4"
41-1/4"
47-1/4"




NUMBER
8326
8328
8330

WIDTH
35-1/4"
41-1/4"
47-1/4"

One Fixed Shelf
One Hanger Rod

Two Individual Compartments
Two Fixed Shelves
Two Hanger Rods

Two Individual Compartments
Two Fixed Shelves
Two Hanger Rods
Two Half-Width Drawers



NUMBER
8310
8312

WIDTH
18"
24"

One Fixed Shelf
One Hanger Rod
One Full-Width Drawer



8298 Mobile, Uniform Storage Rack

	W	H
Overall:		
Base	50"	Adj.: 55", 60" 65"
Rod	48"	
Rod Extensions (2)	12"	

Sets up quickly and collapses for storage; equipped with for casters, rod has two slide out extensions, each 12" L. Vertical arms adjust easily to accommodate, jackets, full uniforms or robes.



Music

Instrument Storage

8071 Cello Rack

Dimensions:	W	H	D
Overall	52"	44"	24"


Accommodates four cellos. Each point where cello rests is padded.
Equipped with four casters with locks.



8073 Snare Drum Rack

Dimensions:	W	H	D
Overall	52"	44"	12-3/4"


Upper and lower sections accommodate four snare drums, each.
Edges are padded. Equipped with four casters with locks.



8075 Sousaphone Rack

Dimensions:	W	H	D
Overall	52"	44"	24"

Designed to hold two sousaphones. Equipped with four casters with locks.



7704 Percussion Accessory Storage

Dimensions:	W	H	D
Overall	65-1/4"	35-3/4"	24"
Base Cabinet	47-1/4"		21"
Dropleaf	16"		

Equipment: Assembly has one adjustable shelf and four heavy duty casters, two rigid and two swivel with locks. Top and dropleaf are 1" thick Rheatex.

Music

Instrument Storage

All cases are 84" high.

SPECIFICATIONS:

Instrument storage cases are constructed of particleboard panels with all interior faces, exposed or unexposed, and all unexposed exterior faces, frosty white. All exposed, exterior faces are vertical grade, high pressure plastic laminate in the specified pattern or color. Top panels are 1" thick, backs 1/4" thick, and all other panels 3/4" thick. Leading edges of all interior dividers are protected with anodized aluminum channel. Exposed edges of top, bottom and end panels are edge banded with black 3mm PVC. The 1/4" thick back is recessed 1", let into routed end panels. Case is further reinforced with 3/4" x 4" cross rails on the back side, at the top, and center.

Full doors, when specified, have square edges without profiling, and overlap the face of the cabinet, exposing a full 3/4" thick material with black 3mm PVC applied to all four edges. Doors are 3/4" thick particleboard with vertical grade high pressure plastic laminate on both faces. Doors are equipped with a 3-point latching, or locking system.

Grille doors, when specified, are low carbon steel bars, welded construction, with .312" diameter wire for frame and cross braces, and .207" diameter wire for vertical stringers. A four inch pull is formed on the second wire of all doors. Hinges are continuous type with one wing welded to the door frame. Each door is provided with padlock eyes and a 3/4" x 3" nameplate. Finish is chrome plated.

If **SOLID OAK** Instrument Storage Casework is desired: Refer to our CampbellRhea wood casework specifications for construction details. Use given Instrument Storage casework catalog numbers, and add suffix "-w". Example: 7950 -W. Grille doors can be furnished as described above.

30" Depth Unit Compartment Depth is 28-5/8"				40-1/8" Depth Unit Compartment Depth is 38-3/4"			
Type	Width	Height	Recommended Usage	Type	Width	Height	Recommended Usage
A	5-3/4"	15-1/32"	E-Flat & B-Flat Clarinets, Piccolo, Flute, Soprano	A	5-3/4"	15-1/32"	Bassoon
B	9"	15-1/32"	Saxophone, Oboe, English Horn Cornet, Trumpet, Alto Saxophone	B	9"	15-1/32"	Alto & Bass Clarinets, Tenor, Saxophone, Viola Violin
C	12-1/4"	15-1/32"	Miscellaneous Equipment & Instruments as listed under A & B	C	12-1/4"	12-1/4"	Trombone
D	18-3/4"	25-9/16"	Alto Horn, French Horn, Mellophone, Snare Drum, Field Drum	D	18-3/4"	18-3/4"	Baritone Horn, Mellphonium, Valve Trombone
*E	18-3/4"	46-1/8"	Bass Drum 14" x 28", Guitar, Bass Trombone	*E	18-3/4"	46-1/8"	Bass Drum 16" x 36"
*F	18-3/4"	62-3/8"	Cello, Baritone, Saxophone, Bass Saxophone	*F	18-3/4"	62-3/8"	Cello, Baritone, Saxophone Bass Saxophone
G	18-3/4"	78-1/4"	Bass Violin	G	18-3/4"	78-1/4"	Bass Violin
H	18-3/4"	15-1/32"	Miscellaneous	H	18-3/4"	15-1/32"	Miscellaneous




* Compartments E and F are not available with grille doors.

Music

Instrument Storage

All cases are 84" high.

THESE UNITS ARE NOT STANDARD OAK CASEWORK CONSTRUCTION. SEE PREVIOUS PAGE FOR DETAIL

 <p>20-1/4" Wide</p>	<p>30" Deep</p> <p>7950 No Door 7952 Full Door 7954 Grille Doors</p> <p>40-1/8" Deep</p> <p>7956 No Door 7958 Full Door 7960 Grille Doors</p> <p>20-1/4" Wide</p>	<p>30" Deep</p> <p>7962 No Door 7964 Full Door 7966 Grille Doors</p> <p>40-1/8" Deep</p> <p>7968 No Door 7970 Full Door 7972 Grille Doors</p> <p>20-1/4" Wide</p>	<p>30" Deep</p> <p>7974 No Door 7976 Full Door 7978 Grille Doors</p> <p>40-1/8" Deep</p> <p>7980 No Door 7982 Full Door 7984 Grille Doors</p>
 <p>20-1/4" Wide</p>	<p>30" Deep</p> <p>7986 No Door 7988 Full Door 7990 Grille Doors</p> <p>40-1/8" Deep</p> <p>7992 No Door 7994 Full Door 7996 Grille Doors</p> <p>20-1/4" Wide</p>	<p>30" Deep</p> <p>7998 No Door 8000 Full Door 8002 Grille Doors</p> <p>40-1/8" Deep</p> <p>8004 No Door 8006 Full Door 8009 Grille Doors</p> <p>20-1/4" Wide</p>	<p>30" Deep</p> <p>8010 No Door 8012 Full Door 8014 Grille Doors</p> <p>40-1/8" Deep</p> <p>8016 No Door 8018 Full Door 8020 Grille Doors</p>
 <p>20-1/4" Wide Wide ribbed rubber mat</p>	<p>30" Deep</p> <p>8022 No Door 8024 Full Door</p> <p>40-1/8" Deep</p> <p>8028 No Door 8030 Full Door</p> <p>39-3/4" Wide <i>Note: Verify doorway clearance.</i></p>	<p>30" Deep</p> <p>8034 No Door 8036 Full Door 8038 Grille Doors</p> <p>40-1/8" Deep</p> <p>8040 No Door 8042 Full Door 8044 Grille Doors</p> <p>47-1/4" Wide Wheeled instrument storage case. One fixed shelf. <i>Note: Unit is shipped K.D.</i></p>	<p>30" Deep</p> <p>8046 No Doors 8048 Full Doors</p> <p>40-1/8" Deep</p> <p>8050 No Doors 8052 Full Doors</p>


Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

Vocational Training

TABLE OF CONTENTS for Cosmetology Darkroom Shop Computer Technology

<u>Item</u>	<u>Pages</u>
ADA	
Cosmetology Sink	1
Apparatus Work Bench	9
Chairs	
Cosmetology	1,3
Computer Support	
Accessories	12
Work Stations	13,14
Cosmetology	1-3
Darkroom Cabinet	4
Data Service Fittings	15
Developing Table	5-8
Drying Cabinet	4
Electronics Work Bench	7
Manicure	3
Pedicure	3
Photography, Sink & Storage	5
Printing Table	5
Project Bench, Shop	9
Reclining Shampoo Chair	1,3
Recycle Center	4
Shampoo	
ADA Sink	1
Chairs	1,3
Combo: Sink/Chair	3
Pedestal Sink	1
Sink	
Cosmetology	1,2,3
Darkroom	5
Storage	
Cosmetology	2
Shop	10
Tools	10
Student Work Bench	6
Technology Tables	13,14
Vise	11

Cosmetology



8412 All Purpose, Reclining Swivel, Hydraulic Chair

Dimensions	W	H	D
Overall	24"	32"	20"

Available only in black commercial grade vinyl. Equipped with wide tubular leg rest; adjustable lever for back rest; round chrome base with large foot pump lever.



8406 ADA Compliant Cosmetology Sink
Adjust-a-Sink® by Accessible Systems

Dimensions	W	H	D
Overall	22"	36"-48"	27"
Sink, neck rest		34"-46"	

The Adjust-a-Sink offers 12 inches of true vertical travel and easy to use foot pump mechanism allows the bowl to be raised or lowered to accommodate the stature of the stylist or the client. Unit can be used with wheel chair or standard salon chair. Standard faucet and vacuum breaker are included. Bowl standard colors include white, almond, black and gray; specify. Options for this unit include: 3-in-3 faucet, spray hose and vacuum breaker all in one; stainless steel or durable powder coated shrouds; hair interceptor/hair trap filter. Options must be specified.

8410 Acrylic Shampoo Bowl

Dimensions	W	H	D
Overall	12"		12"



Available only in black acrylic; 20 lb. lightweight shampoo bowl. Equipped with DA fixture and spray hose; dial flow single lever fixture. Local codes must be confirmed for vacuum breaker requirements. (Sold separately)

8414 Shampoo Chair

Dimensions	W	H	D
Overall	24"	33"	24"

Available in black commercial vinyl; vinyl arm caps. Chair glides forward as client reclines.



8416 Shampoo Chair

Dimensions	W	H	D
Overall	24"	33"	24"

Available in black commercial vinyl. Chair glides forward as client reclines.
2009



8408 Pedestal Shampoo Unit

Dimensions	W	H	D
Overall	22"	35"	

Black porcelain bowl; equipped with faucet fixture and vacuum breaker, standard. Stainless steel pedestal.



Cosmetology



8418 Shampoo Cabinet

Dimensions	W	H	D
Overall	24"	33"	27-1/2"

Mini-shampoo cabinet with black acrylic shampoo sink. Equipped with DA fixture and spray hose; dial flow single lever fixture. Local codes must be confirmed for vacuum breaker requirements. (Sold separately)



8424 Shampoo/Styling Cabinet

Dimensions	W	H	D
Overall	42"	62"	32"

Style and shampoo cabinet with flip up/down lid to cover shampoo sink (Not included, order separately). Top has holders for curling irons and hair blow-dryer. Mirror is not included; 30"H x 42" W is recommended.



8426 Dispensary Sink and Storage Cabinet

Dimensions	W	H	D
Overall	36"	36"	19"

Equipped with stainless steel sink and faucet, standard. Unit has an ample storage cabinet.



8420 Double Sink Shampoo Cabinet


Dimensions	W	H	D
Overall	72"	33"	15"

Shampoo cabinet with two black acrylic shampoo sinks. Each equipped with DA fixture and spray hose; dial flow single lever fixture. Local codes must be confirmed for vacuum breaker requirements. (Sold separately)

8822 Triple Sink Shampoo Cabinet (not illustrated)

Dimensions	W	H	D
Overall	96"	33"	15"

Shampoo cabinet with three black acrylic shampoo sinks. Each equipped with DA fixture and spray hose; dial flow single lever fixture. Local codes must be confirmed for vacuum breaker requirements. (Sold separately)



4864 Upper Towel Storage Cabinet

Dimensions	W	H	D
Overall	41-1/2"	23-3/4"	12"

Equipped sliding doors, standard.

Cosmetology



8430 Shampoo Sink and Chair Combo

Dimensions	W	H	D
Overall	24"	36"	50"

Contemporary designed unit is complete with black shampoo bowl, faucet and vacuum breaker. Chair back and seat are commercial grade black vinyl. Arms and base of unit are stainless steel construction.

8432 Shampoo Sink and Chair Combo

Dimensions	W	H	D
Overall	24"	35"	24"

Unit is complete with black shampoo bowl, faucet and vacuum breaker; black commercial grade vinyl chair with molded vinyl arms. Equipped with easy to use slide mechanism for customer. Base is stainless steel construction.



8434 Shampoo Sink and Chair Combo

Dimensions	W	H	D
Overall	24"	36"	53"

This more economical unit is complete with black shampoo bowl, faucet and vacuum breaker. Chair is in fixed position for shampooing and in black commercial grade vinyl. Base is black fiberglass construction.



8436 Pedicure Stool

Pedicure Stool is equipped with casters, a storage bin for supplies and a black commercial grade vinyl seat. Stool height is 14".



8438 Pedicure Spa

Dimensions	W	H	D
Overall	27"	19"	19"

Pedicure spa holds 5.4 gallons and is equipped with two fully adjustable hydro-therapeutic jets; surfaces are resistant to most chemicals including acetone; foot rest adjusts up and down; includes tub cover, built-in storage for products and power cord. Power source is 110C AC/5Amp, 60HZ




8440 Manicure Table

Dimensions	W	H	D
Overall	42"	31"	18"

Manicure table is complete with arm rest and lamp; equipped with lockable casters and side mount electrical outlet.


Darkroom




3906 Metal Drying Cabinet
Dimensions **W** **H** **D**
Overall 35" 35" 22"

Metal Base cabinet insulated with Transite II lining. Equipped with one adjustable, expanded metal shelf; perforated Transite II bottom; vent in front rail; three 750 watt, strip heaters, 230 volt AC single phase (120 volts available); and thermostat with pilot light, 60° to 250° F.


3908 Metal Drying Cabinet
Same as 3906 except: 47" W x 22" D x 35" H.



3917 Darkroom Cabinet
Dimensions **W** **H** **D**
Overall 40-3/4" 27-1/2" 22-1/2"
3 compartments 4-3/16" 20" 18-3/4"
5 compartments 4-3/16" 9-5/8" 18-3/4"
Has removable 3/4" plywood dividers




3921 Darkroom Cabinet
Dimensions **W** **H** **D**
Overall 49-7/8" 28-5/8" 22-1/2"
6 compartments 4-7/8" 21-1/8" 20-3/4"
1, sink cabinet 15-5/16" 22-1/2"
Unit has removable 3/4" plywood dividers;




4050 Recycle Center
Dimensions **W** **H** **D**
Overall: 27" 35" 24-1/2"
Drawer: 7"
Door: 27" 21-3/8"

Designed to sit under counter, recycle center is equipped with one drawer and conceals two plastic bins for recycling or trash. False door is mounted to slide out, activated by push on foot pedal. Pull out tray is equipped with metal frame to secure two plastic trash cans. Door covers opening for pullout and side area with two vertical cubby storage compartments.




Front view **Side view**




3919 Darkroom Cabinet
Dimensions **W** **H** **D**
Overall 47-3/4" 27-1/2" 28-1/2"
3 compartments 5-1/16" 20" 18-3/4"
5 compartments 5-1/16" 9-5/8" 18-3/4"
Has removable 3/4" plywood dividers

3920 Darkroom Cabinet
Same as 3919 except dividers are removed and unit has two hinged doors.




3923 Darkroom Cabinet
Dimensions **W** **H** **D**
Overall 47-3/4" 27-1/2" 28-1/2"
3 compartments 5-1/16" 20" 18-3/4"
5 compartments 5-1/16" 9-5/8" 18-3/4"
Has removable 3/4" plywood dividers;



4046 Trash Storage
Dimensions: **W** **D** **H**
Overall: 24" 22-1/2" 35"

Equipment: Equipped with separate bottom from unit. Casters permit smooth removal of trash container. Round aluminum vents in toe rail are standard.



3925 Darkroom Cabinet
Dimensions **W** **H** **D**
Overall 24" 35" 22-1/2"
2 compartments 5-1/16" 29-1/4" 21-1/4"
2 compartments 5-1/16" 14-1/4" 21-1/4"
1 compartment 5-1/16" 9-1/2" 21-1/4"
1 compartment 5-1/6" 19" 21-1/4"

3927 Darkroom Cabinet
Same as 3925 except opposite hand.



Darkroom

TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6612 Printing Table

Dimensions:	W	H	D
Overall	96"	36" 3	0"
Base Cabs.(2), OD	35-1/4"	35"	28-3/4"
Cupboard, ID	33-3/4"	29-1/4"	26-3/4"
Drawers(4), ID	14-1/2"	6"	17"
Drawers(2), ID	31-3/4"	6"	17"
Drawer(1), ID	13"	2-1/4"	15"
Fixture Panel & Shelf	96"	5-1/2"	8"

Equipment: Two duplex AC receptacles with switches; one sliding shelf in kneespace; one full depth adjustable shelf in cupboard. Top, fixture panel and shelf are 1" thick - specify material desired.



6614 Photography Sink and Storage


Dimensions:	W	H	D
Overall	72"	36"	30"
Base Cabs.(2), OD	24"	35"	22-1/2"
Sink Cab. (1) OD	21"	35"	22-1/2"
Cupboard, ID	19-1/2"	21-3/4"	20-3/4"
Tray Compts(2)ID	5-1/16"	9-1/2"	21-1/4"
Tray Compts(2)ID	5-1/16"	19"	21-1/4"
Tray Compts(4)ID	5-1/16"	14-1/4"	21-1/4"
Tray Compts(4)ID	5-1/16"	29-1/4"	21-1/4"
Fixture Panel & Shelf	72"	18"	10-1/2"
Sink Depth	8"		12"

Equipment: One combination hot and cold water gooseneck faucet; one each amber and red safelight with switch behind fixture panel; two duplex AC receptacles with switches; one epoxy resin sink; one polypropylene sink outlet with 6" polypropylene overflow. Top, fixture panel and ledge cap are 1" thick Rhearock unless specified.

6616 Developing Table

Dimensions:	W	H	D
Overall	61"	36"	30"
Base Cab.(1), OD	24"	35"	28-3/4"
Base Cab.(1), OD	35-1/4"	35"	28-3/4"
Drawers (4), ID	20-1/2"	6"	17"
Tray Compts(2)ID	3-3/8"	18-3/4"	14-1/2"
Tray Compts(4)ID	3-3/8"	9"	14-1/2"
Drying Compt(1)ID	14-3/4"	20-1/4"	14-1/2"
Fixture Panel & Shelf	61"	8"	5-1/2"
Sink Depth	8-3/4"		20"

Equipment: One combination hot and cold water swing spout mixing faucet with soap dish; one duplex AC receptacle; one drying light and switch; one epoxy resin sink; one polypropylene sink outlet with 6" polypropylene beehive overflow; three adjustable print drying frames. Top, fixture panel and shelf are 1" thick Rhearock unless specified.





Darkroom

TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6618 Developing Table

Dimensions:	W	H	D
Overall	72"	36"	30"
Base Cab.(1),OD	35-1/4"	35"	28-3/4"
Base Cab.(1),OD	35-1/4"	35"	28-3/4"
Drawers (4), ID	14-1/2"	6"	17"
Drawers (2), ID	31-3/4"	6"	17"
Tray Compts.(2),ID	3-3/8"	18-3/4"	14-1/2"
Tray Compts.(4), ID	3-3/8"	9"	14-1/2"
Drying Compt.(1) ID	14-3/4"	20-1/4"	14-1/2"
Fixture Panel & Shelf	72"	8"	5-1/2"
Sink	8-3/4"		20"

Equipment: One combination hot and cold water swing spout mixing faucet with soap dish; one duplex AC receptacle; one drying light and switch; one epoxy resin sink; one polypropylene sink outlet with 6" polypropylene overflow; three adjustable print drying frames. Top, fixture panel and shelf are 1" thick Rhearock, unless specified.



6619 Developing Table

Dimensions:	W	H	D
Overall	78-3/4"	36"	30"
Base Cab.(2),OD	18"	35"	28-3/4"
Tray Cab.(1),OD	40-3/4"	27-1/2"	22-1/2"
Drawers (2), ID	14-1/2"	6"	17"
Cupboards (2) ID	16-1/2"	21-3/4"	26-3/4"
Tray Compts.(5),ID	4-1/4"	9-5/8"	18-3/4"
Tray Compts.(3), ID	4-1/4"	20"	18-3/4"
Fixture Panel & Shelf	78-3/4"	10"	4-3/4"
Wall Shelf	78-3/4"		12"
Epoxy resin Sink, OD	40-3/4"		26"
{Sink Depth: 7-1/2"}			

Equipment: One combination hot and cold water gooseneck faucet; one cold water bibb faucet; one duplex AC receptacle with switch; one epoxy resin sink; one polypropylene sink outlet with 4" polypropylene overflow; two full depth adjustable shelves; one wall shelf with three graduated racks. Top, fixture panel and shelf are 1" thick Rhearock unless specified. Wall shelf is 1" thick Phenolic resin with solid oak wall brackets.

6620 Developing Table

Dimensions:	W	H	D
Overall	96"	36"	30"
Base Cab.(1),OD	18"	35"	28-3/4"
Cupboard (1) ID	16-1/2"	29-1/4"	26-3/4"
Tray Cab.(1),OD	40-3/4"	27-1/2"	22-1/2"
Base Cab.(1),OD	35-1/4"	35"	28-3/4"
Drawers (2), ID	14-1/2"	6"	17"
Cupboard (1) ID	33-3/4"	21-3/4"	26-3/4"
Tray Compts.(5),ID	4-1/4"	9-5/8"	18-3/4"
Tray Compts.(3), ID	4-1/4"	20"	18-3/4"
Fixture Panel & Shelf	96"	10"	4-3/4"
Wall Shelf	96"		12"
Epoxy resin Sink, OD	40-3/4"		26"


{Sink Depth: 7-1/2" }

Equipment: One combination hot and cold water gooseneck faucet; one cold water bibb faucet; one duplex AC receptacle with switch; one epoxy resin sink; one polypropylene sink outlet with 4" polypropylene overflow; two full depth adjustable shelves; one wall shelf with three graduated racks. Top, fixture panel and shelf are 1" thick Rhearock unless specified. Wall shelf is 1" thick Phenolic resin with solid oak wall brackets.

6621 Developing Table


Same as 6620 except 66-3/4" long and base cabinets are 12"

W x 22-1/2"D x 35" H



Darkroom

TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6622 Developing Table

Dimensions:	W	H	D
Overall	89-1/8"	36"	30"
Base Cab.(1),OD	12-3/8"	35"	28-3/4"
Base Cab.(1),OD	27"	35"	28-3/4"
Sink Cab.(1),OD	47-3/4"	27-1/2"	22-1/2"
Drawers (2), ID	10-3/8"	6"	17"
Fixture Panel & Shelf	88-1/4"	10"	4-3/4"
Sink, OD	47-3/4"		26"

{Sink Depth: 7-1/2"}

Equipment: One combination hot and cold water gooseneck faucet; one combination hot and cold swing spout faucet with soap dish; one duplex AC receptacle with switch; one epoxy resin sink; one polypropylene sink outlet with 4" polypropylene overflow; two full depth adjustable shelves. Top, fixture panel and ledge cap are 1" thick Rhearock unless specified.



6622 Developing Table


Dimensions:	W	H	D
Overall	96"	36"	30"
Tray Cab.(1),OD	47-3/4"	27-1/2"	22-1/2"
Base Cab.(1),OD	47-1/4"	35"	28-3/4"
Drawers (2), ID	20-1/2"	6"	17"
Cupboard (1) ID	45-3/4"	21-3/4"	26-3/4"
Tray Compts. (5),ID	5-1/8"	9-5/8"	18-3/4"
Tray Compts.(3), ID	5-1/8"	20"	18-3/4"
Fixture Panel & Shelf	96"	10"	4-3/4"
Sink, OD	47-3/4"		26"

{Sink Depth: 7-1/2"}

Equipment: One combination hot and cold water gooseneck faucet; one combination hot & cold swing spout faucet with soap dish; one duplex AC receptacle with switch; one epoxy resin sink; one polypropylene sink outlet with 4" polypropylene overflow; one full depth adjustable shelf. Top, fixture panel and ledge cap are 1" thick Rhearock unless specified.

8139 Developing Table

Same as 6622. except opposite hand.



6624 Developing Table

Dimensions:	W	H	D
Overall	11' 2-1/4"	36"	30"
Tray Cab. (1) OD	34-9/16"	28-5/8"	22-1/2"
Base Cab. (1) OD	15-15/16"	28-5/8"	22-1/2"
Cupboard (1) ID	13-13/16"	19-1/4"	20-3/4"
Sink Cab. (1) OD	35-1/4"	35"	28-3/4"
Cupboard (1) ID	33-3/4"	21-3/4"	26-3/4"
Base Cab. (1) OD	47-1/4"	35"	28-3/4"
Drawer (1) ID	20-1/2"	6"	17"
Drawers (2) ID	20-1/2"	2-1/4"	17"
Drawers (3), ID	43-3/4"	6"	17"
Tray Compts. (6) ID	4-7/8"	21-1/8"	20-3/4"
Fixture Panel & Shelf	11' 2-1/4"	10"	4-3/4"
Sink (1) ID	48-3/4"		24-5/8"

{Sink Depth: 5-5/8"}


Sink (1) ID 25" 15"

{Sink Depth: 10"}

Equipment: One combination hot and cold water gooseneck faucet; 2 combination hot and cold water swing spout faucets with soap dishes; one duplex AC receptacle with switch; 1 large epoxy resin sink in center; 1 large epoxy sink in sink cabinet; 2 polypropylene sink outlets; 1, 4" and 1, 8" polypropylene overflows; 1 light proof drawer on upper left side. Top, fixture panel & shelf are 1" Rhearock unless specified.

Darkroom

TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6625 Developing Table


Dimensions:	W	H	D
Overall	7' 4"	36"	30"
Base Cab.(2) OD	18"	35" 2	8-3/4"
Cupboards (2) ID	16-1/2"	21-3/4"	26-3/4"
Tray Cab. (1) OD	34-9/16"	28-5/8"	22-1/2"
Base Cab (1) OD	15-15/16"	28-5/8"	22-1/2"
Cupboard (1), ID	13-13/16"	19-1/4"	20-3/4"
Drawers (2) ID	14-1/2"	6"	17"
Tray Compts. (6) ID	4-7/8"	21-1/8"	20-3/4"
Fixture Panel & Shelf	7' 4"	10"	4-3/4"
Sink (1) ID	48-3/4"		24-5/8"
{Sink Depth: 5-5/8"}			
Wall Shelf	7' 4"		12"

Equipment; Two hot and cold water swing spout faucets with soap dishes; one duplex AC receptacle with switch; one epoxy resin sink; one polypropylene sink outlet; one, 4" polypropylene overflow; two full-depth adjustable shelves; and one wall shelf. Wall shelf is 1" thick Phenolic resin with solid oak brackets. Top, fixture panel and shelf are 1" thick Rhearock unless specified.

6626 Developing Table

Dimensions:	W	H	D
Overall	7' 2"	36"	30"
Base Cab.(1) OD	35-1/4"	35"	22-1/2"
Cupboard (1), ID	33-3/4"	21-3/4"	20-3/4"
Drawers (2) ID	14-1/2"	6"	17"
Fixture Panel & Shelf	7' 2"	10"	4-3/4"
Sink (1) ID	48-3/4"		24-5/8"
{Sink Depth: 5-5/8"}			

Equipment; Two hot and cold water swing spout faucets with soap dishes; one duplex AC receptacle with switch; one epoxy resin sink; one polypropylene sink outlet; one 4" polypropylene overflow; one full-depth adjustable shelf. Top, fixture panel and shelf are 1" thick Rhearock unless specified.





Shop

6793 Heavy Duty Project Bench

Dimensions:	W	H	D
Overall	60"	36-1/4"	42"

Equipment: Solid oak construction including shelf rails. Shelves provide storage for large quantities of 48" x 30" flat stock. Top is 1-1/4" thick Rhearsin



6794 Apparatus Shop Bench



Dimensions:	W	H	D
Overall	72"	36-3/4"	24"
Base Cab. (1) OD	35-1/4"	35"	22-1/2"
Drawers (2) ID	14-1/2"	6"	17"
Cupboard (1) ID	33-3/4"	21-3/4"	20-3/4"

Equipment: One adjustable shelf in Cupboard; one # 7352A woodworking vise with 4" x 7" jaw face, 9" maximum opening, and rapid acting nut. Top is 1-3/4" laminated hard maple.

6796 Apparatus Shop Bench

Dimensions:	W	H	D
Overall	64"	31-1/4"	54"
Base Cab. (2) OD	35-1/4"	29"	22-1/2"
Lockers (12) ID	10-1/2"	11-1/4"	19-1/4"

Equipment: Four # 7352-A woodworking vises, each with 4" x 7" jaw face, 9" maximum opening, and rapid acting nut; Twelve individual lockers, six on each side; twelve master keyed locks. Top is 2-1/4" laminated hard maple.



7300 Apparatus Work Bench


Dimensions:	W	H	D
Overall	72"	36-3/4"	24"
Base Cabinet	35-1/4"		22-1/2"

Equipment: Base cabinet has unfinished back. Assembly has one adjustable shelf in cabinet; two drawers; one 7352-A woodworking vise. Top is 1-3/4" laminated hard maple.


7302 Student Work Bench

Dimensions:	W	H	D
Overall	54"	31-1/4"	48"
Base Cabinets (2), O D	35-1/4"	29"	22-1/2"
Lockers (12), I D	10-1/2"	11-1/4"	19-1/4"

Equipment: Base cabinet has 12 individual lockers, master keyed. Assembly has four 7352-A woodworking vises with aluminum handles. Top is 2-1/4" laminated hard maple.




Shop



7304 Electronic Work Bench

Dimensions:	W	H	D
Overall	72"	36"	30"

Equipment: Assembly consists of one, 21" W x 22-1/2" D four drawer base cabinet; one sliding door storage with two adjustable shelves; one shelf assembly 8" W x 17" H, finished black and equipped with two, 2 gang duplex AC receptacles and two, 1 gang duplex AC receptacles with switch. Top is 1" thick Rheutex.




7318 Tool Storage Case

Dimensions:	W	H	D
Overall	35-1/4"	84"	22-1/2"

Equipment: Unit has one cubicle at bottom with adjustable shelf; one fixed storage shelf at top; pegboard back and sides in center section with two pivoting pegboard panels. Doors are equipped with 3-point latching system.

7320 Tool Storage Case


Same as 7318 except 47-1/4" W.



7321 Tool Storage Case

Dimensions:	W	H	D
Overall	47-1/4"	84"	22-1/2"

Equipment: Bottom section with 4 compartments to accommodate 4, # 6344 plastic tote trays (included, but not shown). Case has 3 tiers: 2, with adjustable shelves, 10-3/8" x 19-1/4"; and, 3rd has adjustable shelf and adjustable tool holders.




8115 Shop Storage

Dimensions:	W	H	D
Overall	41-1/4"	84"	22-1/2"

Upper section is pegboard lined; lower section has two adjustable shelves and fixed vertical divider; double doors have 3-point latching system.


Shop



7352-A Woodworker's Vise

7-inch woodworker's vise with 2-1/2" clamping area on the left side where it is needed most. Clamping area is 20% larger than that of a conventional 7-inch woodworkers vise. Dog type front jaw for use with bench stops. Vise has rapid acting power slide mechanism which incorporates a controlled friction clutch. Counterclockwise operation disengages threads, permits fast jaw movement. Clockwise operation engages threads, producing continuous jaw movement and high pressure nonslip holding power. Strong, light metal handles of zinc coated tubular steel won't stain hands or work. Equipped with polyethylene washers.

Jaw is 4" x 7" with a maximum opening of 9". Includes mounting template with instructions for predrilling four mounting holes. Shipping weight 30 lbs.




7352-B Metal & Utility Workshop Vise

Vise has heavy-duty steel front jaw beam which covers screw; extra large back jaw anvil and anvil horn. Screw formed from cold rolled steel; handle balls forged from handle stock. Vise features an Acme threaded replaceable, malleable iron nut and replaceable compressed powdered metal jaw faces.

Permanent pipe jaws, positive "Tri-Grip" design, with positive locking swivel base, slip handle and lock nut. Jaws are polished, and the anvil has a bright red finish. Screw, handle and lock nut have bright zinc plated finish.


Jaw width is 4" with a maximum opening of 5". Pipe capacity is from 1/8" to 2". Shipping weight is 27 lbs.

Computer Support Accessories



8886 Keyboard Tray Pullout

Overall length, retracted position, mounting plate to front of pullout tray, 26"; pullout tray extends up to 11". Articulated, retractable keyboard pullout designed for under mounting. Unit equipped with height adjustable knob & hold out lock; low profile design utilizes precision ball bearing slides on 16" base frame. 360° swivel arm; 6" spring assisted height adjustment, & 25° tilt tray (easy pull latch activates tilt feature). All components exceed BIFMA standards. Includes template & mounting hardware.



8890 Keyboard Tray Pullout

Dimensions:	W	H	D
	24-1/2"	3-3/4"	15"

Designed for under mounting, Attractive vacuum formed tray, in pumice or black, specify. Tray is large enough for enhanced size keyboards and has slotted back for wire management, and incorporated wrist support. Unit has four out stop positions for various drawer slide extensions. Complete with mounting template and all hardware.



8891 Keyboard Tray Pullout


Dimensions:	W	H	D
Keyboard tray:	20-1/2"	4"*	12-1/4"
Mouse tray:	9/1/2"		2-1/2"

*Overall height, including mounting brackets.

Designed for under mounting, Attractive black vacuum formed tray large enough for standard or ergonomic shaped keyboards. Ball bearing slides and palm rest/pen and pencil compartment. Retractable mouse tray can be mounted on left or right. Complete with mounting template and all hardware.

8894CX CPU Holder

Dimensions:
Width, adjustable 5-1/2 to 9-4/5"
Height, adjustable 15-1/4 to 19-3/4"
Unit mounts under work top and is adjustable to either a vertical or horizontal position. Unit Exceeds ANSI/BIFMA standards; finish is black.



8888FS Single Screen Support Arm


Support Rod Height: 13" ; Screen tilt 180°. Rotation: 360°
Desk clamp and grommet mount hardware are included and are adjustable to fit most counter tops. Manual height adjustment to accommodate user preferences. Support ring doubles as a cable manager. Monitor mounting bracket contains both 75mm and 100 mm hole patterns to comply with VESA standards. Specify black or silver finish. Monitor is not included.



8892CX CPU Holder

Dimensions:	W	H
	3-1/2 to 9"	12-1/2 to 22-1/2"

Unit equipped with plastic side clamp with bumpers to increase stability. Knob control adjusts clamp (locking mechanism option must be specified)
Load rating is 85lbs. Unit swivels 360° and is side mountable. Black finish.



8896 Universal CPU Holder

Dimensions:	W	H
	5" to 9"	14" to 24"


Unit equipped to mount vertically or horizontally. Adjustable width and height for variety of CPU styles. Includes hardware and installation template. Available in off-white, black or unfinished. This unit not equipped with slides, see 8898.

8898 Universal CPU Holder

Same as 8896, except equipped with slides permitting 12" of travel.

Technology Tables

8900 A



8900 A Technology Table for Eight

Dimensions:	W	H	D
Overall	16'	30"	16'
Service Column, Overall		94-1/4"	

The central service column has an alternating pattern of solid oak panels and plastic laminate covered hardwood plywood panels. The column is equipped with a 20 amp, 120 volt, 2-gang duplex electrical outlet and a box for a computer data outlet for each work area. Blank face plates can be provided if data outlet is not to be used. The top of the service column has an alternating pattern of solid oak panels and plastic laminate covered hardwood plywood panels to match the column. Upper and lower surfaces are 3/4" oak plywood with solid oak edge banding. A red, 7-1/2 watt, 120 volt call light is provided for each work area, and is operated by a switch located in the table rail.

The entire knee space under structure assembly is constructed of 3/4" x 4-7/8" solid oak rails. Individual knee space components are through bolted together. Legs are 2-1/4" square solid oak and are attached with heavy duty metal brackets. Base cabinets are 18" W x 29" H. Each cabinet is equipped with three, 18" deep drawers, side mounted on metal 100 pound capacity drawer slides.

Each area is provided with two, 18" H x 65" W, natural cork tack boards mounted on hardwood plywood and framed in 1-1/16" solid oak and a 14" D hardwood plywood adjustable corner shelf mounted on metal shelf standards.

An optional horizontally adjustable VCR tape storage shelf (request **8900VCR**), or a horizontally adjustable notebook shelf (request **8900 NB**) are available. Specify and order by number indicated. Horizontally adjustable shelves are constructed with epoxy coated mild steel sides and back on a wood shelf mounted in an aluminium track. Work top is plastic laminate and can be color coordinated with the plastic laminate panels in the service column.

8900 B Technology Table for Eight


Same as 8900A, except cabinets are open shelf units.

8900 C Technology Table for Eight

Same as 8900A, except cabinets are a cupboard with one shelf.

8900 D Technology Table for Eight


Same as 8900A, except cabinets one drawer and cupboard.



B

C

D



Technology Tables

8902 A Technology Table for Four

Dimensions:	W	H	D
Overall.....	16'	30"	8'
Service Column, Overall....		94-1/4"	

The central service column has an alternating pattern of solid oak panels and plastic laminate covered hardwood plywood panels. The column is equipped with a 20 amp, 120 volt, 2-gang duplex electrical outlet and a box for a computer data outlet for each work area. Blank face plates can be provided if data outlet is not to be used. The top of the service column has an alternating pattern of solid oak panels and plastic laminate covered hardwood plywood panels to match the column. Upper and lower surfaces are 3/4" oak plywood with solid oak edge banding. A red, 7-1/2 watt, 120 volt call light is provided for each work area, and is operated by a switch located in the table rail.

The entire knee space under structure assembly is constructed of 3/4" x 4-7/8" solid oak rails. Individual knee space components are through-bolted together. Legs are 2-1/4" square solid oak and are attached with heavy duty metal brackets. Base cabinets are 18" W x 29" H. Each cabinet is equipped with three, 18" deep drawers, side mounted on metal 100 pound capacity drawer slides.

Each area is provided with two, 18" H x 65" W, natural cork tack boards mounted on hardwood plywood and framed in 1-1/16" solid oak and a 14" D hardwood plywood adjustable corner shelf mounted on metal shelf standards.

An optional horizontally adjustable VCR tape storage shelf (request **8900VCR**), or a horizontally adjustable notebook shelf (request **8900 NB**) are available. Specify and order by number indicated. Horizontally adjustable shelves are constructed with epoxy coated mild steel sides and back on a wood shelf mounted in an aluminium track. Work top is plastic laminate and can be color coordinated with the plastic laminate panels in the service column.

8902 B Technology Table for Four

Same as 8902A, except cabinets are open shelf units.

8902 C Technology Table for Four

Same as 8902A, except cabinets are a cupboard with one shelf.

8902 D Technology Table for Four

Same as 8902A, except cabinets have one drawer and cupboard.

8906 A Technology Table for Two

Dimensions:	W	H	D
Overall.....	8'	30"	8'
Service Column, Overall...		94-1/4"	

This variation of the basic technology table provides the standard work space area for two students, and allows for the best use of room design space. Equipment is same as 8902 A.

8906 B Technology Table for Two


Same as 8906A, except cabinets are open shelf units.

8906 C Technology Table for Two


Same as 8906A, except cabinets are a cupboard with one shelf.

8906 D Technology Table for Two


Same as 8906A, except cabinets have one drawer and cupboard.



8902
Top View




8906 A




8906 Top View

Data Service Fittings




8970 RJ-45 Jack, Single Receptacle

Single jack with 4-1/2" H x 2-3/4"W stainless steel wall plate.




8972 RJ-45 Jack, Double Receptacle

Double jacks with 4-1/2" H x 2-3/4"W stainless steel wall plate.




8974 RJ45 Jack, Quad Receptacle

Four jacks with 4-1/2" square stainless steel wall plate.




8976 Co Axle Receptacle

Co axle plugs; with 4-1/2" H x 2-3/4"W stainless steel wall plate.



8978 Parallel Serial Cable Receptacle


Receptacle equipped to receive parallel serial cables; with 4-1/2" H x 2-3/4"W stainless steel wall plate.



Project:
Dillard University
Technology & Testing Lab
New Orleans LA

Dealer:
Laboratory Design
and Supply
Buford GA

PC or Audio/Video (A.V) Storage Case



8920 PC or Audio/Video (AV) Storage Case

Dimensions	W	H	D
Overall	41-1/4"	84"	23-3/4"

Cabinet designed to be self-contained center for multimedia presentations. Provides storage for television or computer monitor, and video cassette recorder (VCR) or CPU in upper compartment; while providing ample storage in the lower compartment for cassettes, VCR tapes, computer software, printer and paper.



The upper compartment is equipped with square edged, pocket style, flush inset doors. The upper section is equipped with at 175 lb. capacity full extension swivel shelf, allowing the TV or monitor to be pulled out past the front of the case for viewing. Upper compartment space (allowing for the full extension, swivel shelf) will accommodate a monitor, or TV the maximum dimensions of 32" x 27" H x 19" D. VCR or CPU storage area is 32" W x 8" H x 19" D.

Lower compartment is equipped with square edged, overlay style doors and two adjustable shelves. Compartments can be independently equipped with locks to restrict access to one, or both. Locks are not included; must be specified.

8922 PC or Audio/Video (A/V) - Storage Case

Same as 8920 except 47-1/4" W x 23-3/4" D; will accommodate a monitor or TV, 38" x 27" 19" and a VCR width of 38".

Multi-Media Instructor's Command Center



8836 Multi-Media Instructors Command Center

Dimensions:	W	H	D
Overall	10'-8"	6'-0"	34"

Equipment: One 9529 combination cold water and gas fixture, one 9818 duplex electric receptacle. One 14" x 10" x 5" deep drop-in epoxy sink, one epoxy resin sink outlet, and two "EDP" grommets.

Unit is designed to accommodate both lab and lecture functions in the classroom, while maximizing both space and time available in a single classroom. Lecture side of table provides ample countertop room and access to a computer monitor and keyboard. When lab experiments are required there is ample work surface and a sink is provided for wash-up.


Storage cabinets at each end are accessible from both sides for easy cable management and/or plumbing. The center cabinet has one adjustable shelf and doors on the classroom side. The tambour door storage cases are each equipped with one pullout shelf for a printer or projector.

An optional, acrylic, rotating monitor enclosure with a black 3/4" phenolic resin base is available, if specified. Enclosure is vented to avoid monitor overheating. Swivel is aluminum with ball bearings. Cut out is provided in the countertop for cables.

Crossbar assembly with "C" clamp bases are available but sold separately.

(Note: Monitor, CPU and keyboard are not included.)

Computer Shelf



8850 Computer Shelf

Dimensions:	W	H	D
Overall	48"	17-1/4"	22"

Computer shelf is constructed of oak plywood with a plastic laminate back panel. Shelf is designed to place computers above the science laboratory top. Wall mounted computer shelf accommodates a monitor on the top shelf. Unit provides storage for keyboard in the bottom compartment opening. CPU unit in top opening and miscellaneous storage for software or manuals at each side. 3" diameter holes provide access for cables and wiring.


Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

Athletic Lockers, Cubbies, Mailboxes & Bin Storage

TABLE OF CONTENTS

<u>Item</u>	<u>Pages</u>
<i>Athletic Lockers</i>	<i>1-5</i>
<i>Baseball</i>	<i>4</i>
<i>Basketball</i>	<i>4</i>
<i>Football</i>	<i>3</i>
<i>General Use</i>	<i>1, 2</i>
<i>Golf</i>	<i>5</i>
<i>Soccer</i>	<i>4</i>
<i>Benches</i>	<i>8</i>
<i>Bins</i>	<i>13</i>
 <i>Cubbies/Locker Combo</i>	
<i>Wood</i>	<i>9-12</i>
 <i>Lockers</i>	
<i>Wood</i>	<i>1-5</i>
<i>Metal</i>	<i>6, 7</i>
 <i>Mailboxes</i>	<i>14</i>
 <i>Nameplates</i>	<i>8</i>
 <i>Seating</i>	<i>8</i>
<i>Stools</i>	<i>8</i>
<i>Storage Bin/Tub</i>	<i>13</i>


General Use Athletic Lockers



Open Locker with Drawer

Unit	W	H	D
AADV2484	24"	84"	24"
AADV2784	27"	84"	24"
AADV3084	30"	84"	24"
AADV3384	33"	84"	24"
AADV3684	36"	84"	24"


Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage.



Open Locker with Drawer

Unit	W	H	D
AADP2484	24"	84"	24"
AADP2784	27"	84"	24"
AADP3084	30"	84"	24"
AADP3384	33"	84"	24"
AADP3684	36"	84"	24"


Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage; drawer face has a perforated epoxy coated steel panel insert.



Open Locker with Drawer

Unit	W	H	D
AAOV2484	24"	84"	24"
AAOV2784	27"	84"	24"
AAOV3084	30"	84"	24"
AAOV3384	33"	84"	24"
AAOV3684	36"	84"	24"


Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with two open cubbies at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage.



Open Locker with Lift-Seat Storage

Unit	W	H	D
AATP2484	24"	84"	24"
AATP2784	27"	84"	24"
AATP3084	30"	84"	24"
AATP3384	33"	84"	24"
AATP3684	36"	84"	24"


Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath hinged bench seat is additional storage; face panel of storage area has a perforated epoxy coated steel panel insert.



Open Locker with Lift-Seat Storage

Unit	W	H	D
AATV2484	24"	84"	24"
AATV2784	27"	84"	24"
AATV3084	30"	84"	24"
AATV3384	33"	84"	24"
AATV3684	36"	84"	24"


Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath hinged bench seat is additional storage; face panel of storage area is vented.



Profile of Open Locker with Lift-Seat Storage Area.

Overall Depth is 24"; fixed back seat panel is 4" D with hinged 18" lift seat.


General Use Athletic Lockers



Open Locker with Drawer

Unit	W	H	D
AADV2484R	24"	84"	24"
AADV2784R	27"	84"	24"
AADV3084R	30"	84"	24"
AADV3384R	33"	84"	24"
AADV3684R	36"	84"	24"



Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage. End panels and bench seat have radius edge.



Open Locker with Drawer


Unit	W	H	D
AADP2484R	24"	84"	24"
AADP2784R	27"	84"	24"
AADP3084R	30"	84"	24"
AADP3384R	33"	84"	24"
AADP3684R	36"	84"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage; drawer face has a perforated epoxy coated steel panel insert. End panels and bench seat have radius edge.



Profile of Open Locker with Lift-Seat Storage

Overall Depth is 24"; fixed back seat panel is 4" D with hinged 18" lift seat.



Open Locker with Lift-Seat Storage

Unit	W	H	D
AATP2484R	24"	84"	24"
AATP2784R	27"	84"	24"
AATP3084R	30"	84"	24"
AATP3384R	33"	84"	24"
AATP3684R	36"	84"	24"


Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath hinged bench seat is additional storage; face panel of storage area has a perforated epoxy coated steel panel insert. End panels and bench seat have radius edge.

Open Locker with Lift-Seat Storage

Unit	W	H	D
AATV2484R	24"	84"	24"
AATV2784R	27"	84"	24"
AATV3084R	30"	84"	24"
AATV3384R	33"	84"	24"
AATV3684R	36"	84"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath hinged bench seat is additional storage; face panel of storage area is vented. End panels and bench seat have radius edge.


Football Lockers



Football Open Locker with Drawer

Unit	W	H	D
AFDV2472	24"	72"	24"
AFDV2772	27"	72"	24"
AFDV3072	30"	72"	24"
AFDV3372	33"	72"	24"
AFDV3672	36"	72"	24"



Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage. Helmet and shoulder pad support made of 1" tube steel with powder coat finish.



Football Open Locker with Drawer


Unit	W	H	D
AADP2472	24"	72"	24"
AADP2772	27"	72"	24"
AADP3072	30"	72"	24"
AADP3372	33"	72"	24"
AADP3672	36"	72"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage; drawer face has a perforated epoxy coated steel panel insert. Helmet and shoulder pad support made of 1" tube steel with powder coat finish.



**Profile of
Open Locker
with Lift-Seat Storage**

Overall Depth is 24";
fixed back seat panel is
4" D with hinged 18"
lift seat.



Football Open Locker with Lift-Seat Storage

Unit	W	H	D
AFTP2472	24"	72"	24"
AFTP2772	27"	72"	24"
AFTP3072	30"	72"	24"
AFTP3372	33"	72"	24"
AFTP3672	36"	72"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath hinged bench seat is additional storage; face panel of storage area has a perforated epoxy coated steel panel insert. Helmet and shoulder pad support made of 1" tube steel with powder coat finish.


2009

Football Open Locker with Lift-Seat Storage

Unit	W	H	D
AFTV2472	24"	72"	24"
AFTV2772	27"	72"	24"
AFTV3072	30"	72"	24"
AFTV3372	33"	72"	24"
AFTV3672	36"	72"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath hinged bench seat is additional storage; face panel of storage area is vented. Helmet and shoulder pad support made of 1" tube steel with powder coat finish.


Basketball, Baseball, Soccer Athletic Lockers



Basketball Open Locker with Drawer

Unit	W	H	D
ABDV2484	24"	84"	24"
ABDV2784	27"	84"	24"
ABDV3084	30"	84"	24"



Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage. Side compartment with coat rod.



Basketball Open Locker with Drawer


Unit	W	H	D
ABDP2484	24"	84"	24"
ABDP2784	27"	84"	24"
ABDP3084	30"	84"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage; drawer face has a perforated epoxy coated steel panel insert.



**Profile of
Open Locker
with Lift-Seat Storage**

Overall Depth is 24";
fixed back seat panel is
4" D with hinged 18"
lift seat.



Basketball Open Locker with Lift-Seat Storage

Unit	W	H	D
ABTP2484	24"	84"	24"
ABTP2784	27"	84"	24"
ABTP3084	30"	84"	24"


Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath hinged bench seat is additional storage; face panel of storage area has a perforated epoxy coated steel panel insert.

Basketball Open Locker with Lift-Seat Storage

Unit	W	H	D
ABTV2484	24"	84"	24"
ABTV2784	27"	84"	24"
ABTV3084	30"	84"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath hinged bench seat is additional storage; face panel of storage area is vented.

Golf Athletic Lockers



Golf Open Locker with Drawer

Unit	W	H	D
AGDV1884	18"	84"	24"
AGDV2184	21"	84"	24"
AGDV2484	24"	84"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage.

Unit	W	H	D
AGTV1884	18"	84"	24"
AGTV2184	21"	84"	24"
AGTV2484	24"	84"	24"


Equipment: Same as above, except without drawer. Seat lifts to storage area underneath.



Golf Open Locker with Lift-Seat Storage

Unit	W	H	D
AGDN1884	18"	84"	24"
AGDN2184	21"	84"	24"
AGDN2484	24"	84"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with a combination locked cupboard at top; locked center cupboard includes fixed shelf, clothes hanger rod and two clothing hooks. Underneath center cupboard is additional drawer storage; face panel of storage area has a perforated epoxy coated steel panel insert.




Golf Open Locker with Drawer

Unit	W	H	D
AGDP1884	18"	84"	24"
AGDP2184	21"	84"	24"
AGDP2484	24"	84"	24"

Equipment: Top rail is large enough to support 2-1/2" H name plate (order separately). Unit equipped with open cubbie and a combination locked cupboard at top; fixed shelf, clothes hanger rod and two clothing hooks. Underneath fixed bench seat is a vented drawer for additional storage; drawer face has a perforated epoxy coated steel panel insert.

Unit	W	H	D
AGTP1884	18"	84"	24"
AGTP2184	21"	84"	24"
AGTP2484	24"	84"	24"

Equipment: Same as above, except without drawer. Seat lifts to storage area underneath



NEW Option - Mechanical Combination/Key Lock Pull

This lock is designed to be used on extensive range of wood doors. Intuitive mechanical code entry lock has a mechanical key override and the ability for the user to set and change their own personal entry code. It is supplied with a choice of cams and can be set to left or right hand mode by the flick of a switch on the rear of the lock. This lock must be specified.

Athletic, Metal Locker Storage



7820 Metal Storage Locker, 5 Compartment

Dimensions	H	W	D
Overall	74-3/4"	18-3/4"	18"

Storage locker by Hallowell is constructed of super strong galvaneal steel; carbon steel coated with zinc on both sides by a continuous hot dip process. Galvaneal is harder than regular galvanized coating, and more scratch and damage resistant. 13 to 14 gauge steel frame and sides; 16 gauge steel shelves. Unit is an all welded assembly. Expanded metal sides and back with a diamond perforated door; single point lock. Units are excellent for use during on or off-season storage of sports equipment.

Metal Storage Locker, With or Without Shelves

All welded storage locker by Little Giant is designed for both security and visibility of stored contents. Expanded metal has 3/4" x 1-1/2" diamond shaped openings. 13 gauge shelf frame sides; 12 gauge steel shelves. Doors open 270° back to the sides. Shelves are welded in place; the one shelf cabinet has 34" above and below the shelf; two shelf cabinet has 22-1/2" between shelves. Unit has 3-1/2" underclearance and a padlock hasp. Units are excellent for use during off or on-season storage of sports equipment. All units are 78" H.

Without Shelf:

Unit #	W	D	H
7622-0	48"	24"	78"
7624-0	60"	24"	78"
7626-0	60"	36"	78"
7628-0	72"	36"	78"
7630-0	48"	30"	78"
7632-0	60"	30"	78"

With One Shelf:

Unit #	W	D	H
7622-1	48"	24"	78"
7624-1	60"	24"	78"
7626-1	60"	36"	78"
7628-1	72"	36"	78"
7630-1	48"	30"	78"
7632-1	60"	30"	78"

With Two Shelves:

Unit #	W	D	H
7622-2	48"	24"	78"
7624-2	60"	24"	78"
7626-2	60"	36"	78"
7628-2	72"	36"	78"
7630-2	48"	30"	78"
7632-2	60"	30"	78"



Athletic, Metal Locker Storage



Metal Modular Storage Locker - Single Tier or Double Tier - Optional Top and Back

Bulk storage locker by Hallowell is suitable for off or in season storage of a variety of sports equipment and supplies.

Constructed of heavy duty open mesh; 13 to 14 gauge steel frame and sides; and, 16 gauge shelves. Doors are equipped with welded padlock hasps.

Double tier units include a non removable reinforced center shelf. Pre-punched holes on panels allow for easy installation. All basic hardware is included; ships unassembled. All units are 90" H. Specify optional top or back.

Single Tier Locker - STARTER:

Unit #	W	D	H
7634	36"	36"	90"
7636	36"	48"	90"
7638	36"	60"	90"
7640	48"	36"	90"
7642	48"	48"	90"
7644	48"	60"	90"

Single Tier Locker - ADD ON:

Unit #	W	D	H
7634A	36"	36"	90"
7636A	36"	48"	90"
7638A	36"	60"	90"
7640A	48"	36"	90"
7642A	48"	48"	90"
7644A	48"	60"	90"

Double Tier Locker - STARTER:

Unit #	W	D	H
7634-2	36"	36"	90"
7636-2	36"	48"	90"
7638-2	36"	60"	90"
7640-2	48"	36"	90"
7642-2	48"	48"	90"
7644-2	48"	60"	90"

Double Tier Locker - ADD ON:

Unit #	W	D	H
7634-2A	36"	36"	90"
7636-2A	36"	48"	90"
7638-2A	36"	60"	90"
7640-2A	48"	36"	90"
7642-2A	48"	48"	90"
7644-2A	48"	60"	90"

OPTIONAL TOPS:

Unit #	W	D
7646-36	36"	36"
7646-48	36"	48"
7646-60	36"	60"
7648-36	48"	36"
7648-48	48"	48"
7648-60	48"	60"

OPTIONAL BACKS:

Unit #	W
7650-36	36"
7650-48	48"

Benches, Stools and Name Plates

Benches are available to compliment any locker style selected.
A variety of lengths, widths and heights are available. Specify.



7070 Standard Wood Pedestal Base with Matching Wood Seat



Box leg pedestal with access panel in place.

7074 Bench (not illustrated)
Heavy Duty Steel Box Leg Pedestal with Oak or Maple Seat. Box is epoxy powder coated & has separate access panel. Access panel and pedestal must be anchored to the floor by others.



Bench with pole leg pedestal



7072 Bench (illustrated)
Heavy Duty Steel Pole Leg Pedestal with Oak or Maple Seat. This style must be anchored to the floor by others.



7062 Stationary Wood Stool
13" diameter seat, manufactured from seasoned hardwood and stained and finished to match lockers. 24" fixed height.

7064 Stationary Wood Stool
Same as 7062, except 18" fixed height.




7062

Brushed Aluminum Name Plates

Brushed aluminum name plates, 13/16" x 3-13/16", are available for mailbox name identity or numbering system. When selecting your locker, add the suffix - NP.

Example: **7476-NP**

Example of name plate placement on mailbox system.




Zinc Name Plates

Zinc name plates, 2-1/2" x 10" are available for locker name identity or numbering system. When selecting your locker, add the suffix - ZNP.



Example: **7476-ZNP**

Suggested name plate placement on locker header.



Locker/Cubbie Combination

48" H units are recommended for Pre-K, Kindergarten & Early Years.
60"H units are appropriate for Elementary through High School applications.



Open, 2 Unit, Upper Cubbie, Locker & Lower Cubbie

7430	Dimensions	D	W	H
	Overall	12"	21"	48"
	Cubbies (2), Upper	10-3/4"	9-3/8"	11-1/4"
	Cubbies (2), Lower	10-3/4"	9-3/8"	11-1/4"

Equipped with 2 hanging hooks in each locker compartment and finished top. No door, standard.

7432	Dimensions	D	W	H
	Overall	12"	24"	48"
	Cubbies (2), Upper	10-3/4"	10-3/8"	11-1/4"
	Cubbies (2), Lower	10-3/4"	10-3/8"	11-1/4"

Equipped with 2 hanging hooks in each locker compartment and finished top. No doors, standard.

7434	Dimensions	D	W	H
	Overall	12"	30"	48"
	Cubbies (2), Upper	10-3/4"	13-7/8"	11-1/4"
	Cubbies (2), Lower	10-3/4"	13-7/8"	11-1/4"

Equipped with 2 hanging hooks in each locker compartment and finished top. No doors, standard.

7436	Dimensions	D	W	H
	Overall	12"	21"	60"
	Cubbies (2), Upper	10-3/4"	9-3/8"	11-1/4"
	Cubbies (2), Lower	10-3/4"	9-3/8"	11-1/4"

Equipped with 2 hanging hooks in each locker compartment and finished top. No doors, standard.

7438	Dimensions	D	W	H
	Overall	12"	24"	60"
	Cubbies (2), Upper	10-3/4"	10-3/8"	11-1/4"
	Cubbies (2), Lower	10-3/4"	10-3/8"	11-1/4"


Equipped with 2 hanging hooks in each locker compartment and finished top. No doors, standard.

7440	Dimensions	D	W	H
	Overall	12"	30"	60"
	Cubbies (2), Upper	10-3/4"	13-7/8"	11-1/4"
	Cubbies (2), Lower	10-3/4"	13-7/8"	11-1/4"

Equipped with 2 hanging hooks in each locker compartment and finished top. No doors, standard.

Locker/Cubbie Combination


48" H units are recommended for Pre-K, Kindergarten & Early Years.
60"H units are appropriate for Elementary through High School applications.



Open, 3 Unit, Upper Cubbie, Locker & Lower Cubbie

7442	Dimensions	D	W	H
	Overall	12"	35-1/4"	48"
	Cubbies (3), Upper	10-3/4"	13-7/8"	11-1/4"
	Cubbies (3), Lower	10-3/4"	13-7/8"	11-1/4"

Equipped with 2 hanging hooks in each locker compartment and finished top. No doors standard.




Open, 4 Unit, Upper Cubbie, Locker & Lower Cubbie

7444	Dimensions	D	W	H
	Overall	12"	47-1/4"	48"
	Cubbies (4), Upper	10-3/4"	13-7/8"	11-1/4"
	Cubbies (4), Lower	10-3/4"	13-7/8"	11-1/4"


Equipped with 2 hanging hooks in each locker compartment and finished top. No doors, standard.

Locker/Cubbie Combination

48" H units are recommended for Pre-K, Kindergarten & Early Years.
60"H units are appropriate for Elementary through High School applications.



Front




Side/profile cutaway
view of 7446 Open, Three
Locker Units.

Open, Three Locker Unit

7446 Dimensions	D	W	H
Overall	12"	35-1/4"	48"
Cubbies (3), Upper	10-3/4"	10-3/4"	11-1/4"

No seating area provided, lower portion has slant shoe shelf/storage area. Each locker area equipped with two hanger hooks. Unit has a finished top. No doors, standard.




Open, 2 Unit, Upper Cubbie, Locker Storage

7447 Dimensions	D	W	H
Overall	12"	21"	48"
Cubbies (2)	10-3/4"	9-3/8"	11-1/4"

Equipped with 2 hanging hooks in each locker compartment and a finished top. No doors, standard.

7448 Dimensions	D	W	H
Overall	12"	21"	60"
Cubbies (2)	10-3/4"	9-3/8"	11-1/4"

Equipped with 2 hanging hooks in each locker compartment and a finished top. No doors, standard.



Open, 5 Unit, Upper Double Cubbies, Locker Storage

7428 Dimensions	D	W	H
Overall	14"	47-1/4"	60"
Cubbies (10)	12-3/4"	8-1/2"	10"

Equipped with 5, double hanging hooks and a finished top. No doors, standard.

Locker/Cubbie Combination

48" H units are recommended for Pre-K, Kindergarten & Early Years.
60"H units are appropriate for Elementary through High School applications.

7420 Open, Three Locker Unit with Seat Area

Dimensions	D	W	H
Overall	24"	35-1/4"	60"


End panels of three unit section have decorative curved angle at seating height. Lower cubbie back and 'floor' are plastic laminate on plywood; specify color selection. Each locker area equipped with two hanger hooks. Unit has finished top.



7426 Open, Three Locker Unit with Cubbie Double Upper and Single Lower Cubby Storage Areas

Dimensions	L	W	H
Overall	14"	35-1/4"	60"

End panels and divider panels of three unit section have decorative curved angle at base of locker area. Two lower cubbies per locker section. Each locker area equipped with one double hanger hook. Unit has finished top.



Bins and Bin Storage Units


Colorful Bin/Tub Storage Units

Available in four colors and clear: blue, red, green, yellow and clear.
No lids or tops available.


Specify quantity and color selection(s).



	Dimensions	L	W	H
7479	Overall	12-1/2"	10-1/4"	8-1/2"



7480
7482
7484



7486
7488
7490
7492

Open, Bin Storage Units


	Dimensions	D	W	H
7480	Overall	22-1/2"	18"	84"
	Cubbies (6)	21-1/4"	16-1/2"	12-1/4"
7482	Overall	22-1/2"	21"	84"
	Cubbies (6)	21-1/4"	19-1/2"	12-1/4"
7484	Overall	22-1/2"	24"	84"
	Cubbies (6)	21-1/4"	22-1/2"	12-1/4"
7486	Overall	22-1/2"	30"	84"
	Cubbies (12)	21-1/4"	13-7/8"	12-1/4"
7488	Overall	22-1/2"	35-1/4"	84"
	Cubbies (12)	21-1/4"	16-1/2"	12-1/4"
7490	Overall	22-1/2"	41-1/4"	84"
	Cubbies (12)	21-1/4"	19-1/2"	12-1/4"
7492	Overall	22-1/2"	47-1/4"	84"
	Cubbies (12)	21-1/4"	22-1/2"	12-1/4"

Mailboxes & Custom Cubbie Storage Areas


CampbellRhea has the full capability to meet the unique, modified requirements of customers' Mailbox and Cubbie Storage needs. Since each project has its own unique requirements for these units, we offer two distinct design styles:

- A.: Mailboxes or Cubbies to your specified size and quantity, have fixed wood shelves with vertical white melamine dividers that sit into routed slots at the top and bottom of adjoining shelves. Each box created provides space for simple labeling or name plate holder (order separately).
- B.: Mailboxes or Cubbies to your specified size and quantity, have fixed wood vertical dividers and fixed wood horizontal elements. Each box created provides space for simple labeling or name plate holder (order separately).

Style A: Fixed wood shelves with vertical white melamine dividers.
Each box has space for labeling or name plate holder (order separately).



Style B: Fixed wood shelves with fixed vertical wood dividers.
Each box has space for labeling or name plate holder (order separately).



Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.


Library Furniture, Hospitality & Lounge

TABLE OF CONTENTS

<u>Item</u>	<u>Pages</u>
<i>Assembly, Circulation Desk</i>	<i>9</i>
<i>Assembly, Computer Work Stations</i>	<i>4</i>
<i>Assembly, Study Carrels</i>	<i>4</i>
<i>Atlas Stand</i>	<i>3</i>
<i>Base Cabinets</i>	<i>7</i>
<i>Bookcases</i>	<i>1</i>
<i>Book Receiving Truck</i>	<i>3</i>
<i>Book Truck</i>	<i>3</i>
<i>Carrel</i>	<i>4</i>
<i>Chairs</i>	<i>11, 12, 13</i>
<i>Circulation Desks</i>	
<i>Typical</i>	<i>6</i>
<i>Circulation Desks Components</i>	<i>7,8</i>
<i>Circulation Work Desk Assemblies</i>	<i>9</i>
<i>Computer Work Station</i>	<i>4</i>
<i>Dictionary Stand</i>	<i>3</i>
<i>Display</i>	<i>5</i>
<i>Furniture</i>	<i>11,12,13</i>
<i>Hospitality Furniture</i>	<i>11,12,13</i>
<i>Lounge Furniture</i>	<i>11,12,13</i>
<i>Magazine Storage</i>	<i>2</i>
<i>Mobile Book Truck</i>	<i>3</i>
<i>Newspaper Storage</i>	<i>2</i>
<i>Reading Lounge Furniture</i>	<i>11, 12, 13</i>
<i>Shelving</i>	<i>1</i>
<i>Study Carrels</i>	<i>4</i>
<i>Tables</i>	<i>10</i>

Library Shelving

82" High SINGLE FACE



	Unit	Depth
SHW3612SB*	37"W Starter	12"
SHW3612AB*	36"W Adder	12"


Adjustable book shelving has 1" thick plywood shelves with solid lumber edge band on front & back edges.

Unit comes with six shelves, bottom and five adjustable; with hole and pin adjustment on 32mm centers. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **SHC3612SB**

60" High SINGLE FACE



	Unit	Depth
SMW3612SB*	37"W Starter	12"
SMW3612AB*	36"W Adder	12"


Adjustable book shelving has 1" thick plywood shelves with solid lumber edge band on front & back edges.

Unit comes with five shelves, bottom and four adjustable; with hole and pin adjustment on 32mm centers. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **SMC3612SB**

42" High SINGLE FACE



	Unit	Depth
SLW3612SB*	37"W Starter	12"
SLW3612AB*	36"W Adder	12"


Adjustable book shelving has 1" thick plywood shelves with solid lumber edge band on front & back edges.

Unit comes with four shelves, bottom and two adjustable; with hole and pin adjustment on 32mm centers. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **SLC3612SB**

82" High DOUBLE FACE



	Unit	Depth
SHW3623SB*	37"W Starter	23"
SHW3623AB*	36"W Adder	23"

Adjustable book shelving has 1" thick plywood shelves with solid lumber edge band on front & back edges.


Unit comes with twelve shelves, two bottom and ten adjustable; with hole and pin adjustment on 32mm centers. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **SHC3623SB**

2009

60" High DOUBLE FACE



	Unit	Depth
SMW3623SB*	37"W Starter	23"
SMW3623AB*	36"W Adder	23"


Adjustable book shelving has 1" thick plywood shelves with solid lumber edge band on front & back edges.

Unit comes with ten shelves, two bottom and eight adjustable; with hole and pin adjustment on 32mm centers. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **SMC3623SB**

42" High DOUBLE FACE



	Unit	Depth
SLW3623SB*	37"W Starter	23"
SLW3623AB*	36"W Adder	23"

Adjustable book shelving has 1" thick plywood shelves with solid lumber edge band on front & back edges.


Unit comes with six shelves, two bottom and four adjustable; with hole and pin adjustment on 32mm centers. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **SLC3623SB**

Library Magazine & Newspaper Display

82" High MAGAZINE SHELVING




	Unit	Depth
<u>SINGLE FACE</u>		
MHW3612SB*	37"W Starter	12"
MHW3612AB*	36"W Adder	12"
<u>DOUBLE FACE</u>		
MHW3623SB*	37"W Starter	23"
MHW3623AB*	36"W Adder	23"

Single face magazine shelving unit has five (double has ten) adjustable sets of sloping, raised edge magazine display shelves with a flat shelf beneath for storing back issues. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **MHC3612SB**

60" High MAGAZINE SHELVING




	Unit	Depth
<u>SINGLE FACE</u>		
MMW3612SB*	37"W Starter	12"
MMW3612AB*	36"W Adder	12"
<u>DOUBLE FACE</u>		
MMW3623SB*	37"W Starter	23"
MMW3623AB*	36"W Adder	23"

Single face magazine shelving unit has three (double has six) adjustable sets of sloping, raised edge magazine display shelves with a flat shelf beneath for storing back issues. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **MMC3612SB**

42" High MAGAZINE SHELVING




	Unit	Depth
<u>SINGLE FACE</u>		
MLW3612SB*	37"W Starter	12"
MLW3612AB*	36"W Adder	12"
<u>DOUBLE FACE</u>		
MLW3623SB*	37"W Starter	23"
MLW3623AB*	36"W Adder	23"

Single faced magazine shelving unit has two (double has four) adjustable sets of sloping, raised edge magazine display shelves with a flat shelf beneath for storing back issues. Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **MLC3612SB**

82" High NEWSPAPER SHELVING




	Unit	Depth
<u>SINGLE FACE</u>		
NHW3612SB*	37"W Starter	12"
NHW3612AB*	36"W Adder	12"
<u>DOUBLE FACE</u>		
NHW3623SB*	37"W Starter	23"
NHW3623AB*	36"W Adder	23"

Single newspaper shelving unit has two (double has four), 1" adjustable shelves over an inclined rack containing eight hardwood newspaper wands (double has two racks). Unit has a full height back and standard top is wood.

*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **NHC3612SB**

60" High NEWSPAPER SHELVING



	Unit	Depth
<u>SINGLE FACE</u>		
NMW3612SB*	37"W Starter	12"
NMW3612AB*	36"W Adder	12"
<u>DOUBLE FACE</u>		
NMW3623SB*	37"W Starter	23"
NMW3623AB*	36"W Adder	23"

Single newspaper unit has one inclined rack containing eight hardwood newspaper wands. Double has two racks. Unit has a full height back and standard top is wood.



*For a continuous plastic laminate top, change "W" in the unit number to "C".

Example: **NMC3612SB**

Library Furniture

CDC36BTD	Double-Faced Book Truck		
	W	H	D
Dimensions	35-3/4"	42"	24"

Book truck has total of six fixed, slanted shelves. Truck is equipped with four heavy duty casters, two rigid, two swivel and lock.





CDC7436	Depressible Book Receiving Truck		
	W	H	D
Dimensions	30"	27-3/4"	21"

Book receiving truck fits under 39" circulation desk. The depressible platform is plastic laminated and mounted on a spring mechanism. The unit is equipped with rubber bumper guards placed midway up each corner. The truck is supplied with four heavy duty casters; two rigid, two swivel and lock.

CDS1218FB	Dictionary Stand		
	W	H	D
Dimensions	25"	44-1/2"	29"

Sloped top has plastic laminate surface with edge band of solid oak. Edge band is applied after lamination. A book retainer is positioned along the bottom edge of the sloped top. A full height plywood back is recessed into the end panels which are finished with solid oak edge band. Equipped with one adjustable shelf and bottom shelf is fixed. Stand sits on a table frame base.



CAS1218FB	Atlas Stand		
	W	H	D
Dimensions	25"	44-1/2"	29"

Sloped top has plastic laminate surface with edge band of solid oak. Edge band is applied after lamination. A book retainer is positioned along the bottom edge of the sloped top. A full height plywood back is recessed into the end panels which are finished with solid oak edge band. Equipped with six pullout shelves on nylon roller slides. Stops on shelves prevent accidental removal. Stand sits on a table frame base.

Library Study Carrels

Study Carrels

Post and panel carrels with 1-3/4" solid red oak posts and 3/4" panels edge banded with 1/4" hardwood. Panels are connected to posts by concealed spring steel clips and shoulder screws. Top and shelf are 1" plastic laminate with 1/4" hardwood band. Carrels are 30" deep.



Unit	W	48" H	45" H
Starter	38-1/2" W	BHL3630S	BLL3630S
Adder	36-3/4" W	BHL3630A	BLL3630A
Starter	32-1/2"W	BHL3030S	BLL3030S
Adder	30-3/4"W	BHL3030A	BLL3030A

Library Computer Stations



Computer Work Stations

Computer work stations are 30" high and 30" deep and have a 1-1/4" thick plastic laminate top, edge banded with 1/2" solid hardwood band. Each station is equipped with a 2-1/2" grommet.


Stand alone starter units have full end panels; however, when combined with add on units intermediate support panels are notched to create a wiring chase. The end unit of the computer work station assembly will have a full, un-notched, end panel.

Unit #	Description	H	W	D
CLC3630S	36"W Starter	30-1/4"	37" Overall	30"
CLC3030S	30"W Starter	30-1/4"	31" Overall	30"
CLC3630A	36"W Adder	30-1/4"	36"	30"
CLC3030A	30"W Adder	30-1/4"	30"	30"

Library Circulation Desks

Typical Layouts


Straight Line Circulation Desk



Components illustrated:

- 2, CDC1494FB Shelf Units
- 2, CDC1430FB Drawer Units
- 1, KLC7230N Desk Work Area
- 1, CDC1574FB Drawer and Cupboard Unit

U-Shaped Circulation Desk




Components illustrated:

- 1, CDC7436 Book Cart
- 1, CDC1494BD Open Unit (for book cart)
- 1, KLC6030N Desk Work Area
- 1, SDM2546FB Drawer Unit
- 1, KLC6030N Desk Work Area
- 1, CDC1474FB Shelf Unit
- 1, KLC3030N Computer Carrel

Components illustrated:


- 1, CDC1506FB Shelf Cupboard
- 1, KLC6030N Desk Work Area
- 1, CDC1474FB Shelf Unit
- 1, KMC3630D Work Area
- 1, CDC7436 Book Cart
- 1, CDC1494BD Open Unit (for book cart)

L-Shaped Circulation Desk



Library Circulation Desk Components

All Circulation Desk Components are 39" H and have 6" Toe Base



Open Shelf Cabinet


Equipped with two adjustable shelves

CDC1204FB 18-1/2" W

CDC1206FB 21-1/2" W

CDC1494FB 35-3/4" W

CDC1496FB 41-3/4" W




Shelf Cabinet with Doors

Equipped with two adjustable shelves, 3/4" thick doors.

CDC1506FB 35-3/4" W

CDC1508FB 41-3/4" W




Drawer Cabinet

Equipped with one locked storage drawer and two file drawers.

CDC1430FB 18-1/2" W

CDC1432FB 21-1/2" W




Drawers over Shelf Cabinet

Equipped with two drawers, one adjustable shelf, 3/4" thick doors.

CDC1574FB 35-3/4" W

CDC1576FB 41-3/4" W




Drawer over Cupboard Cabinet

Equipped with one full-width drawer, one adjustable shelf, 3/4" thick doors.

CDC1550FB 35-3/4" W

CDC1552FB 41-3/4" W




Drawer Cabinet

Equipped with four full-width storage drawers.

CDC1960FB 35-3/4" W

CDC1962FB 41-3/4" W




Drawer and Cupboard Cabinet

Equipped with five drawers, one adjustable shelf in cupboard on right, 3/4" thick door.

CDC1798FB 35-3/4" W

CDC1800FB 41-3/4" W

2009




Drawer and Cupboard Cabinet

Equipped with five drawers, one adjustable shelf in cupboard on left, 3/4" thick door.

CDC1810FB 35-3/4" W

CDC1812FB 41-3/4" W




Work Station Cabinet

Equipped with two drawers and a footrest with ribbed rubber mat.

KMC3630DDF 35-3/4" W

Library Circulation Desk Components


All Circulation Desk Components are 39" H and have 6" Toe Base



Book Truck Port


Equipped with book return chute.
Order book truck separately

CDC1494D 35-3/4" W



Open Knee space Unit


KMC3630 35-3/4" W



Open Unit with Drawer

Equipped with one full-width drawer
and a foot rest with ribbed rubber
mat.


KMC3630DF 35-3/4" W



Desk Unit

Equipped with 29" H x 27" D fixed work
surface with grommet.

KLC3630N 35-3/4" W
KLC4230N 41-3/4" W
KLC6030N 60" W
KLC7230N 72" W




90° Open Corner Unit

This unit is used to form a right-angle
turn in a desk arrangement. Unit has
one fixed base shelf and two adjust-
able shelves.

CDC1496COR 90° Open Corner

CDC90PCOR is same as above unit,
except with no shelves and a fixed
front panel.



45° Open Corner Unit

This unit is used to form a turn in
a desk arrangement. Unit has one
fixed base shelf and two adjustable
shelves.

CDC1206COR 45° Open Corner

CDC45PCOR is same as above unit,
except with no shelves and a fixed
front panel.

Circulation Work Desk Assemblies



WD7030DP Work Desk Assembly

	W	H	D
Dimensions	70"	30-1/4"	30"

This work desk assembly has two drawer pedestals, one mounted on each side. The left pedestal has a storage drawer over a file drawer, while the right pedestal has three drawers. One centered drawer is mounted in the rail between the two pedestals. Two 3" diameter grommets are located in the work surface. Work surface is 1-1/4" plastic laminate with 1/2" hardwood edge on all four sides.

WD7030DP Components:

CDC3030EP	(2)	1" thick end panels
CDC2506S	(1)	2 drawer pedestal
KLC3030A	(1)	knee space with drawer
CDC3158S	(1)	3 drawer pedestal
CDC70FB	(1)	finished back panel



WD7030SP1 Work Desk Assembly

	W	H	D
Dimensions	70"	30-1/4"	30"

This work desk assembly has one three drawer pedestal mounted on the left side. Two 3" grommets are located on the work surface. Work surface is 1-1/4" plastic laminate with 1/2" hardwood edge on all four sides.

WD7030SP1 Components:

CDC3030EP	(2)	1" thick end panels
CDC3158S	(1)	3 drawer pedestal
CDC70FB	(1)	finished back panel
KLC4830A	(1)	knee space with drawer


WD7030SP2 Work Desk Assembly

	W	H	D
Dimensions	70"	30-1/4"	30"

This work desk assembly has one storage drawer over file drawer pedestal mounted on the left side. Two 3" grommets are located on the work surface. Work surface is 1-1/4" plastic laminate with 1/2" hardwood edge on all four sides.

WD7030SP2 Components:


CDC3030EP	(2)	1" thick end panels
CDC2506S	(1)	2 file drawer pedestal
CDC70FB	(1)	finished back panel
KLC4830A	(1)	knee space with drawer




Library Tables

TABLES HAVE APRON/RAIL. TO OMIT APRON/RAIL, CHANGE "A" IN UNIT # TO "N". Example TLN42.


Unit #	H	Diameter
TLA42	30"	42"
TLA48	30"	48"
TLA60	30"	60"
TEA42	27"	42"
TEA48	27"	48"
TEA60	27"	60"
TKA42	25"	42"
TKA48	25"	48"
TKA60	25"	60"



Unit #	H	W	D
TLA4242	30"	42"	42"
TEA4242	27"	42"	42"
TKA4242	25"	42"	42"
TLA4848	30"	48"	48"
TEA4848	27"	48"	48"
TKA4848	25"	48"	48"



Unit #	H	W	D
TLA6036	30"	60"	36"
TLA7236	30"	72"	36"
TLA7248	30"	72"	48"
TEA6036	27"	60"	36"
TEA7236	27"	72"	36"
TEA7248	27"	72"	48"
TKA6036	25"	60"	36"
TKA7236	25"	72"	36"
TKA7248	25"	72"	48"



Hospitality & Lounge Furniture



HSC7336
Contemporary Style Couch
73-1/2" W x 36" D x 36-1/2"H



HST7235
Traditional Style Couch
72" W x 35" D x 35-1/2"H



HOC5020
Contemporary Style Ottoman
25-1/2" W x 20" D x 17"H



HCC3433
Contemporary Style Side Chair
34-1/2" W x 33" D x 34-1/2" H




HOT3737
Traditional Style Ottoman
37-1/2" W x 37-1/2" D x 12"H



HCT3936
Traditional Style Side Chair
34" W x 36" D x 39"H

Whether your choice is **Contemporary** with its brushed aluminum legs, or **Traditional**, with the warmth of wood accents, you add character and quality to your reception, hospitality or library reading lounge area. Select from the six standard fabric swatches shown, and make your fabric selection known by adding the two letter code to the unit number: *Examples.* HSC7336-**CH** or HOT3737-**BB**

If these fabric selections are not to your liking, a variety of fabric options are available at an additional charge. Please discuss these details with your CampbellRhea dealer.



CG
*Classic Gold
Beige Tweed*




OI
*Optical Illu-
sion of Stacked
Blocks in Gold,
Blue,
Burgundy &
Brown*



CH
*Crosshatch
Herringbone
Blocks of Gold
Beige & Brown*



BB
*Bands & Boxes
of Gold, Rust &
Burgundy*



CB
*Classic Blue
Tweed*



MG
*Muted Gold
Beige Swirls on
Green*

Hospitality & Lounge Furniture



HRM3134 Mission Style, Upholstered Rocker
31"W x 34"D x 37"H

Whether used for story time in the youth reading area or as a side chair in the adult reading lounge, this upholstered rocker adds warmth and dimension.

Select from the six standard fabric swatches shown, and make your fabric selection known by adding the two letter code to the unit number: *Examples.* HRM3134-**CH** or HRM3134-**BB**

Upholstered Seating

Contemporary Style Chairs

An updated contemporary mission style adds a sleek look to your table and chair reading areas. Select from the six standard fabric swatches shown, and make your fabric selection known by adding the two letter code to the unit number: *Examples.* HCC2320-**CH** or HCC2320-**BB**.

HCC2320 Chair with arms
23"W x 20"D x 33-1/2"H

HNC2020 Chair, no arms
20"W x 20"D x 33-1/2"H



Traditional Style Chairs

A classic upholstered back and seat, give this selection a strong traditional look. Select from the six standard fabric swatches shown, and make your fabric selection known by adding the two letter code to the unit number: *Examples.* HNT2024-**CH** or HNT2024-**BB**.

HNT2024 Chair with arms
22-1/2"W x 24-1/2"D x 35-1/2"H

HCT2224 Chair, no arms
20-1/2"W x 24"D x 35-1/2"H

Seating

HWC1822 Solid Wood Chair
18"W x 22"D x 35"H

This is a classic style of chair that has been used in library reading and study areas for years when upholstered seating is not desired.



Hospitality & Lounge Furniture

Traditional Style Coffee and Side Table



HTT4822 48"W x 22"D x 15-1/2" H



HTT2727 27"W x 27"D x 21-1/2" H

Contemporary Style Coffee and Side Table



HTC2727 27"W x 27"D x 21-1/2" H




HTC4822 48"W x 22"D x 16" H

**Standard
Wood Finishes**



Warm Honey



Mahogany

Catalog Numerical Index

This numerical listing of products is provided to aid with quick location of unit descriptions from casework numbers provided on drawings. Following the unit catalog number is the specific section and page where a detailed description and illustration of the unit may be found.

Section Abbreviations:

B Base Cabinets
FS Filler & Scribe Strips
WU Wall & Upper Cases
TD Tall & Display Cases
T Tables & Kneespaces
S Science & Laboratory

FH Fume Hoods
SA Safety
E Essentials
A ADA
LS Life Skills
AC Art & Crafts

M Music
V Vocational Technology
C Computer Technology
AT Athletics
L Library

Athletic Lockers: Please go to
page #5 of Numerical Index

Library Furniture: Please go to
page #6 of Numerical Index

Perimeter Unit/
Base Cabinets S 45-47
Perimeter Units
6A-C, 6D-H, 6J-N and 6P
are found on pages S 48-53

1200-1338 B 1
1340-1482 B 2
1484-1630 B 3
1632-1742 B 4
1744-1892 B 5
1894-2036 B 6
2038-2172 B 7
2174-2414 B 8
2415 B 21
2420-2560 B 17
2562-2618 B 18
2620-2750 B 19
2741-3034 B 20
3124-3350 B 22
3352-3586 B 23
3597-3666 B 11, A 2
3680-3697 B 12, A 3
3698-3713 B 13, A 4
3714-3729 B 14, A 5
3730-3764 B 15, A 6
3778-3789 B 16, A 7
3794 B 16, A 7
3796 B 16, A 7
3800-3804 B 9
3806-3810 B21
3812-3816 B 24
3818-3822 B 9
3824-3828 B 21

3830-3834 B 24
3836-3840 B 9
3842-3846 B 21
3848-3852 B 24
3854-3858 B 9
3860-3864 B 21
3866-3870 B 24
3872 B 8
3873 B 8
3874 B 21
3876 B 24
3878 B 8
3880 B 21
3881 S 73,
AC 14
3882 B 24
3883-3886 S 73,
AC 14
3891-3895 S 72,
AC 13
3896-3898 S 70
3904-3908 S 70
V 4
3917-3920 V 4
3921-3927 V 4
3928-3935 S 71,
AC 16
3950-3952 AC 4
3958-3966 AC 13
3980-3986 AC 12
4000-4034 LS 7
4046 S 70,
LS 26,
AC 17
V 4
4048 LS 7
4050 S 70,
LS 26,
AC 17
V 4

4061-4063 LS 7
4200-4258 WU 1
4360-4438 WU 2
4440-4518 WU 3
4520-4578 WU 4
4580-4638 WU 5
4640-4734 WU 6
4736-4806 WU 7
4808-4902 WU 8
4864 V 2
4904-4974 WU 9
4976-5070 WU 10
5100-5190 WU 11
5192-5268 WU 12
5275-5290 WU 13
5293-5296 LS 23
5300-5418 WU 14
5420-5538 WU 15
5600-5692 TD 1
5694-5744 TD 2
5800-5802 TD 2
5850-5854 TD 7
5856-5858 TD 4
5860-5864 TD 7
5866-5872 TD 7
5874-5878 TD 8
5880-5885 TD 4
5886 TD 5
5891 TD 5,
TD 10
5892 TD 10,
S 74,
AC 14
5893 TD 5,
TD 10
S 74
5894 S 74
AC 14

Section Abbreviations:

B **Base Cabinets**
FS **Filler & Scribe Strips**
WU **Wall & Upper Cases**
TD **Tall & Display Cases**
T **Tables & Kneespaces**
S **Science & Laboratory**

FH **Fume Hoods**
SA **Safety**
E **Essentials**
A **ADA**
LS **Life Skills**
AC **Art & Crafts**

M **Music**
V **Vocational Technology**
C **Computer Technology**
AT **Athletics**
L **Library**

5895-5899	TD 10, S 74 AC 14	6320A-C 6232A-C 6234A-C	S 35 S 35 S 35	6654 6657 6660-6678	S 77 S 59 S 58
6000-6004	S 1	6260-6262	S 36	6680-6686	S 95
6006	S 2	6264-6274	S 37	6679	S 59
6007	S 6, A 9	6280-6282	S 38	6714-6719	FH 8
6008	S 4	6284-6286	S 39	6720-6724	FH 10
6012	S 4	6300-6310	S 40	6725A-C	FH 11
6016-6021	S 5	6330-6333	S 41	6725D-E	FH 12
6022	S 6	6334	S 42	6725G	FH 5
6026	S 6	6335	S 43	6730-6758	FH 19
6030-6036	S 69	6336	S 44	6767	FH 13
6038-6044	S 13	6339-6346	TD 10, S 73,	6769	S 78, LS 3
6046-6052	S 14		AC 14	6771	S 78
6054-6056	S 15		TD 11,	6772A-E	S 79
6058-6061	S 16	6348-6358	AC 15	6773B	S 79
6062-6064	S 17			6774	SA 1, A 10
6066-6074	S 18	6359	S 80	6776	SA 1
6076-6084	S 19	6361	S 80	6777	FH 18
6086-6094	S 20	6366	S 80	6778-6779	SA 5
6096-6104	S 21	6370	S 80	6780-6781	SA 6
6105	S 23	6372	S 82	6784-6792	SA 4
6107	S 23	6380-6386	S 81	6793-6796	V 9
6109	S 23	6400-6412	S 83	6804-6810	S 94
6112	S 23	6420-6424	S 82	6824	S 77
6118-6119	S 24	6430-6438	S 84	6830-6846	TD 12
6116	S 24	6439	S 85	6848-6853	S 92
6125	S 8	6440-6442	S 86	6854-6858	S 91
6156-6170	S 22	6460	S 87	6860-6866	S 90
6172-6178	S 59	6472	S 88	6870-6886	S 92
6180-6182	S 60	6476	S 88	6890-6906	S 92
6184	T 1, S 60	6480-6484	S 69	6910- 6916	TD 5, AC 7
6188	S 60	6490-6495	S 89	6918-6920	TD 6, AC 7
6190	S 61	6500-6556	T 1, T 2	6923-6925	S 11
6195	S 61		S 63, S 64	6926-6928	TD 6, AC 8
6198	S 62	6560-6570	S 25	6948-6950	S 12
6215	LS 3	6572-6580	S 26	6952-6954	TD 8, AC 8
6223A-C	S 27	6582-6588	S 93	6955	TD 8, AC 9
6223D	S 28	6590-6602	S 93	6956-6963	TD 9, AC 9
6225A-B	S 28	6606-6610	S 54	6964-6968	TD 6, AC 9
6225C-E	S 29	6612-6616	V 5	6970-7034	T 4, S 66
6227A-C	S 30	6618-6621	V 6	7042-7060	S 97
6229A-B	S 31	6622-6624	V 7	7062-7064	S 97, AT 8
6229C-D	S 32	6625-6626	V 8	707077074	AT 8
6258C-D	S 33	6630-6641	S 55	7075-7077	A 8
6258E-F	S 34	6642-6651	S 56	7208-7219	LS 2

Section Abbreviations:

B **Base Cabinets**
FS **Filler & Scribe Strips**
WU **Wall & Upper Cases**
TD **Tall & Display Cases**
T **Tables & Kneespaces**
S **Science & Laboratory**

FH **Fume Hoods**
SA **Safety**
E **Essentials**
A **ADA**
LS **Life Skills**
AC **Art & Crafts**

M **Music**
V **Vocational Technology**
C **Computer Technology**
AT **Athletics**
L **Library**

7230-7240	AC 1	7506-7612	T 5, S 67	8734-8748	T 3, S 65,
7100-7104	S 3	7622-7632	AT 6		A 11
7150-7156	LS 8	7634-7650	AT 7	8760-8762	A 8
7170-7189	LS 9	7700	S 1	8770	S 2
7180-7194	LS 10	7702	S 1	8774-8778	A 9
7195-7200	LS 11	7720-7724	M 1	8796-8800	FH5
7208-7212	LS 2	7730-7776	TD 12	8815	S 58, A 8
7214-7218	S 96, LS 2	7820	AT 6	8826	S 8
7219	LS 2	7840-7894	LS 12,	8674A-D	FH 4
7220	S 96, LS 3		AC 6, M 2	8828	S 10
7223	LS 3	7900-7946	M 3	8834	S 9
7250-7252	AC 1	7948	M 4	8836	S 7
7254-7267	AC 2	7950-8050	M7	8838	S 9
7286-7288	S 57	8071-8075	M 5	8844	S 7
7289-7290	S 57, AC 3	8111-8113	AC 8	8850	V 16
7300-7303	V 9	8115	AC 8, V 10	8886-8898	V12
7304	V 10	8122	TD 4	8900A-D	V 13
7306	AC 3	8135	AC 12	8902A-D	V 14
7309-7310	AC 4	8143-8145	AC 4	8906A-D	V 14
7311-7313	AC 12	8298	M 4	8920-8922	S 12
7314-7316	AC 6	8300-8312	M 4	8962-8966	LS 8
7318-7321	V 10	8406-8416	V 1	8970-8978	V 15
7322	S 68, AC 3	8418-8426	V 2	8990-8996	S 90
7323-7325	S 68,	8430-8440	V 3	8970-9878	E 23
	AC 11	8610-8612	SA 8	9003	FS 2
7326-7327	S 73,	8613	SA 9	9012	FS 1
	AC 11	8614	SA 8	9016	FS 1
7328	S 68,	8615	SA 9	9024	FS 1
	AC 11	8616-8622	SA 7	9025	FS 1
7330	AC 10	8624-8625	SA 8	9029	FS 1
7332	S 10,	8626-8628	SA 7	9031	FS 1
	AC 10	8629	FH 6	9033	FS 1
7340	LS 8	8630-8636	SA 7	9035	FS 1
7352	V 11	8638-8641	SA 10	9036	FS 1
7354-7356	LS 8	8644-8648	SA 9	9048	FS 1
7359	AC 8	8652	SA 10	9084	FS 1
7367	LS 8, AC 5	8656-8662	SA 9	9112	FS 1
7377-7378	LS 8, AC 5	8664-8665	FH 7	9118	FS 1
7394	AC 5	8666A-C	FH 14	9124	FS 1
7420-7426	AT 12	8668A-F	FH 15	9130	FS 1
7428	AT 11	8670A-C	FH 15	9136	FS 1
7430-7440	AT 9	8672A-F	FH 17	9148	FS 1
7442-7444	AT 10	8674A-D	FH 5	9125	FS 1
7446-7448	AT 11	8696-8714	T 3, S 65,	9129	FS 1
7476	AT 8		A 11	9133	FS 1
7479-7492	AT 13			9135	FS 1

Section Abbreviations:

B **Base Cabinets**
FS **Filler & Scribe Strips**
WU **Wall & Upper Cases**
TD **Tall & Display Cases**
T **Tables & Kneespaces**
S **Science & Laboratory**

FH **Fume Hoods**
SA **Safety**
E **Essentials**
A **ADA**
LS **Life Skills**
AC **Art & Crafts**

M **Music**
V **Vocational Technology**
C **Computer Technology**
AT **Athletics**
L **Library**

9144	FS 1	9748-9751	E 8
9184	FS 1	9752-9784	E 9
9200	FS 1	9786-9816	E 10
9202	FS 1	9818-9832	E 20
9220-9242	S 91	9834-9868	E 20
9400-9409	E 15	9872-9894	E 21
9418-9432	E 16	9896-9900	E 22
9444-9446	E 15	9902-9910	S 95
9488-9486	E 18	9916	S 95
9496	E 19	9924	S 95
9498	E 18	9940	LS 5
9500	E 18	9942-9950	E 23
9504	E 18	9960-9964	SA 4, LS 6
9506	E 19	9968	LS 5
9511	E 19	9974	E 17
9519	E 19	9978	S 86
9522	E 19	9988	LS 5
9526	E 19		
9527	E 18		
9529	E 18		
9534-9436	E 19		
9540	E 18		
9544-9548	E 17		
9558-9559	E 17		
9571-9575	E 17		
9586-9596	E 16		
9610	SA 2, E 13		
9612-9614	SA 3, E 14		
9616	SA 2, E 13		
9617	SA 2, E 13		
	A 10		
9618-9620	SA 3, E 14		
9622	SA 3, E 14		
	A 10		
9636-9654	E 11		
9676-9696	E 12		
9704	E 12		
9705D-9709D	E 6		
9710	E 8		
9711D	E 6		
9714	E 8		
9720-9723	E 8		
9724-9742	E 7		
9724D-9740D	E 5		
9744-9746	E 8		
9747	E 7		

**ATHLETIC
LOCKERS ONLY**

**ALPHA-NUMERICALLY
SEQUENCED**

AADP2472	AT 3
AADP2484	AT 1
AADP2484R	AT 2
AADP2772	AT 3
AADP2784	AT 1
AADP2784R	AT 2
AADP3072	AT 3
AADP3084	AT 1
AADP3084R	AT 2
AADP3372	AT 3
AADP3384	AT 1
AADP3384R	AT 2
AADP3672	AT 3
AADP3684	AT 1
AADP3684R	AT 2
AADV2484	AT 1
AADV2484R	AT 2
AADV2784	AT 1
AADV2784R	AT 2
AADV3084	AT 1
AADV3084R	AT 2
AADV3384	AT 1
AADV3384R	AT 2
AADV3684	AT 1
AADV3684R	AT 2
AAOV2484	AT 1
AAOV2784	AT 1
AAOV3084	AT 1
AAOV3384	AT 1
AAOV3684	AT 1
AATP2484	AT 1
AATP2484R	AT 2
AATP2784	AT 1
AATP2784R	AT 2
AATP3084	AT 1
AATP3084R	AT 2
AATP3384	AT 1
AATP3384R	AT 2
AATV2484	AT 1
AATV2484R	AT 2
AATV2784	AT 1
AATV2784R	AT 2
AATV3084	AT 1
AATV3084R	AT 2

**ATHLETIC
LOCKERS ONLY**

**ALPHA-NUMERICALLY
SEQUENCED**

AATV3384	AT 1
AATV3384R	AT 2
AATV3684	AT 1
AATV3684R	AT 2
ABDP2484	AT 4
ABDP2784	AT 4
ABDP3084	A 4
ABDV2484	AT 4
ABDV2784	AT 4
ABDV3084	AT 4
ABTP2484	AT 4
ABTP2784	AT 4
ABTP3084	AT 4
ABTV2484	AT 4
ABTV2784	AT 4
ABTV3084	AT 4
AFDV2472	AT 3
AFDV2772	AT 3
AFDV3072	AT 3
AFDV3372	AT 3
AFDV3672	AT 3
AFTP2472	AT 3
AFTP2772	AT 3
AFTP3072	AT 3
AFTP3372	AT 3
AFTP3672	AT 3
AFTV2472	AT 3
AFTV2772	AT 3
AFTV3072	AT 3
AFTV3372	AT 3
AFTV3672	AT 3
AGDN1884	AT 5
AGDN2184	AT 5
AGDN2484	AT 5
AGDP1884	AT 5
AGDP2184	AT 5
AGDP2484	AT 5
AGDV1884	AT 5

**ATHLETIC
LOCKERS ONLY**

**ALPHA-NUMERICALLY
SEQUENCED**

AGDV2184	AT 5
AGDV2484	AT 5
AGTP1884	AT 5
AGTP2184	AT 5
AGTP2484	AT 5
AGTV1884	AT 5
AGTV2184	AT 5
AGTV2484	AT 5

<u>LIBRARY FURNITURE ONLY</u>		<u>LIBRARY FURNITURE ONLY</u>		<u>LIBRARY FURNITURE ONLY</u>	
<u>ALPHA-NUMERICALLY SEQUENCED</u>		<u>ALPHA-NUMERICALLY SEQUENCED</u>		<u>ALPHA-NUMERICALLY SEQUENCED</u>	
BHL3630A	L 4	HNT2024	L 12	SLW3612AB	L 1
BHL3630S	L 4	HOC5020	L 11	SLW3612SB	L 1
BHL3030A	L 4	HOT3737	L 11		
BHL3030S	L 4	HRM3134	L 12	SMW3612AB	L 1
		HSC7336	L 11	SMW3612SB	L 1
BLL3030A	L 4	HST7235	L 11		
BLL3030S	L 4	HTC2727	L 13	SHW3623AB	L 1
BLL3630A	L 4	HTC4822	L 13	SHW3623SB	L 1
BLL3630S	L 4	HTT2727	L 13	SLW3623AB	L 1
		HTT4822	L 13	SLW3623SB	L 1
CDC45PCOR	L 8	HWC1822	L 13	SMW3623AB	L 1
CDC90PCOR	L 8			SMW3623SB	L 1
CDC1204FB	L 7	KLC3630N	L 8		
CDC1206COR	L 8	KLC4230N	L 8	TEA42-TEA60	L 10
CDC1206FB	L 7	KLC6030N	L 8	TEA4242-TEA7248	L 10
CDC1430FB	L 7	KLC7230N	L 8		
CDC1432FB	L 7			TKA42-TKA60	L 10
CDC1494D	L 8	KMC3630	L 8	TKA4242-TKA7248	L 10
CDC1494FB	L 7	KMC3630D	L 8		
CDC1496COR	L 8			TLA42-TLA60	L 10
CDC1496FB	L 7	MHW3612AB	L 2	TLA4242-TLA7248	L 10
CDC1506FB	L 7	MHW3612SB	L 2		
CDC1508FB	L 7	MHW3623AB	L 2	WD7030DP	L 9
CDC1550FB	L 7	MHW3623SB	L 2	WD7030SP1	L 9
CDC1552FB	L 7	MLW3612AB	L 2	WD7030SP2	L 9
CDC1574FB	L 7	MLW3612SB	L 2		
CDC1789FB	L 7	MLW3623AB	L 2		
CDC1800FB	L 7	MLW3623SB	L 2		
CDCA810FB	L 7	MMW3612AB	L 2		
CDC1812FB	L 7	MMW3612SB	L 2		
CDC1960FB	L 7	MMW3623AB	L 2		
CDC1962FB	L 7	MMW3623SB	L 2		
CDC36BTD	L 3	NHW3612AB	L 2		
CDC7436	L 3	NHW3612SB	L 2		
CDS1213FB	L 3	NHW3623AB	L 2		
CDS1218FB	L 3	NHW3623SB	L 2		
		NMW3612AB	L 2		
CLC3030A	L 4	NMW3612SB	L 2		
CLC3030S	L 4	NMW3623AB	L 2		
CLC3630A	L 4	NMW3623SB	L 2		
CLC3630S	L 4				
		PMDG614324	L5		
HCC2320	L 12	PMDR211664	L5		
HCC3422	L 11	PMDS262654	L5		
HCT2224	L 12				
HCT3936	L 11	SHW3612AB	L 1		
HNC2020	L 12	SHW3612SB	L 1		