CATALOG



770.932.1118

Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

GENERAL CASEWORK

TABLE OF CONTENTS forBase CabinetsWall Cabinets Tall CasesTables & Kneespaces

Base Cabir Section:		Wall/Upper Sectio		Tall Ca Sectio		Tables & Kr Sectio	
<u>Item Pa</u>	ages	<u>ltem</u>	<u>Pages</u>	<u>ltem</u>	<u>Pages</u>	<u>ltem</u>	<u>Pages</u>
35" H corner 8 ADA COMPLIA 33" H 33" H 1 33" H corner 1 29" H 1 29" H 1 29" H corner 2	NT 10-15 16 17-20 21 22-23	Open Wood door Glazed door Sliding door Upper, 48"H Upper, 36"H Corner	14-15	General Apron Bookcase Compartment Corner Display File Illuminated Display Instructor Magazine Notebook Storage Supply Tote Tray Wardrobe	1-2, 4, 12 7-8 6,12 t 5 3,5 4-6 4 6 9 4 6 4 5-9 10-11 7-9	Adjustable I Table Open, Wood Table Open, Metal Table Kneespaces	3 I Frame, 1 Frame, 2

Filler panels, filler panels for wall, upper, base and tall cases, scribe strips and, single or double faced countertop support panels are found on pages 1-2 of the "Filler/Scribe" section immediately following "Base Cabinets".

All units are 22-1/2" D, unless noted otherwise

Number Width 1200 12-3/8" 1202 15-5/16" 1204 18" 1206 21" 1208 24"	I Number Width 1210 12-3/8" 1212 15-5/16" 1214 18" 1216 21" 1218 24"	Pull Out I <tr tr=""> I</tr>	- 3 I - 1230 12-3/8 1232 15-5/16" 1234 18" 1236 21" 1238 24"
Pull Out - I <tr tr=""> I</tr>	- 3 - - -	- 4 I - 1250 12-3/8 1252 15-5/16" 1254 18" 1256 21" 1258 24"	— 4 — 4 — - — - — - — - — - — - — - — - — - — - — - — - — - — - — - — - — - 1260 12-3/8 1264 18" 1266 21" 1268 24"
5 I 5 Number Width 1261 12-3/8 1263 15-5/16" 1265 18" 1267 21" 1269 24"	Pull Out 5-3/4 4 4 4 4 4 4 4 4 1270 12-3/8 1272 15-5/16" 1274 18" 1276 21" 1278 24"	Pull Out 5 1 1 1 1 1 1 1 1 1 1 1 1 1	- - 5 - - 5 - - 5 - - 5 Number Width 1290 12-3/8 1292 15-5/16" 1294 18" 1296 21" 1298 24"
Image: Second system 6 Image: Second system 12-3/8 1304 18" 1306 21" 1308 24" 2009 9	Image: Number Width 1310 12-3/8 1312 15-5/16" 1314 18" 1316 21" 1318 24"	- 8 - 4 - 4 - 4 - 4 1320 12-3/8 1322 15-5/16" 1324 18" 1326 21" 1328 24" Campbell Rheat	- 4 - 4 - 8 - 8 - 1330 1332 15-5/16" 1334 18" 1336 21" 1338 24" General Base Cabinets - 1

All units are 22-1/2" D, unless noted otherwise

		<u> </u>
5 	8 	8
Number Width 1350 12-3/8 1352 15-5/16" 1354 18" 1356 21" 1358 24"	Number Width 1360 12-3/8 1362 15-5/16" 1364 18" 1366 21" 1368 24"	NumberWidth137012-3/8137215-5/16"137418"137621"137824"
5 5	4 4	= 8 - 4 I
NumberWidth139012-3/8139215-5/16"139418"139621"139824"	NumberWidth140012-3/8140215-5/16"140418"140621"140824"	NumberWidth141012-3/8141215-5/16"141418"141621"141824"
5 F F		- 6 - 3
Number Width 1430 18" 1432 21" 1434 24"	Number Width 1436 18" 1438 21" 1440 24"	NumberWidth144212-3/8144415-5/16"144618"144821"145024"
8 	- 8 - 6 - 4 - 3	Pull Out
Number Width 1458 12-3/8 1460 15-5/16" 1462 18" 1464 21" 1466 24" Base Cabinets 24"	NumberWidth146812-3/8147015-5/16"147218"147421"147624"	Number Width 1478 18" 1480 21" 1482 24" 2009
	I Width 1350 12-3/8 1352 15-5/16" 1354 18" 1356 21" 1358 24" Image: state st	Image: second secon

35" High Base Cabinets All units are 22-1/2" D, unless noted otherwise

Pull Out 6 5 F Number Width 1484 18" 1486 21" 1488 24"	Number Width 1490 27" 1492 30" 1494 35-1/4" 1496 41-1/4" 1498 47-1/4"	I Number Width 1500 24" 1502 27" 1504 30" 1506 35-1/4" 1508 41-1/4" 1510 47-1/4"	I I 2 individual cupboards Number Width 1512 24" 1514 27" 1516 30" 1518 35-1/4" 1520 41-1/4" 1522 47-1/4"
Image: Number Width 1524 30" 1526 35-1/4" 1527 41-1/4" 1528 47-1/4"	II II II II II II II II IS32 24" 1534 27" 1536 30" 1538 35-1/4" 1540 41-1/4" 1542	- - 4 III - - Number Width 1544 24" 1546 27" 1548 30" 1550 35-1/4" 1552 41-1/4" 1554 47-1/4" 1554 -	- - 3 II II II III III IIII IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
- - 4 II II III Number Width 1568 24" 1570 27" 1572 30" 1574 35-1/4" 1576 41-1/4" 1578 47-1/4" 1578 1571/4"	— — 3 III III 1569 24" 1571 27" 1573 30" 1575 35-1/4" 1577 41-1/4" 1579 47-1/4"	- - 5 II - 5 Number Width 1580 24" 1582 27" 1584 30" 1586 35-1/4" 1588 41-1/4" 1590 47-1/4"	8 - 4 II - 4 Number Width 1592 24" 1594 27" 1596 30" 1598 35-1/4" 1600 41-1/4" 1602 47-1/4"
4 — — 8 III Number Width 1604 24" 1606 27"	II 8 Number Width 1616 24" 1618 27"	Image: square - - - 3 Image: square - - - 3 Number Width	4 □ □ □ 4 □ □ □ □ 4 □ □ □ □ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1606 27 1608 30" 1610 35-1/4" 1612 41-1/4" 1614 47-1/4" 2009 2009	1618 27 1620 30" 1622 35-1/4" 1624 41-1/4" 1626 47-1/4"	1628 47-1/4" CampbellRhea	1630 47-1/4" General Base Cabinets - 3

All units are 22-1/2" D, unless noted otherwise

- - - 3 II II III 2 individual cupboards Number Width 1632 24" 1634 27" 1636 30" 1638 35-1/4" 1640 41-1/4"	- - 4 I I I 2 individual cupboards Individual cupboards Number Width 1644 24" 1646 27" 1648 30" 1650 35-1/4" 1652 41-1/4" 1654 47-1/4"	II 8 II 10 2 individual cupboards Number Width 1656 24" 1658 27" 1660 30" 1662 35-1/4" 1664 41-1/4" 1666 47-1/4"	Image: Second system Image: Second system 3 Image: Second system 3 Image: Second system 3 Image: Second system 1668 24' 1670 27' 1672 30" 1674 35-1/4" 1676 41-1/4" 1678 47-1/4"
6 - I 3 - - - - - Number Width 1669 24' 1671 27' 1673 30" 1675 35-1/4" 1677 41-1/4" 1679 47-1/4"	I - - - <	Image: Image of the system 6 Image of the system 3 Image of the system<	4 - I - - - Number Width 1692 24" 1694 27" 1696 30" 1698 35-1/4" 1700 41-1/4" 1702 47-1/4"
5 - I - - I	I - - I - - I - - I - - I - - I - - I - - I - - I - - I I - I I - I I - I I - I I - I I - I I -	I - - 5 Number Width 1705 24" 1707 27" 1709 30" 1711 35-1/4" 1713 41-1/4" 1715 47-1/4" 174"	Pull Out 7-1/4 8-1/2 F Number Width 1716 41-1/4" 1718 47-1/4"
5 - - - I - - I - - I - - I - - I - - I - - I - - I - - I - - I - 1721 27" 1723 1725 35-1/4" - 1727 41-1/4" - 1729 47-1/4" - 4 - Campbell Rhea General E -	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	- $ -$ <	Image: mail of the system 4 Image: mail of the system 4 Number Width 1732 24" 1734 27" 1736 30" 1738 35-1/4" 1740 41-1/4" 1742 47-1/4"

All units are 22-1/2" D, unless noted otherwise

		1	1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6 — — — — — — — — — — — — — — — — …	6 - - 3 I - - 3 Number Width 1757 24" 1759 27" 1761 30" 1763 35-1/4" 1765 41-1/4" 1767 47.4/4" 47.4/4"	3 — — — I I — I I Number Width 1768 24" 1770 27" 1772 30" 1774 35-1/4" 1776 41-1/4" 1778 47-1/4"
1754 47-1/4"	Image: Note of the second s	1767 47-1/4" 	4 - - 4 - - - - - Number Width 1792 24" 1794 27" 1796 30" 1798 35-1/4"
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1788 41-1/4" 1790 47-1/4" 8 - I 4	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Number Width 1804 24" 1806 27" 1808 30" 1810 35-1/4" 1812 41-1/4" 1814 47-1/4" 8 8	Number Width 1816 24" 1818 27" 1820 30" 1822 35-1/4" 1824 41-1/4" 1826 47-1/4" 8 – 1 – 4 –	Number Width 1828 24" 1830 27" 1832 30" 1834 35-1/4" 1836 41-1/4" 1838 47-1/4"	Number Width 1840 24" 1842 27" 1844 30" 1846 35-1/4" 1848 41-1/4" 1850 47-1/4" 3
4 - - - Number Width 1852 24" 1854 27" 1856 30" 1858 35-1/4" 1860 41-1/4" 1862 47-1/4"	Image: Number Width 1864 24" 1866 27" 1868 30" 1870 35-1/4" 1872 41-1/4" 1874 47-1/4"	Number Width 1876 24" 1878 27" 1880 30" 1882 35-1/4" 1884 41-1/4" 1886 47-1/4"	Number Width 1888 35-1/4" 1890 41-1/4" 1892 47-1/4"


All units are 22-1/2" D, unless noted otherwise

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	I I	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Image: Number Width 1918 35-1/4" 1920 41-1/4" 1922 47-1/4"	³ — — — I I I I 1924 35-1/4" 1926 41-1/4" 1928 47-1/4"	I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I <t< td=""><td>- - - 3 - - - - - - - - 1936 35-1/4" 1938 41-1/4" 1940 47-1/4" 1940 47-1/4"</td></t<>	- - - 3 - - - - - - - - 1936 35-1/4" 1938 41-1/4" 1940 47-1/4" 1940 47-1/4"
- - - 3 - - - 3 - - - 3 Number Width 1942 24" 1944 27" 1946 30" 1948 35-1/4" 1950 41-1/4" 1952 47-1/4" 1952	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - 1954 24" 1964 47-1/4"	- - - 5 - - - 5 - - - 5 - - - 5 - - - 5 - - - 5 - - - - 5 - - - - 5 - - - - 5 - - - - 5 - - - - 5 - - - - 5 - - - - 5 - - - - 5 - - - - 5 1970 30" 1972 35-1/4" 1976 47-1/4" 1976 197-1/4"	- - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - - 6 - - - - - 6 1 1980 27 1982 30" 1984 35-1/4" 1986 41-1/4" 1988 47-1/4" 1988 47-1/4" 1
Number Width 1990 24" 1992 27" 1994 30" 1996 35-1/4" 1998 41-1/4" 2000 47-1/4" 6 - Ormphall Phage General E	Image: square with the square withe square with the square with the square with	- -	- - - - - 4 - - - - - 4 - - - - - 4 Number Width 2026 24" 2028 27" 2030 30" 2032 35-1/4" 2034 41-1/4" 2036 47-1/4" 2009 2009


All units are 22-1/2" D, unless noted otherwise

- - - 5 - - - 5 - - - - - - - - Number Width Vidth	Number Width	□ □ □ 4 □ □ □ 4 □ □ □ 4 Number Width	6
2038 24" 2040 27" 2042 30" 2044 35-1/4" 2046 41-1/4" 2048 47-1/4"	2050 24" 2032 27" 2054 30" 2056 35-1/4" 2058 41-1/4" 2060 47-1/4"	2062 24" 2064 27" 2066 30" 2068 35-1/4" 2070 41-1/4" 2072 47-1/4"	2063 24" 2065 27" 2067 30" 2069 35-1/4" 2071 41-1/4" 2073 47-1/4"
4 4 4		4 4	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
NumberWidth207424"207627"207830"208035-1/4"208241-1/4"208447-1/4"	NumberWidth207524"207727"207930"208135-1/4"208341-1/4"208547-1/4"	NumberWidth208624"208827"209030"209235-1/4"209441-1/4"209647-1/4"	Number Width 2087 24" 2089 27" 2091 30" 2093 35-1/4" 2095 41-1/4" 2097 47-1/4"
- - - - - - - - - - - -	- - - - - - - - - - - -	- - - 8 - - - 4	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Number Width 2098 47-1/4"	Number Width 2100 47-1/4"	NumberWidth210224"210427"210630"210835-1/4"211041-1/4"211247-1/4"	Number Width 2114 24" 2116 27" 2118 30" 2120 35-1/4" 2122 41-1/4" 2124 47-1/4"
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Number Width 2126 24" 2128 27" 2130 30" 2132 35-1/4" 2134 41-1/4" 2136 47-1/4"	NumberWidth213824"214027"214230"214435-1/4"214641-1/4"214847-1/4"	Number Width 2150 24" 2152 27" 2154 30" 2156 35-1/4" 2158 41-1/4" 2160 47-1/4" Campbell Rhea	Number Width 2162 24" 2164 27" 2166 30" 2168 35-1/4" 2170 41-1/4" 2172 47-1/4" General Base Cabinets - 7


All units are 22-1/2" D, unless noted otherwise



35" High Blind Corner Cabinets All units are 22-1/2" D, unless noted otherwise



Blind corner cabinets below have finished panels enclosing the open shelf area.




ADA Compliant vs. ADA Accessible

33" height base cabinets are included here for your convenience. A full selection of casework, furniture and equipment to ADA guidelines are presented in the catalog section dedicated to ADA.

A variety of basic casework cabinetry has been designed to complete the laboratory or classroom assembly requirements for the physically challenged.

Casework units are 22-1/2 inches deep; and, 34 inches high *overall*, inclusive of the one inch thick top material, which must be specified.



33" height base cabinets are included here for your convenience. However, for a full section of casework, furniture and equipment to ADA guidelines, please check the catalog section dedicated to ADA.

Numerous base cabinet design combinations meet the ADA's recommended dimensions. Work areas that meet the needs of the physically challenged are easily designed by including our casework assembly Lab Work Station, or our Kneespace Components.

However, and quite obviously, some casework unit designs are more ADA *accessible* than others. Base cabinets in 41-1/4", 58-1/4", or even 70-1/4" widths, are available in the 33" height; however, the designer must weigh the placement, both in the casework assembly and in the overall room layout, for these units to be truly usable by persons restricted to wheelchairs.

CampbellRhea's Design Engineering and Drafting Departments are prepared to assist in the coordination of functional preliminary designs that will meet ADA guidelines in your project. Contact your CampbellRhea distributor for access to this design service.

Designers, architects and planners are advised to review and verify ADA requirements at the time of their project.

		Pull Out	3
NumberWidth359712-3/8"359815-5/16"359918"360021"360124"	NumberWidth360312-3/8"360415-5/16"360518"360621"360724"	Number Width 3608 18" 3609 21" 3610 24"	Number Width 3611 18" 3612 21" 3613 24"
3 <mark>—</mark> — —	Pull Out 7-1/4	4 — 	
NumberWidth361412-3/8"361515-5/16"361618"361721"361824"	Number Width 3619 18" 3620 21" 3621 24"	Number Width 3622 18" 3623 21" 3624 24"	Number Width 3632 12" 3633 15-5/16" 3634 18" 3635 21" 3636 24"
Pull Out7-1/47-1/4	4 4	6 <u>-</u> 	
NumberWidth363718"363821"363924"	Number Width 3640A 18" 3640B 21" 3640C 24"	Number Width 3641 18" 3642 21" 3643 24"	Number Width 3644 18" 3645 21" 3646 24"
6 	4-1/4 5-1/4 File	Pull Out 6-1/4 7-1/4 File	Pull Out
Number Width 3647 18" 3648 21" 3649 24"	Number Width 3650 18" 3651 21" 3652 24"	Number Width 3656 18" 3657 21" 3658 24"	Number Width 3662 18" 3664 21" 3666 24"

	1	I	I
		2 Individual Cupboards	00
Number Width 3680A 27" 3680B 30" 3680C 35-1/4" 3680D 41-1/4" 3680E 47-1/4"	Number Width 3681A 24" 3681B 27" 3681C 30" 3681D 35-1/4" 3681E 41-1/4" 3681F 47-1/4"	Number Width 3682A 24" 3682B 27" 3682C 30" 3682D 35-1/4" 3682E 41-1/4" 3682F 47-1/4"	Number Width 3683C 30" 3683D 35-1/4" 3683E 41-1/4" 3683F 47-1/4"
	4 	3	4 11
Number Width 3684A 24" 3684B 27" 3684C 30" 3684D 35-1/4" 3684E 41-1/4" 3684F 47-1/4"	Number Width 3685A 24" 3685B 27" 3685C 30" 3685D 35-1/4" 3685E 41-1/4" 3685F 47-1/4"	Number Width 3686A 24" 3686B 27" 3686C 30" 3686D 35-1/4" 3686E 41-1/4" 3686F 47-1/4"	Number Width 3687A 24" 3687B 27" 3687C 30" 3687D 35-1/4" 3687E 41-1/4" 3687F 47-1/4"
3	3 		3
NumberWidth3688A24"3688B27"3688C30"3688D35-1/4"3688E41-1/4"3688F47-1/4"	Number Width 3690 47-1/4"	Number Width 3692 47-1/4"	NumberWidth3693A24"3693B27"3693C30"3693D35-1/4"3693E41-1/4"3693F47-1/4"
	3 <u> </u>		I — 3 — —
Number Width 3694A 24" 3694B 27" 3694C 30" 3694D 35-1/4" 3694E 41-1/4" 3694F 47-1/4" 12 - Camebell Rhea General	Number Width 3695A 24" 3695B 27" 3695C 30" 3695D 35-1/4" 3695E 41-1/4" 3695F 47-1/4"	NumberWidth3696A24"3696B27"3696C30"3696D35-1/4"3696E41-1/4"3696F47-1/4"	Number Width 3697A 24" 3697B 27" 3697C 30" 3697D 35-1/4" 3697E 41-1/4" 3697F 47-1/4"


			Pull Out 6-1/4 7-1/4 File
NumberWidth3698A24"3698B27"3698C30"3698D35-1/4"3698E41-1/4"3698F47-1/4"	Number Width 3699A 24" 3699B 27" 3699C 30" 3699D 35-1/4" 3699E 41-1/4" 3699F 47-1/4"	Number Width 3700A 24" 3700B 27" 3700C 30" 3700D 35-1/4" 3700E 41-1/4" 3700F 47-1/4"	Number Width 3701E 41-1/4" 3701F 47-1/4"
		4 <u></u> 6 <u>- I</u>	
NumberWidth3702A24"3702B27"3702C30"3702D35-1/4"3702E41-1/4"3702F47-1/4"	Number Width 3703A 24" 3703B 27" 3703C 30" 3703D 35-1/4" 3703E 41-1/4" 3703F 47-1/4"	Number Width 3704A 24" 3704B 27" 3704C 30" 3704D 35-1/4" 3704E 41-1/4" 3704F 47-1/4"	Number Width 3705A 24" 3705B 27" 3705C 30" 3705D 35-1/4" 3705E 41-1/4" 3705F 47-1/4"
6 6	3 - 1 		3 I - -
NumberWidth3706A24"3706B27"3706C30"3706D35-1/4"3706E41-1/4"3706F47-1/4"	NumberWidth3707A24"3707B27"3707C30"3707D35-1/4"3707E41-1/4"3707F47-1/4"	Number Width 3708A 24" 3708B 27" 3708C 30" 3708D 35-1/4" 3708E 41-1/4" 3708F 47-1/4"	NumberWidth3709A24"3709B27"3709C30"3709D35-1/4"3709E41-1/4"3709F47-1/4"
			- I - 3
Number Width 3710A 24" 3710B 27" 3710C 30" 3710D 35-1/4" 3710E 41-1/4" 3710F 47-1/4"	NumberWidth3711A24"3711B27"3711C30"3711D35-1/4"3711E41-1/4"3711F47-1/4"	Number Width 3712A 24" 3712B 27" 3712C 30" 3712D 35-1/4" 3712E 41-1/4" 3712F 47-1/4"	Number Width 3713D 35-1/4" 3713E 41-1/4" 3713F 47-1/4"

Image: Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system Image of the system	Image: mail of the system 3 Image: mail of the system 3 Image: mail of the system 4 Image: mail of the system 3 Image: maile	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	I I
	- - - 4 - - - - - - - - - - - - Number Width 3718D 35-1/4" 3718E 41-1/4" 3718F 47-1/4"	- - - 3 I I I I Number Width 3719D 35-1/4" 3719E 41-1/4" 3719F 47-1/4"	- - - 4 I I I I Number Width 3720D 35-1/4" 3720E 41-1/4" 3720F 47-1/4"
- - - 3 - - - - - - - - Number Width 3721D 35-1/4" 3721E 41-1/4" 3721F 47-1/4"	- - 3 - - - - - - - - - Number Width 3722A 24" 3722B 27" 3722C 30" 3722D 35-1/4" 3722E 41-1/4" 3722F 47-1/4"	- - 4 - - - - - - - - - Number Width 3723A 24" 3723B 27" 3723C 30" 3723D 35-1/4" 3723E 41-1/4" 3723F 47-1/4"	— — 6 — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — 3724B 27" 3724D 35-1/4" 3724E 41-1/4" 3724F 47-1/4"
— —	- - 4 - - - - - - - - - - - - Number Width 3726A 24" 3726B 27" 3726C 30" 3726D 35-1/4" 3726E 41-1/4" 3726F 47-1/4"	- - 4 - - - - - - - - - - - - Number Width 3728A 24" 3728B 27" 3728C 30" 3728D 35-1/4" 3728E 41-1/4" 3728F 47-1/4"	- - - 6 - - - 6 - - - 6 - - - 6 - - - 6 - - - 6 - - - - 6 - - - - 6 - - - - 6 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - 3729A 24" 3729F 41-1/4" 3729E 41-1/4" 2009

- - 4 - - - - - - - - - Number Width	4 	- - - - - 4 - - - - 4 - - - - 4 Number Width	- - - 3 - - - - - - - - Number Width
3730A 24" 3730B 27" 3730C 30" 3730D 35-1/4" 3730E 41-1/4" 3730F 47-1/4"	3731A 24" 3731B 27" 3731C 30" 3731D 35-1/4" 3731E 41-1/4" 3731F 47-1/4"	3734F 47-1/4"	3735D 35-1/4" 3735E 41-1/4" 3735F 47-1/4"
- - - - 4 - - - - 4 - - - - 4 Number Width 3736D 35-1/4" 3736E 41-1/4"	- - - - - 4 - - - - - 4 - - - - - 4 Number Width 3737F 47-1/4"	Number Width 3753A 12-3/8" 3753B 15-5/16"	II Number Width 3755A 24" 3755B 27"
3736E 41-1/4 3736F 47-1/4"		3753D 13-5710 3753C 18" 3753D 21" 3753E 24"	3755C 30" 3755C 30" 3755D 35-1/4" 3755E 41-1/4" 3755F 47-1/4"
I 6" deep sink front Number Width 3757A 12-3/8" 3757B 15-5/16" 3757C 18" 3757D 21" 3757E 24"	6" deep sink front Number Width 3759A 24" 3759B 27" 3759C 30" 3759D 35-1/4" 3759E 41-1/4" 3759F 47-1/4"	IINumberWidth376050-5/8"	Number Width 3762 50-5/8"
Number Width 3763 58-1/4"	Number Width 3764 58-1/4" Same as 3762 except		
2000	with finished back. This unit is 22" D	Roughow Dear C	anaral Basa Cabinats - 15

33" Blind Corner Cabinets - ADA Compliant Height


All units are 22-1/2" D, unless noted otherwise



<u>29" High Base Cabinets</u> All units 22-1/2" D., unless noted otherwise

Number Width 2420 12-3/8" 2422 15-5/16" 2424 18" 2426 21" 2428 24"	I Number Width 2430 12-3/8" 2432 15-5/16" 2434 18" 2436 21" 2438 24"	Number Width 2431 12-3/8" 2433 15-5/16" 2435 18" 2437 21" 2439 24"	3 1 12-3/8" 2440 12-3/8" 2442 15-5/16" 2444 18" 2446 21" 2448 24"
- 3 - 3 - 3 - 3 Number Width 2450 12-3/8" 2452 15-5/16" 2454 18" 2456 21" 2458 24"	- 4 I - Number Width 2460 12-3/8" 2462 15-5/16" 2464 18" 2466 21" 2468 24"	- - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - 4 - - - - - - 4 - - - - - - - - 4 - - - - - 2470 12-3/8" 24" - - 2476 21" 2478 24" -	Pull Out 6-1/4 6-1/4 3 Number Width 2480 12-3/8" 2482 15-5/16" 2484 18" 2486 21" 2488 24"
Image: Number Width 2490 12-3/8" 2492 15-5/16" 2494 18" 2496 21" 2498 24"	File File File Number Width 2500 18" 2502 21" 2504 24"	Pull Out 3 14-1/4 Number Width 2506 18" 2508 21" 2510 24"	— 6 — 6
- 3 - - -	— 6 — 9-1/4 — 9-1/4 Number Width 2532 12-3/8" 2534 15-5/16" 2536 18" 2538 21" 2540 24"	- 4 - - File Number Width 2542 12-3/8" 2544 15-5/16" 2546 18" 2548 21" 2550 24"	Pull Out 6-3/4 6-3/4 3 Number Width 2552 12-3/8" 2554 15-5/16" 2556 18" 2558 21" 2560 24" Ceneral Base Cabinets - 17

All units 22-1/2" D., unless noted otherwise



All units 22-1/2" D., unless noted otherwise


- - - 4 - - - 4 Number Width 2620 24"	4 Number Width 2622 24"	Pull Outt - 4-1/4 - - - - 4 4 Number Width 2624 24"	6
Number Width 2628 27" 2630 30" 2632 35-1/4" 2634 41-1/4" 2636 47-1/4"	II Number Width 2638 24" 2640 27" 2642 30" 2644 35-1/4" 2646 41-1/4" 2648 47-1/4"	I I 2 individual cupboards Number Width 2650 24" 2652 27" 2654 30" 2656 35-1/4" 2658 41-1/4" 2660 47-1/4"	Number Width 2662 30" 2664 35-1/4" 2665 41-1/4" 2666 47-1/4"
II 4 Number Width 2668 24" 2670 27" 2672 30" 2674 35-1/4" 2676 41-1/4" 2678 47-1/4"	- - 4 II - 4 Number Width 2680 24" 2682 27" 2684 30" 2686 35-1/4" 2688 41-1/4" 2690 47-1/4"	Image: mail of the system 3 Number Width 2692 24" 2694 27" 2696 30" 2698 35-1/4" 2700 41-1/4" 2702 47-1/4"	3 - I - - - - - - Number Width 2704 24" 2706 27" 2708 30" 2710 35-1/4" 2712 41-1/4" 2714 47-1/4"
I - 3 Number Width 2716 24" 2718 27" 2720 30" 2722 35-1/4" 2724 41-1/4" 2726 47-1/4"	4I Number Width 2728 24" 2730 27" 2732 30" 2734 35-1/4" 2736 41-1/4" 2738 47-1/4"	4 - - - I - - I - - I - - I - - I - - I - - I - - I - - I - - I - - I - - I - - I - - I - - I - - I - 2731 27" 2735 35-1/4" 2737 41-1/4" 2739 47-1/4"	I - I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I <tr td=""> </tr>

All units 22-1/2" D., unless noted otherwise

	1	
3 - I Number Width 2752 35-1/4" 2754 41-1/4" 2756 47-1/4"	Number Width 2753 24" 2755 27" 2757 30" 2759 35-1/4" 2761 41-1/4" 2763 47-1/4"	4 -
3	3	4
NumberWidth277624"277827"278030"278235-1/4"278441-1/4"278647-1/4"	NumberWidth278824"279027"279230"279435-1/4"279641-1/4"279847-1/4"	NumberWidth280024"280227"280430"280635-1/4"280841-1/4"281047-1/4"
NumberWidth282424"282627"282830"283035-1/4"283241-1/4"283447-1/4"	NumberWidth283624"283827"284030"284235-1/4"284441-1/4"284647-1/4"	NumberWidth284824"285027"285230"285435-1/4"285641-1/4"285847-1/4"
	These Unit: 6" Deep 6" D sink front	
NumberWidth298024"298227"298430"298635-1/4"298841-1/4"299047-1/4"Base Cabinets	NumberWidth300212-3/8"300415-5/16"300618"300821"301024"	NumberWidth302424"302627"302830"303035-1/4"303241-1/4"303447-1/4"2009
	Image: height display="black; color: which background-color: which bac	3 $ -$

29" High Corner Sink & Blind Corner Cabinet

All units 22-1/2" D., unless noted otherwise



(One adjustable shelf)

Width

34-1/4"

Number

3874

3880 34-1/4" CampbellRhea General Base Cabinets - 21

Number

(Two revolving metal shelves)


Width

16

TΗ

VI-

All units 22-1/2" D., unless noted otherwise




All units 22-1/2" D., unless noted otherwise


		1		1			
	<u>-</u> 4	_ _ _	3	- - -	3	- - -	4
3352 3354 3356 3358 3360 3362	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3364 3366 3368 3370 3372 3374	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3365 3367 3369 3371 3373 3375	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3376 3378 3380 3382 3384 3386	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"
 	3			- - -	4		
3388 3390 3392 3394 3396 3398	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3400 3402 3404 3406 3408 3410	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3412 3414 3416 3418 3420 3422	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	3510 3512 3514 3516 3518	12-3/8" 15-5/16" 18" 21" 24"
3532 3534 3536 3538 3540 3542	24" 27" 30" 35-1/4" 41-1/4" 47-1/4"	6" dee 3554 3556 3558 3560 3562	p sink front 12-3/8" 15-5/16" 18" 21" 24"	6" dee 3576 3578 3580 3582 3584 3586	ep sink front 24" 27" 30" 35-1/4" 41-1/4" 47-1/4"		


25" High Blind Corner Cabinets


All units 22-1/2" D., unless noted otherwise



All units 22-1/2" D., unless noted otherwise







CORNER CABINET Two revolving metal shelves

	W	Н	D
3882	34-1/4"	25"	22-1/2"
			2009

Filler Panels

3/4" plywood, vertical grain with 3/4" removable blocking screwed to each end. Cut to fit at job site; filler panels can be joined to accommodate unequal corners.

Number 9012-152 9012-305 9012-609 9012-1199	W 6" 12" 24" 47-1/4"	H 12" 12" 12" 12"	A A	Number 9033-152 9033-305 9033-609 9033-1199	W 6" 12" 24" 47-1/4"	H 33" 33" 33" 33"
Number 9016-152 9016-305 9016-609 9016-1199	W 6" 12" 24" 47-1/4"	H 16-3/16" 16-3/16" 16-3/16" 16-3/16"		Number 9035-152 9035-305 9035-609 9035-1199	W 6" 12" 24" 47-1/4"	H 35" 35" 35" 35"
Number 9024-152 9024-305 9024-609 9024-1199	W 6" 12" 24" 47-1/4"	H 23-3/4" 23-3/4" 23-3/4" 23-3/4"		Number 9036-152 9036-305 9036-609 9036-1199	W 6" 12" 24" 47-1/4"	H 36" 36" 36" 36"
Number 9025-152 9025-305 9025-609 9025-1199	W 6" 12" 24" 47-1/4"	H 25" 25" 25" 25"		Number 9048-152 9048-305 9048-609 9048-1199	W 6" 12" 24" 47-1/4"	H 48" 48" 48" 48" (half sheet)
Number 9029-152 9029-305 9029-609 9029-1199	W 6" 12" 24" 47-1/4"	H 29" 29" 29" 29"		Number 9084-152 9084-305 9084-609 9084-1199	W 6" 12" 24" 47-1/4"	H 84" 84" 84" 84" (full sheet)
Number 9031-152 9031-305 9031-609 9031-1199	W 6" 12" 24" 47-1/4"	H 31-1/4" 31-1/4" 31-1/4"				

3" x 3" I.D.

Corner Filler - For Wall & Upper Cases

Constructed from 3/4" plywood with vertical grain. Filler panels can be joined at job site to accommodate unequal corners.

Number	н
9112	12"
9118	16-3/16"
9124	23-3/4"
9130	31-1/4"
9136	36"
9148	48"
2009	

4-1/4" x 4-1/4" I.D.

Corner Filler - For Base Cabinets & Tall Cases

Constructed from 3/4" plywood with vertical grain. Filler panels can be joined at job site to accommodate unequal corners.

, ,	
Number	Н
9125	25"
9129	29"
9133	33"
9135	35"
9144	44"
9184	84"
	Campbell Rhea Scribe & Filler Panels - 1


Scribe Strips

Available only in sizes indicated. Select next largest size if measurement is not exact, and cut to fit at job site.

Scribe Strips

Solid oak, 1/4" x 3", vertical grain. Scribe strips are available in a variety of lengths.


Number	L	₩	
9003-603	23-3/4"	3"	
9003-889	35"	3"	
9003-1220	48"	3"	
9003-2134	84"	3"	



9200 Single Faced Countertop Support Panel Dimensions: W H (Specify) D (Specify) Overall1-3/16" 25", 29", 33" or 35" 12" to 48"

9202 Double Faced Countertop Support Panel Dimensions: W H (Specify) D (Specify)

Overall1-3/16" 25", 29", 33" or 35" 12" to 48"



Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

GENERAL CASEWORK


TABLE OF CONTENTS forBase CabinetsWall Cabinets Tall CasesTables & Kneespaces

Base Cabir Section:		Wall/Upper Sectio		Tall Case Table Section:			oles & Kneespace Section:	
<u>Item Pa</u>	ages	<u>ltem</u>	<u>Pages</u>	<u>ltem</u>	<u>Pages</u>	<u>ltem</u>	<u>Pages</u>	
35" H corner 8 ADA COMPLIA 33" H 33" H 1 33" H corner 1 29" H 1 29" H 1 29" H corner 2	NT 10-15 16 17-20 21 22-23	Open Wood door Glazed door Sliding door Upper, 48"H Upper, 36"H Corner	14-15	General Apron Bookcase Compartment Corner Display File Illuminated Display Instructor Magazine Notebook Storage Supply Tote Tray Wardrobe	1-2, 4, 12 7-8 6,12 t 5 3,5 4-6 4 6 9 4 6 4 5-9 10-11 7-9	Adjustable I Table Open, Wood Table Open, Metal Table Kneespaces	3 I Frame, 1 Frame, 2	

Filler panels, filler panels for wall, upper, base and tall cases, scribe strips and, single or double faced countertop support panels are found on pages 1-2 of the "Filler/Scribe" section immediately following "Base Cabinets".

SHELVES ARE FULL-DEPTH, ADJUSTABLE

OPEN FRONT - NO DOOR



12" DEEP **16" DEEP** 13" DEEP 4220 12-3/8" 4200 12-3/8" 4201 12-3/8" 4222 15-5/16" 4202 15-5/16" 4203 15-5/16" 4224 18" 4204 18" 4205 18" 12" 4206 21" 4226 21" 4207 21" HIGH 4208 24" 4209 24" 4228 24" 4210 27" 4230 27" 4211 27" 4232 30" 4212 30" 4213 30" 4214 35-1/4" 4234 35-1/4" 4215 35-1/4" 4236 41-1/4" 4216 41-1/4" 4217 41-1/4" 4238 47-1/4" 4218 47-1/4" 4219 47-1/4" NO SHELF 12" DEEP 13" DEEP 16" DEEP 4240 12-3/8" 4260 12-3/8" 4241 12-3/8" 4242 15-5/16" 4262 15-5/16" 4243 15-5/16" 4244 18" 4245 18" 4264 18" 16-3/16" 4266 21" 4246 21" 4247 21" HIGH 4248 24" 4249 24" 4268 24" 4250 27" 4251 27" 4270 27" 4252 30" 4272 30" 4253 30" 4254 35-1/4" 4255 35-1/4" 4274 35-1/4" 4256 41-1/4" 4276 41-1/4" 4257 41-1/4" 4258 47-1/4" 4278 47-1/4" 4259 47-1/4" ONE ADJUSTABLE SHELF 12" DEEP 13" DEEP 16" DEEP 4280 12-3/8" 4281 12-3/8" 4300 12-3/8" 4282 15-5/16" 4283 15-5/16" 4302 15-5/16" 4284 18" 4285 18" 4304 18" 23-3/4" 4286 21" 4287 21" 4306 21" HIGH 4308 24" 4288 24" 4289 24" 4290 27" 4291 27" 4310 27" 4292 30" 4293 30" 4312 30" 4295 35-1/4" 4314 35-1/4" 4294 35-1/4" 4296 41-1/4" 4297 41-1/4" 4316 41-1/4" 4298 47-1/4" 4299 47-1/4" 4318 47-1/4" ONE ADJUSTABLE SHELF 12" DEEP 13" DEEP 16" DEEP 4320 12-3/8" 4321 12-3/8" 4340 12-3/8" 4322 15-5/16" 4323 15-5/16" 4342 15-5/16" 4325 18" 4344 18" 4324 18" 31-1/4" 4346 21" 4327 21" 4326 21" HIGH 4329 24" 4348 24" 4328 24" 4350 27" 4330 27" 4331 27" 4332 30" 4333 30" 4352 30" 4334 35-1/4" 4335 35-1/4" 4354 35-1/4"

4336 41-1/4"

4338 47-1/4"

4339 47-1/4" TWO ADJUSTABLE SHELVES


4337 41-1/4"

4356 41-1/4"

4358 47-1/4"

SHELVES ARE FULL-DEPTH, ADJUSTABLE

WOOD DOOR, HINGED RIGHT




	12" HIGH	12" DE 4360 4362 4364 4366 4368	EEP 12-3/8" 15-5/16" 18" 21" 24" NO SHELF; N	13" DE 4361 4363 4365 4367 4369 <i>OT AVAIL</i>	12-3/8" 15-5/16" 18" 21" 24"	16" DE 4370 4372 4374 4376 4378 SION STY	12-3/8" 15-5/16" 18" 21" 24"
	16-3/16" HIGH	12" D 4380 4382 4384 4386 4388	EEP 12-3/8" 15-5/16" 18" 21" 24" DJUSTABLE S	13" DE 4381 4383 4385 4387 4389	12-3/8" 15-5/16" 18" 21" 24'	16" DE 4390 4392 4394 4396 4398	12-3/8" 15-5/16" 18" 21" 24"
		ONE NE		, 110 i i i i i i i i i i i i i i i i i i	, , (i) (ie) (bee	IN ILLOO	IGIN GT TEE
	23-3/4" HIGH	12" DE 4400 4402 4404 4406 4408	12-3/8" 15-5/16" 18" 21" 24"	13" DE 4401 4403 4405 4407 4409 <i>IE ADJUS</i>	EP 12-3/8" 15-5/16" 18" 21" 24" TABLE SHEL	16" DI 4410 4412 4414 4416 <i>F</i>	EEP 12-3/8" 15-5/16" 18" 21"
	31-1/4" HIGH	12" DE 4420 4422 4424 4426 4428	EEP 12-3/8" 15-5/16" 18" 21" 24"	13" DE 4421 4423 4425 4427 4429	EEP 12-3/8" 15-5/16" 18" 21" 24"	16" DE 4430 4432 4434 4436 4438	EEP 12-3/8" 15-5/16" 18" 21" 24"
			TWO	O ADJUST.	ABLE SHELVI	ES	

WOOD DOOR, HINGED LEFT

12" HIGH


16-3/16" HIGH





12" DEEP		13" DE	EP	16" DE	16" DEEP		
	4440	12-3/8"	4441	12-3/8"	4450	12-3/8"	
	4442	15-5/16"	4443	15-5/16"	4452	15-5/16"	
	4444	18"	4445	18"	4454	18"	
	4446	21"	4447	21"	4456	21"	
	4448	24"	4449	24"	4458	24"	
	4444 4446	18" 21"	4445 4447	18" 21"	4454 4456	18" 21"	

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE



12" DEEP		13" DEEP		16" DEEP	
4460	12-3/8"	4461	12-3/8"	4470	12-3/8"
4462	15-5/16"	4463	15-5/16"	4472	15-5/16"
4464	18"	4465	18"	4474	18"
4466	21"	4467	21"	4476	21"
4468	24"	4469	24"	4478	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE

		12" DE	EP	13" DE	EP	16" DE	EP
	23-3/4"	4480	12-3/8"	4481	12-3/8"	4490	12-3/8"
	HIGH	4482	15-5/16"	4483	15-5/16"	4492	15-5/16
		4484	18"	4485	18"	4494	18"
		4486	21"	4487	21"	4496	21"
11		4488	24"	4489	24"	4498	24"


ONE ADJUSTABLE SHELF


	31-1/ HIGH

	12" DEEP		13" DEEP		16" DEEP	
	4500	12-3/8"	4501	12-3/8"	4510	12-3/8"
	4502	15-5/16"	4503	15-5/16"	4512	15-5/16"
4 4 / 4 "	4504	18"	4505	18"	4514	18"
1-1/4"	4506	21"	4507	21"	4516	21"
ligh	4508	24"	4509	24"	4518	24"

SHELVES ARE FULL-DEPTH, ADJUSTABLE


GLAZED DOOR, HINGED RIGHT






	12" DEEP		13" DEEP		16" DEEP	
	4520	12-3/8"	4521	12-3/8"	4530	12-3/8"
	4522	15-5/16"	4523	15-5/16"	4532	15-5/16"
16-3/16"	4524	18"	4525	18"	4534	18"
HIGH	4526	21"	4527	21"	4536	21"
	4528	24"	4529	24"	4538	24"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



12" DEEP		13" DE	EP	16" DEEP		
4540	12-3/8"	4541	12-3/8"	4550	12-3/8"	
4542	15-5/16"	4543	15-5/16"	4552	15-5/16"	
4544	18"	4545	18"	4554	18"	
4546	21"	4547	21"	4556	21"	
4548	24"	4549	24"	4558	24"	

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




31-1/4" HIGH

12" DE	12" DEEP		13" DEEP		16" DEEP	
4560	12-3/8"	4561	12-3/8"	4570	12-3/8"	
4562	15-5/16"	4563	15-5/16"	4572	15-5/16"	
4564	18"	4565	18"	4574	18"	
4566	21"	4567	21"	4576	21"	
4568	24"	4569	24"	4578	24"	

SHELVES ARE FULL-DEPTH, ADJUSTABLE

GLAZED DOOR, HINGED LEFT




16-3/16[;] HIGH

23-3/4" HIGH


31-1/4"

HIGH




	12" DEEP		13" DEE	ΕP	16" DEEP		
	4580	12-3/8"	4581	12-3/8"	4590	12-3/8"	
	4582	15-5/16"	4583	15-5/16"	4592	15-5/16"	
	4584	18"	4585	18"	4594	18"	
16"	4586	21"	4587	21"	4596	21"	
	4588	24"	4589	24"	4598	24"	

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



12" DE	12" DEEP		EP	16" DEEP		
4600	12-3/8"	4601	12-3/8"	4610	12-3/8"	
4602	15-5/16"	4603	15-5/16"	4612	15-5/16"	
4604	18"	4605	18"	4614	18"	
4606	21"	4607	21"	4616	21"	
4608	24"	4609	24"	4618	24"	


ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



16" DEEP 12" DEEP 13" DEEP 12-3/8" 12-3/8" 12-3/8" 4630 4620 4621 15-5/16" 4632 4622 15-5/16" 4623 15-5/16" 18" 4634 4624 18" 4625 18" 4636 21" 4626 21" 4627 21" 4628 24" 4629 24" 4638 24"

SHELVES ARE FULL-DEPTH, ADJUSTABLE

WOOD HINGED, DOUBLE DOORS




12"

HIGH


12" DEEP 13" DEEP 16" DEEP 24" 24" 4640 24" 4641 4652 27" 27" 27" 4642 4643 4654 30" 30" 30" 4644 4656 4645 35-1/4" 35-1/4" 35-1/4" 4646 4647 4658 4648 41-1/4" 4649 41-1/4" 4660 41-1/4" 4650 47-1/4" 4651 47-1/4" 4662 47-1/4

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE




12" C	12" DEEP		13" DEEP		16" DEEP	
4664	24"	4665	24"	4676	24"	
4666	27"	4667	27"	4678	27"	
4668	30"	4669	30"	4680	30"	
4670	35-1/4"	4671	35-1/4"	4682	35-1/4"	
4672	41-1/4"	4673	41-1/4"	4684	41-1/4"	
4674	47-1/4"	4675	47-1/4"	4686	47-1/4"	

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



12" DEEP		13" DEEP		16" DEEP	
4688	24"	4689	24"	4700	24"
4690	27"	4691	27"	4702	27"
4692	30"	4693	30"	4704	30"
4694	35-1/4"	4695	35-1/4"	4706	35-1/4"
4696	41-1/4"	4697	41-1/4"	4708	41-1/4"
4698	47-1/4"	4699	47-1/4"	4710	47-1/4"


ONE ADJUSTABLE SHELF




12" DEEP		13" DEEP		16" DEEP	
4712	24"	4713	24"	4724	24"
4714	27"	4715	27"	4726	27"
4716	30"	4717	30"	4728	30"
4718	35-1/4"	4719	35-1/4"	4730	35-1/4"
4720	41-1/4"	4721	41-1/4"	4732	41-1/4"
4722	47-1/4"	4723	47-1/4	4734	47-1/4"

SHELVES ARE FULL-DEPTH, ADJUSTABLE


HINGED DOUBLE, GLAZED DOORS





	12" DEEP		13" DEEP		16" DEEP	
	4736	24"	4737	24"	4748	24"
	4738	27"	4739	27"	4750	27"
	4740	30"	4741	30"	4752	30"
16-3/16" HIGH	4742	35-1/4"	4743	35-1/4"	4754	35-1/4"
	4744	41-1/4"	4745	41-1/4"	4756	41-1/4"
	4746	47-1/4"	4747	47-1/4"	4758	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




23-3/4" HIGH

> 31-1/4" HIGH

12" DEEP		13" DE	13" DEEP		16" DEEP	
4760	24"	4761	24"	4772	24"	
4762	27"	4763	27"	4774	27"	
4764	30"	4765	30"	4776	30"	
4766	35-1/4"	4767	35-1/4"	4778	35-1/4"	
4768	41-1/4"	4769	41-1/4"	4780	41-1/4"	
4770	47-1/4"	4771	47-1/4"	4782	47-1/4"	


ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE




12" DEEP		13" DEEP		16" DEEP	
4784	24"	4785	24"	4796	24"
4786	27"	4787	27"	4798	27"
4788	30"	4789	30"	4800	30"
4790	35-1/4"	4791	35-1/4"	4802	35-1/4"
4792	41-1/4"	4793	41-1/4"	4804	41-1/4"
4794	47-1/4"	4795	47-1/4"	4806	47-1/4"

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE




WOOD SLIDING DOORS




12" DEEP		13" DEEP		16" DEEP	
4808	24"	4809	24"	4820	24"
4810	27"	4811	27"	4822	27"
4812	30"	4813	30"	4824	30"
4814	35-1/4"	4815	35-1/4"	4826	35-1/4"
4816	41-1/4"	4817	41-1/4"	4828	41-1/4"
4818	47-1/4"	4819	47-1/4"	4830	47-1/4"

NO SHELF; NOT AVAILABLE IN ILLUSION STYLE



	12" DEEP		13" DEEP		16" DEEP	
	4832	24"	4833	24"	4844	24"
	4834	27"	4835	27"	4846	27"
16-3/16"	4836	30"	4837	30"	4848	30"
HIGH	4838	35-1/4"	4839	35-1/4"	4850	35-1/4"
	4840	41-1/4"	4841	41-1/4"	4852	41-1/4"
	4842	47-1/4"	4843	47-1/4"	4854	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE



	12" DEEP		13" DEE	P	16" DEEP	
	4856	24"	4857	24"	4868	24"
"	4858	27"	4859	27"	4870	27"
	4860	30"	4861	30"	4872	30"
	4862	35-1/4"	4863	35-1/4"	4874	35-1/4"
	4864	41-1/4"	4865	41-1/4"	4876	41-1/4"
	4866	47-1/4"	4867	47-1/4"	4878	47-1/4"

ONE ADJUSTABLE SHELF; NOT AVAILABLE IN ILLUSION STYLE


0	0

	12" DEEP		13" DEEP		16" DEEP	
	4880	24"	4881	24"	4892	24"
	4882	27"	4883	27"	4894	27"
	4884	30"	4885	30"	4896	30"
31-1/4"	4886	35-1/4"	4887	35-1/4"	4898	35-1/4"
HIGH	4888	41-1/4"	4889	41-1/4"	4900	41-1/4"
	4890	47-1/4"	4891	47-1/4"	4902	47-1/4"


TWO ADJUSTABLE SHELVES; NOT AVAILABLE IN ILLUSION STYLE

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE




GLAZED SLIDING DOORS



23-3/4" HIGH

ONE ADJUSTABLE SHELF



12" DE	12" DEEP		EP	16" DE	16" DEEP	
4928	24"	4929	24"	4940	24"	
4930	27"	4931	27"	4942	27"	
4932	30"	4933	30"	4944	30"	
4934	35-1/4"	4935	35-1/4"	4946	35-1/4"	
4936	41-1/4"	4937	41-1/4"	4948	41-1/4"	
4938	47-1/4"	4939	47-1/4"	4950	47-1/4"	

ONE ADJUSTABLE SHELF

	31-1/4" HIGH	12" DE 4952 4954 4956 4958	EP 24" 27" 30" 35-1/4"	13" DE 4953 4955 4957 4959	EEP 24" 27" 30" 35-1/4"	16" DE 4964 4966 4968 4970	EEP 24" 27" 30" 35-1/4"
		4960 4962	41-1/4" 47-1/4"	4961 4963	41-1/4" 47-1/4"	4972 4974	41-1/4" 47-1/4"

TWO ADJUSTABLE SHELVES

Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE



GLASS SLIDING DOORS



	12" DEEP		13" DE	EP	16" DEEP	
	4976	24"	4977	24"	4988	24"
12"	4978	27"	4979	27"	4990	27"
HIGH	4980	30'	4981	30"	4992	30"
	4982	35-1/4"	4983	35-1/4"	4994	35-1/4"
	4984	41-1/4"	4985	41-1/4"	4996	41-1/4"
	4986	47-1/4"	4987	47-1/4"	4998	47-1/4"

NO SHELF

	///	
° ///	0	


	12" DEEP		13" DEEP		16" DEEP	
	5000	24"	5001	24"	5012	24"
16-3/16"	5002	27"	5003	27"	5014	27"
HIGH	5004	30"	5005	30"	5016	30"
mon	5006	35-1/4"	5007	35-1/4"	5018	35-1/4"
	5008	41-1/4"	5009	41-1/4"	5020	41-1/4"
	5010	47-1/4"	5011	47-1/4"	5022	47-1/4"

ONE ADJUSTABLE SHELF



	12" DEEP		13" DEEP		16" DEEP	
	5024	24"	5025	24"	5036	24"
	5026	27"	5027	27"	5038	27"
	5028	30"	5029	30"	5040	30"
23-3/4"	5030	35-1/4"	5031	35-1/4"	5042	35-1/4"
HIGH	5032	41-1/4"	5033	41-1/4"	5044	41-1/4"
	5034	47-1/4"	5035	47-1/4"	5046	47-1/4"

ONE ADJUSTABLE SHELF



12" DEE	12" DEEP		P	16" DEEP		
5048	24"	5049	24"	5060	24"	
5050	27"	5051	27"	5062	27"	
5052	30"	5053	30"	5064	30"	
5054	35-1/4"	5055	35-1/4"	5066	35-1/4"	
5056	41-1/4"	5057	41-1/4"	5068	41-1/4"	
5058	47-1/4"	5059	47-1/4"	5070	47-1/4"	

TWO ADJUSTABLE SHELVES

Upper Cases - 48" High


SHELVES ARE FULL-DEPTH & ADJUSTABLE. ONE PULL PER DOOR.

WOOD DOOR HINGED RIGHT
(SHOWN)

WIDTH	12" DEEP	16" DEEP
18"	5100	5106
21"	5102	5108
24"	5104	5110

WOOD DOOR HINGED LEFT

WIDTH	12" DEEP	16" DEEP
18" 21"	5112 5114	5118 5120
24"	5116	5122




GLAZED DOOR HINGED RIGHT (SHOWN)

WIDTH	12" DEEP	16" DEEP
18"	5124	5130
21"	5126	5132
24"	5128	5134

GLAZED DOOR HINGED LEFT

WIDTH	12" DEEP	16" DEEP
18"	5136	5142
21"	5138	5144
24"	5140	5146



47-1/4"

5190

5180




47-1/4"

5156


5168

Upper Cases - 48" High

SHELVES ARE FULL-DEPTH & ADJUSTABLE. ONE PULL PER DOOR.




WOOD SLIDING DOORS




GLAZED HINGED DOORS

WIDTH	12" DEEP	16" DEEP
30"	5192	5202
35-1/4"	5194	5204
41-1/4"	5196	5206
47-1/4"	5198	5208

WIDTH	12" DEEP	16" DEEP
24"	5112	5122
30"	5214	5224
35-1/4"	5216	5226
41-1/4"	5218	5228
47-1/4"	5220	5230



GLAZED SLIDING DOORS



GLASS SLIDING




WIDTH 12" DEEP 26" DEEP WIDTH 12" DEEP 16" DEEP 30" 30" 5232 5242 5252 5262 35-1/4" 5234 5244 35-1/4" 5254 5264 41-1/4" 5236 5246 41-1/4" 5256 5266 47-1/4" 5238 5248 47-1/4" 5258 5268

Wall Corner Cases

SHELVES ARE FULL-DEPTH & ADJUSTABLE. ONE PULL PER DOOR.

Not available in DECOR Casework line.


WALL CORNER CASE




WOOD HINGED DOOR

NUMBER	DIMENSIONS
5275	12" D x 23-7/8" H (1 shelf)
5276	12" D x 31-1/4" H (2 shelves)
5292	12" D x 36" H (2 shelves)
5275A	13" D x 23-7/8" H (1 shelf)
5276A	13" D x 31-1/4" H (2 shelves)
5293	13" D x 36" H (2 shelves)
5277	16" D x 23-7/8" H (1 shelf)
5278	16" D x 31-1/4" H (2 shelves)

UPPER CORNER CASE








GLAZED HINGED DOOR


5279 12" D x 23-7/8" H (1 shelf) 5280 12" D x 31-1/4" H (2 shelves) 5295 12" D x 36" H (2 shelves) 5279A 13" D x 23-7/8" H (1 shelf) 5280A 13" D x 31-1/4" H (2 shelves) 5296 13" D x 36" H (2 shelves) 5281 16" D x 23-7/8" H (1 shelf) 5282 16" D x 31-1/4" H (2 shelves) 5297 16" D x 36" H (2 shelves)
--

UPPER CORNER CASE





NUMBER	DIMENSIONS
5288	12" D x 48" H (3 shelves)
5290	16" D x 48" H (3 shelves)



WOOD HINGED DOOR

NUMBER	DIMENSIONS
5284	12" D x 48" H (3 shelves)
5286	16" D x 48" H (3 shelves)

36" High Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

	12" DEEP		13" DE	EP	16" DE	EP
	5300	12-3/8"	5301	12-3/8"	5320	12-3/8"
	5302	15-5/16"	5303	15-5/16"	5322	15-5/16"
	5304	18"	5305	18"	5324	18"
	5306	21"	5307	21"	5326	21"
	5308	24"	5309	24"	5328	24"
	5310	27"	5311	27"	5330	27"
	5312	30"	5313	30"	5332	30"
	5314	35-1/4"	5315	35-1/4"	5334	35-1/4"
36"	5316	41-1/4"	5317	41-1/4"	5336	41-1/4"
HIGH	5318	47-1/4"	5319	47-1/4"	5338	47-1/4"

16" DEEP

12-3/8"

18"

21"

15-5/16"

5350

5352

5354

5356

Wood Door,	Hinged F	Right		
	12" DE	EP	13" DE	EP
	5340	12-3/8"	5341	12-3/8"
	5342	15-5/16"	5343	15-5/16"
	5344	18"	5345	18"
36"	5346	21"	5347	21"
HIGH	5348	24"	5349	24"

Open Front

	12" DE 5360	EP 12-3/8"	13" DE	EP	16" DE	EP	o"
Wood Door,	Hinged L	eft					
HIGH	5348	24"	5349	24"	5358	24"	

		EF .	13″ DE	EP	16″ DE	:EP
	5360	12-3/8"	5361	12-3/8"	5370	12-3/8"
	5362	15-5/16"	5363	15-5/16"	5372	15-5/16"
	5364	18"	5365	18"	5374	18"
36"	5366	21"	5367	21"	5376	21"
HIGH	5368	24"	5369	24"	5378	24"

	//	
	//	
	///	

Glazed Door, Hinged Right

	12" DE	EP	13" DE	13" DEEP		16" DEEP	
	5380	12-3/8"	5381	12-3/8"	5390	12-3/8"	
	5382	15-5/16"	5383	15-5/16"	5392	15-5/16"	
	5384	18"	5385	18"	5394	18"	
36"	5386	21"	5387	21"	5396	21"	
HIGH	5388	24"	5389	24"	5398	24"	


///		
	//	
///		

Glaz	ed Door,	Hinged I	_eft				
		12" DEEP		13" DEEP		16" DEEP	
		5400	12-3/8"	5401	12-3/8"	5410	12-3/8"
		5402	15-5/16"	5403	15-5/16"	5412	15-5/16"
		5404	18"	5405	18"	5414	18"
	36"	5406	21"	5407	21"	5416	21"
	HIGH	5408	24"	5409	24"	5418	24"


36" High Wall Cases

SHELVES ARE FULL-DEPTH, ADJUSTABLE

Wood Hinged Doors




	12" DEE	EP	13" DEE	P	16" DEE	P
	5420	24"	5421	24"	5432	24"
 36"	5422	27"	5423	27"	5434	27"
HIGH	5424	30"	5425	30"	5436	30"
	5426	35-1/4"	5427	35-1/4"	5438	35-1/4"
	5428	41-1/4"	5429	41-1/4"	5440	41-1/4"
	5430	47-1/4"	5431	47-1/4"	5442	47-1/4"



Glazed Hinged Doors

	12" DE	EP	13" DE	EP	16" DEEP		
	5444	24"	5445	24"	5456	24"	
	5446	27"	5447	27"	5458	27"	
36"	5448	30"	5449	30"	5460	30"	
HIGH	5450	35-1/4"	5451	35-1/4"	5462	35-1/4"	
	5452	41-1/4"	5453	41-1/4"	5464	41-1/4"	
	5454	47-1/4"	5455	47-1/4"	5466	47-1/4"	



Wood Sliding Doors

	12" DE	EP	13" DE	EP	16" DE	EP
	5468	24"	5469	24"	5480	24"
	5470	27"	5471	27"	5482	27"
36"	5472	30"	5473	30"	5484	30"
HIGH	5474	35-1/4"	5475	35-1/4"	5486	35-1/4"
	5476	41-1/4"	5477	41-1/4"	5488	41-1/4"
	5478	47-1/4"	5479	47-1/4"	5490	47-1/4"




Glazed Sliding Doors

	12" DE	EP	13" DE	EP	16" DE	EP
	5492	24"	5493	24"	5504	24"
36"	5494	27"	5495	27"	5506	27"
HIGH	5496	30"	5497	30"	5508	30"
mon	5498	35-1/4"	5499	35-1/4"	5510	35-1/4"
	5500	41-1/4"	5501	41-1/4"	5512	41-1/4"
	5502	47-1/4"	5503	47-1/4"	5514	47-1/4"

5525

5527



Glass	s Sliding	Doors					
		12" DE	EP	13" DE	EP	16" DE	EP
		5516	24"	5517	24"	5528	24
		5518	27"	5519	27"	5530	27
	36"	5520	30"	5521	30"	5532	30
	HIGH	5522	35-1/4"	5523	35-1/4"	5534	35

41-1/4"

47-1/4"

5524

5526

41-1/4"

47-1/4"

24"

27"

30"

5536

5538

35-1/4"

41-1/4"

47-1/4"

GENERAL CASEWORK

TABLE OF CONTENTS forBase CabinetsWall Cabinets Tall CasesTables & Kneespaces

Base Cal Section		Wall/Upper Sectio	I	Tall Ca Sectio		Tables & K Sect	
<u>Item</u>	<u>Pages</u>	<u>Item</u>	<u>Pages</u>	<u>ltem</u>	<u>Pages</u>	<u>Item</u>	<u>Pages</u>
35" H 35" H corner ADA COMPLI 33" H 33" H corner 29" H 29" H corner 25" H 25" H corner	ANT 10-15 16 17-20 21 22-23	Open Wood door Glazed door Sliding door Upper, 48"H Upper, 36"H Corner	1, 14-15 2-3, 6, 14-15 4-5, 7, 14-15 8-10, 14-15 11-12 14-15 13	General Apron Bookcase Compartment Corner Display File Illuminated Display Instructor Magazine Notebook Storage Supply Tote Tray Wardrobe	1-2, 4, 12 7-8 6,12 5 3,5 4-6 4 6 9 4 6 4 5-9 10-11 7-9	Adjustable Table Open, Woo Table Open, Meta Table Kneespace	e 3 od Frame, e 1 al Frame, e 2

Filler panels, filler panels for wall, upper, base and tall cases, scribe strips and, single or double faced countertop support panels are found on pages 1-2 of the "Filler/Scribe" section immediately following "Base Cabinets".

84"

HIGH

84"


HIGH

(UNITS EQUIPPED WITH FOUR, 1" THICK ADJUSTABLE SHELVES & ONE FIXED CENTER SHELF, 1" THICK.) Do Not Use General Shelving Units, over 35-1/4" W and/or 16" D, as book storage.



OPEN FRONT


WIDTH	12" DEEP	16" DEEP	22-1/2" DEEP
21"	5624	5642	5660
24"	5626	5644	5662
27"	5628	5646	5664
30"	5630	5648	5666
35-1/4"	5632	5650	5668
41-1/4"	5634	5652	5670
47-1/4"	5636	5654	5672




WOOD HINGED DOORS	
-------------------	--

WIDTH	16" DEEP	22-1/2" DEEP
30"	5678	5686
35-1/4"	5680	5688
41-1/4"	5682	5690
47-1/4"	5684	5692


(UNITS EQUIPPED WITH FOUR, 1" THICK ADJUSTABLE SHELVES & ONE FIXED CENTER SHELF, 1" THICK.) Do Not Use General Shelving Units, over 35-1/4" W and/or 16" D, as book storage.






GLAZED HINGED DOORS


84"	16" DE	EP	22-1/2"	DEEP
	5714	30"	5722	30"
HIGH	5716	35-1/4"	5724	35-1/4"
	5718	41-1/4"	5726	41-1/4"
	5720	47-1/4"	5728	47-1/4"




GLAZED SLIDING DOORS

84"	16" DE	EP	22-1/2"	DEEP
	5730	35-1/4"	5740	35-1/4"
HIGH	5732	41-1/4"	5742	41-1/4"
	5734	47-1/4"	5744	47-1/4"







5802Corner Tall CaseDimensions:DHOverall22-1/2"84"Equipment:Equipped with four adjustableshelves and one fixed shelf.(Not available in Decor casework line)



5802 Closed Door View






5856 General File StorageDimensions:WHDOverall24"84"22-1/2"Equipment:Two sloping magazineshelves & three legal file drawers withmetal slides, file follower, and labelholder.

5858 General File Storage					
Dimensions:	W	Н	D		
Overall	24"	84"	22-1/2"		
Equipment: Two adjustable shelves and					
three legal file drawers with metal slides,					
file follower, and label holder.					

5880 Magazine and File StorageDimensions:WHDOverall35-1/4"84"22-1/2"Equipment:Open compartment with 2sloped shelves for magazines; six filedrawers with metal slides, file followersand label holders.

8122 Magazine and File Storage Same as 5880 except 47-1/4" wide.




5881 Storage Case

Dimensions:WHDOverall47-1/4"84"22-1/2"Equipment:Three adjustable shelvesin upper section;lower section has fivedrawers;two, 18" W x 6" D and three, 45"W x 6" D.

(See 8390 for 35-1/4" W).


4 - Campbell Rhea General Tall Cases



5882 Storage and Display CaseDimensions:WHDOverall35-1/4"84"22-1/2"Equipment:Three adjustable shelvesbehind glass sliding doors in upper section;one adjustable shelf behind wood hingeddoors in lower section.


5884 Storage and Display Case

Same as 5882 except 47-1/4" W.



5885 Storage CaseDimensions:WHDOverall47-1/4"84"22-1/2"Equipment:Three adjustable shelves in
upper section; lower section has three
tiers with six tray compartments in each.Eighteen,#6346 plastic tote trays are
included, 19" x 13-3/4 x 3-1/2".

2009



 5886 Compartment Storage Case


 Dimensions:
 W
 H
 D

 Overall
 47-1/4"
 84"
 22-1/2"

 Equipment:
 Horizontal and vertical dividers
 vertical dividers

 provide 32 equal compartments for convenient
 storage of various types of apparatus; 3-point

latching handle.



 5891 Corner Storage Case

 (Illustration is for right hand return.)


 Dimensions:
 W
 H
 D

 Overall
 47-1/4"
 84"
 22-1/2"

 Equipment: Four adjustable shelves; one fixed shelf; 3-point latching handle. Right hand return.

5893 Corner Storage Case


Same as 5891 except left hand return.



6910 Display and Supply Case


Dimensions:	W	Н	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Cupboard I D	45-3/4"	29-1/4	33
20-3/4"			

Equipment: Three adjustable shelves in upper section; one full depth adjustable shelf in lower section. Counter top is 1" thick - Specify material desired.




6912 Display and Supply Case					
Dimensions:	W	Н	D		
Overall	49-1/4"	84"	24"		
Upper Case O D	47-1/4"	48"	16"		
B. Cab, O D	47-1/4"	35"	22-1/2"		
Cupboard I D	45-3/4"	21-1/4"	20-3/4"		
Drawers(2) ID	20-1/2"	6"	17"		

Equipped with three adjustable shelves in upper section; one full depth adjustable shelf in lower section. Counter top is 1" thick - specify material desired.




6914 Display and Supply Case Dimensions: W н D Overall 49-1/4" 84" 24" Upper Case 47-1/4" 48" 16" 47-1/4" B. Cab, O D 35" 22-1/2" Cupboard I D 22-1/2" 29-1/4' 20-3/4"

Drawers(4) ID 20-1/2" 6" 17" Equipment: Three adjustable shelves in upper section; one full depth adjustable shelf in lower section. Counter top is 1" thick - Specify material desired.




6916 Display and Supply Case Dimensions: W D н Overall 49-1/4" 84" 24" Upper Case O D 47-1/4" 48" 16" B. Cab, O D 47-1/4" 35 22-1/2" Drawers(8) ID 20-1/2" 6" 17 Equipment: Three adjustable shelves in upper section. Counter top is 1" thick - specify material desired.



6918 Display and Supply Case


Dimensions:	W	Ĥ	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Drawers(4) ID	20-1/2"	6"	17"
Drawers(2) ID 43	-3/4" 6" 17	73	

Equipment: Three adjustable shelves in upper section. Counter top is 1" thick - Specify material desired.



6920 Display and Supply Case

Dimensions:	W	H	D
Overall	49-1/4"	84"	24"
Upper Case O D	47-1/4"	48"	16"
B. Cab, O D	47-1/4"	35"	22-1/2"
Drawers(2) ID	20-1/2"	2-1/4"	17"
Drawers(3) ID	20-1/2"	6"	17"
Drawers(2) ID	43-3/4"	6"	17"
Equipment: Three	e adjustab	le shelve	s in upper
section. Counter	top is 1" th	nick - Spe	cify
material desired.	-		-



6926 Notebook Case							
Dimensions:	W	н	D				
Overall	27"	84"	16"				
Compartments,	I. D.						
(total of 72)	12-3/8"	1-7/8"	10-3/4"				
Equipment: 3-pc	oint locking	handle.					

///	11.
111	111
• ///	°
0	0

6964 Illuminated Display Case

 Dimensions:
 W
 H
 D

 Overall
 58-1/4"
 84"
 22-1/2"

 Equipment: Upper section is 48" H and equipped with plate glass sliding doors; two adjustable plate glass shelves with center shelf bracket; one single tube fluorescent light fixture with switch. (Bulbs are not included) Lower section has wood sliding doors.

6966 Illuminated Display Case

Same as 6964 except 41-1/4" W.

6968 Illuminated Display Case Same as 6964 except 47-1/4" W.


6928 Book Case

Dimensions:WHDOverall27"84"16"Equipment:Five adjustable shelves;3-pointlocking handle.


84" High General Storage




5850 Wardrobe CaseDimensions:WHDOverall24"84"22-1/2"Equipment: One hanger rod; one fixed hatshelf; 3-point latching handle.



5852 Apron StorageDimensions:WHDOverall24"84"22-1/2"Equipment: One fixed shelf; one adjustableshelf; (13) double prong side mount hooks,and (10) double prong ceiling mounthooks; vented door;3-point latchinghandle.



5854 Apron StorageDimensions:WHDOverall24"84"22-1/2"Equipment:One fixed shelf; (13) doubleprong side mount hooks;vented door;3-point latching handle.



5860 Wardrobe Case Dimensions: W H D Overall 35-1/4" 84" 22-1/2"


Equipment: One fixed shelf; one hanger rod; 3-point latching handle.

5862 Wardrobe Case

Same as 5860 except 41-1/4" W.

5864 Wardrobe Case


Same as 5860 except 47-1/4" W. 2009



5866 Wardrobe and Storage CaseDimensions:WHDOverall35-1/4"84"22-1/2"Equipment:One fixed shelf; threeadjustable shelves; one hanger rod;3-point latching handle.Wardrobe onleft.


5868 Wardrobe and Storage Case Same as 5866 except 41-1/4" W.

5870 Wardrobe and Storage Case Same as 5866 except 47-1/4" W.



5872 Teacher's Wardrobe & StorageDimensions:WHDOverall41-1/4"84"22-1/2"Equipment: One hanger rod; one fixed hatshelf; two adjustable shelves; 3 file drawerswith metalslides, file follower and labelholder.Door equipped with a 10" x 12"mirror and 3-point latching handle.


84" High General Storage



5874 Teacher's Wardrobe & Storage Dimensions: W Н Overall 41-1/4" 84" 22-1/2" Equipment: Three file drawers with metal slides, file followers and label holders; open compartment with two sloped shelves for magazines; right side wardrobe compartment equipped with one fixed hat shelf and one hanger rod. Door is equipped with one 10" x 12" mirror & a 3-point latching handle.


5875 Teacher's Wardrobe & Storage

Same as 5874 except 47-1/4" W.




6952 Wardrobe Case

Dimensions:WHDOverall27"84"16"Equipment: One pullout hanger; one fixed shelf;
door equipped with a 3-point latching system.



5876 Apron StorageDimensions:WHDOverall35-1/4"84"22-1/2"Equipment:One fixed shelf; (15) doubleprong side mount hooks;vented doors;3-point latching handle.



5878 Apron StorageDimensions:WHDOverall35-1/4"84"22-1/2"Equipment: One fixed shelf; one adjustableshelf; (15) double prong side mount hooksand (15) double prong ceiling mount hooks;vented doors; 3-point latching handle.



 6954 Wardrobe and Supply Case


 Dimensions:
 W
 H
 D

 Overall
 47-1/4"
 84"
 22-1/2"

 Equipment: One hanger rod; one fixed hat shelf; three adjustable shelves; 3-point locking handle. Wardrobe on right.

6954-A Wardrobe and Supply Case Same as 6954 except 41-1/4" W.

6954-B Wardrobe and Supply Case Same as 6954 except 35-1/4" W



6955-A Wardrobe & Supply Case Dimensions: W H D

Overall 35-1/4" 84" 22-1/2"File Drawer (2) ID 14-1/2" 11-1/2" 17"Equipment: One hanger rod; one fixed shelf; two file drawers with followers, one open compartment, $16-1/2" \times 6-3/4" \times 18-1/2"$, ID; one, 10 " x 12" mirror; one pin tray and towel bar on right hand door; doors equipped with 3-point locking system.

6955-B Wardrobe & Supply Case

Same as 6955-A, except 41-1/4" W. File drawers remain same size.


6955-C Wardrobe & Supply Case

Same as 6955-A, except 47-1/4" W. File drawers remain same size.

door equipped with a 3-point latching system.

84" High General Storage

6956 Wardrobe and Supply Case Dimensions: W H D Overall 47-1/4" 84" 16" Equipment: One pullout hanger; one fixed hat shelf; six adjustable shelves. Door is equipped with 3-point locking handle.



6957 Instructor's Case

Dimensions:	W	н	D			
Overall	35-1/4"	84"	22-1/2"			
File Drawers -						

three, I. D. 14-1/2" 11-1/4" 17" Equipment: Three file drawers with metal slides, file followers and label holders. Open compartment above for magazine display. Left wardrobe compartment is equipped with hat shelf and hanger rod. Door is equipped with 3-point locking handle.

6958 Instructor's Case

Same as 6957 except 41-1/4" W with file drawers 17-1/2" W.

6959 Instructor's Case

Same as 6957 except 47-1/4" W with file drawers 17-1/2" W.



6960 Wardrobe and Supply Case

Dimensions: w н D Overall..... 41-1/4" 84' 22-1/2" File Drawer (1), ID 14-1/2" 6" 17" File Drawer (2), ID 14-1/2" 11-1/4" 17" Equipment: One hanger; 1 fixed hat shelf; 2 adjustable shelves; 2 large file drawers with file followers; 1 shallow drawer with adjustable partitions to accommodate record cards up to 3" x 5"; one, 10" x 12" mirror; pin tray and towel bar on right hand door; door equipped with a 3-point locking system.

6961 Wardrobe and Supply Case

Same as 6960 except 35-1/4" W.

6961-A Wardrobe and Supply Case Same as 6960 except 47-1/4" W.

6961-B Wardrobe and Supply Case


Same as 6961-A except equipped with tote tray & compartment instead of drawer.

6962 Wardrobe and Supply Case

Same as 6960 except tote tray compartment instead of shallow drawer.

6963 Wardrobe and Supply Case

Same as 6961 except no small drawer, & with one, 19" x 13-3/4" x 3" tote tray.



84" High Tote Tray Storage


Tote tray storage units over 47-1/4" wide, will be divided into two or more separate cases, Shelves are 1" thick and adjustable; except for a fixed center shelf. STANDARD units contain no vertical dividers between trays, unless structurally required. If specified, tray compartment dividers provided will be chrome plated 3/16" diameter bent wire.



Note these quality reatures:

- Made of sturdy high impact plastic with high gloss finish -- unbreakable in normal use.
- Smooth surface resists soiling -- easily cleaned.
- Resists inorganic chemicals.
- Light weight and easy to handle.
- Handy aluminum card holder is standard on trays.

6339 Plastic Tote Tray	W	D	Depth
Overall Dimensions	16"	12"	3"
6340 Plastic Tote Tray	W	D	Depth
Overall Dimensions	13-3/4"	10-3/4"	3"
6342 Plastic Tote Tray	W	D	Depth
Overall Dimensions	16"	12"	3-1/4"
6344 Plastic Tote Tray	W	D	Depth
Overall Dimensions	19"	10-1/2"	3-1/2"
6346 Plastic Tote Tray	W	D	Depth
Overall Dimensions	19"	13-3/4"	3-1/2"



5892 Tote Tray Case

Dimensions: W H D Overall: 24" 84" 22-1/2" Capacity: 24 trays.

Equipment: Equipped with one storage compartment and eleven (11) adjustable shelves and one fixed center shelf. Twenty four, #6344, Plastic Tote Trays are included. Door has 3-point latching handle.

5893 Corner Storage

Same as 5891 except left handed return.

5894 Tote Tray Case

Capacity: 16 trays.

Same as 5892 except with fourteen (14) adjustable shelves and one fixed center shelf. #6344, Plastic Tote Trays included.

5895 Tote Tray Case

Dimensions: W H D Overall..... 35-1/4" 84" 22-1/2"

Capacity: 36 trays.

Equipment: Case is equipped with one upper compartment, eleven (11) adjustable shelves, one fixed shelf and a total of thirty six (36), Plastic Tote Trays, #6344. included. Door has 3-point latching handle.

5896 Tote Tray Case

Capacity: 36 trays.


Same as 5895 except 47-1/4" W, with thirty-six, #6346 Plastic Tote Trays.

5899 Tote Tray Case

Capacity: 48 trays. Same as 6358 except 41-1/4"W, with forty eight #6344 plastic tote trays included.

84" High Tote Tray Storage

Tote tray storage units over 47-1/4" wide, will be divided into two or more separate cases, Shelves are 1" thick and adjustable; except for a fixed center shelf. STANDARD units contain no vertical dividers between trays, unless structurally required. If specified, tray compartment dividers provided will be chrome plated 3/16" diameter bent wire.



6348 Tote Tray Case							
Dimensions:	W	н	D				
Overall:	27"	84"	22-1/2"				
Capacity: 24 tra	VS						

Equipment: Case has eleven adjustable shelves, one fixed shelf and one storage compartment. 24 Plastic Tote Trays # 6340, included. Door equipped with 3-point latching handle.

 6352 Tote Tray Case

 Dimensions:
 W
 H
 D

 Overall.......
 47-1/4"
 84"
 22-1/2"

 Capacity: 48 trays
 48
 48
 48

Equipment: Case has 14 adjustable shelves and one fixed shelf. Forty eight Plastic Tote Trays, #6342, included. Doors equipped with 3-point latching system.


6353 Tote Tray Case

Same as 6352 except 41-1/4" W. Plastic tote trays are included.

:	-	•	-	-	-	-	2		ĩ	-	-	-	-	-	•	
- 4	-	-	-	-	-	-	÷		4	-	-	-	-	-	-	•
1	-	-	-	-	-	-	-,		ĩ	-	-	-	-	-	-	•
. :	-		-		-		4		à	-		-		-		
-	-		-		-		-,		-	-	-	-	-	-		
. 1							i		1							
	-	-	-	-	-	-	-		-	-	-	-	-	-	-	1
1	-	-	-	-	-	-	7		ĩ	-	-	-	-	-	-	Î
- 4	-	-	-	-	-	-	-		4	-	-	-	-	-	•	
1	-	-	-	-	-	-	-,		ĩ	-	-	-	-	-	-	1
	-		-	-	-	-	4		à	-	-	-	-	-		
-	-	-	-	-	-	-	-,		-	-	-	-	-	-	-	•
1	_	_	_	_	_	_	1		4	_	_	_	_	_	_	
	2	2	2	2	2	2	2		2	2	2	2	2	2	2	ļ
1							ï		1							
		-	-	-	-	-	2		4	-	-	-	-	-	-	1
	2	-	-	-	-	-	7		ĩ	-	-	-	-	-	-	1
ŀł	-	-	-	-	-	-	÷		4	-	-	-	-	-	-	•
13	-	-	-	-	-	-	-,		ĩ	-	-	-	-	-	-	•
1			-	-	-		1		4	-		-		-		
	-		-	-	-	-	-,		-	-	-	-	-	-	-	,
1							ź		1	_						
Γ.	2	2	2	2	2	2	2		2	2	2	2	2	2	2	į
Ŀ							÷		÷							
Ľ		-	-	-	-	-	-		4	-	-	-	-	-	-	1
۱.		-	-	-	-	-	7		ĩ	-	-	-	-	-	-	ĺ
- 4	-	-	-	-	-	-	÷		4	-	-	-	-	-	-	•
1:	-	-	-	-	-	-	7		7	-	-	-	-	-	-	•
Ļ	-	-	-	-	-	-	4		à	-	-	-	-	-	-	•
-	-	-	-	-	-	-	-,			-	-	-	-	-	-	•
1							1		1							
	2	-	-	-	-	-	-,		-	-	-	-	-	-	-	
Ľ							i		1							
		1	1	1	1	1	1		1	1	1	1	1	1	1	j
1	-	-	-	1	-	1	7		ĩ	-	1	-	1	-	-	1
-	-	-	-		-		-	-	•	-		-		-	-	

6350 Tote Tray Case							
Dimensions:	W	н	D				
Overall:	27"	84"	22-1/2"				
Compatible 20 trave	-						

Capacity: 32 trays. Equipment: Case has 14 adjustable shelves and one fixed shelf. 32 Plastic Tote trays #6340 are included. Door is equipped with 3-point latching handle.



6356 Tote Tray Case

 Dimensions:
 W
 H
 D


 Overall......
 47-1/4"
 84"
 22-1/2"

 Capacity: 64 trays.
 64
 1/4"
 1/4"

Equipment: Case has 14 adjustable shelves and one fixed shelf. 64, #6344 Plastic Tote Trays are included. Doors equipped with 3-point latching system.

6351 Tote Tray Case							
Dimensions:	W	н	D				
Overall	47-1/4"	84"	22-1/2"				

Capacity: 42 trays. Equipment: Case has thirteen (13) adjustable shelves, and one center fixed shelf. Plastic Tote trays #6339, 16" x 12" x 3" are included. Door equipped with 3-point latching handle.



6357 Tote Tray Case Dimensions: W H D Overall...... 47-1/4" 84" 22-1/2" Capacity: 48 trays. 47-1/4" 84" 22-1/2"

Equipment: Case has fourteen adjustable shelves and one fixed shelf. Forty eight, #6346 Plastic Tote Trays are included. Doors equipped with 3-point latching system.

6358 Tote Tray Case


Capacity: 48 trays. Same as 6357 except 35-1/4" W ; Plastic Tote Trays # 6344, are included.

Campbell Rhea General Tall Cases- 11

2009

84" High All Purpose Shelving

Do not use General shelving as bookcases. Avoid any book shelving over 35-1/4"W and/or 16" D.



banded with oak. Units have five adjustable shelves per section. Units do not have backs. Single units are 3/4" wider than nominal width.

NOTE: Any assembly of two or more units will have one starter unit and one, or more, add-on units utilizing common end panels that will be spaced 24", 30" or 36", on centers.

Depth

12"

12"

12"

16"

16"

16"

Bookcases

We do not recommend book storage in cases over 35-1/4"W.

Bookcases are built of hardwood plywood with all exposed edges solid lumber banded. Fixed backs are included. Adjustable shelves are 1" thick.

All units have a finished top of 3/4" Rheatex.

Widths and depths shown below are case dimensions. Heights shown include the 3/4" thick tops. Top dimensions are overall 3/4" wider and 1/2" deeper than dimensions shown.

16"


16"

7762

7764

41-1/4"

47-1/4"




7750

7752

41-1/4"

47-1/4"



41-1/4"

47-1/4"

35-1/4"

41-1/4"

47-1/4"

7768

7770

7772

7774

7776

16"

16"

41-1/4"

47-1/4"

7738

7740

12"

12"

16"

16"

16"

Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.


GENERAL CASEWORK

TABLE OF CONTENTS forBase CabinetsWall Cabinets Tall CasesTables & Kneespaces


Base Cabir Section:		Wall/Upper Sectio		Tall Ca Sectio		Tables & Kr Sectio	
<u>Item Pa</u>	ages	<u>ltem</u>	<u>Pages</u>	<u>ltem</u>	<u>Pages</u>	<u>ltem</u>	<u>Pages</u>
35" H corner 8 ADA COMPLIA 33" H 33" H 1 33" H corner 1 29" H 1 29" H 1 29" H corner 2	NT 10-15 16 17-20 21 22-23	Open Wood door Glazed door Sliding door Upper, 48"H Upper, 36"H Corner	14-15	General Apron Bookcase Compartment Corner Display File Illuminated Display Instructor Magazine Notebook Storage Supply Tote Tray Wardrobe	1-2, 4, 12 7-8 6,12 t 5 3,5 4-6 4 6 9 4 6 4 5-9 10-11 7-9	Adjustable I Table Open, Wood Table Open, Metal Table Kneespaces	3 Frame, 1 Frame, 2

Filler panels, filler panels for wall, upper, base and tall cases, scribe strips and, single or double faced countertop support panels are found on pages 1-2 of the "Filler/Scribe" section immediately following "Base Cabinets".

Wood Open Frame Tables



6184Four Student TableDimensions:LWHOverall54"24"-42"30"Top is 1" thick - specify material.



{4-7/8" H. Rails}

PEDESTAL TABLE With Tote Tray Glides (Tote Trays Are Not Included)

TELESCOPING LEG with Glide

Heavy-duty, telescoping stainless steel leg with heavy-duty non-marring glide. Allows for 30" to 37" table height adjustability. Stainless steel lock-pin rod slides into aluminum guides on each side and passes completely through the 2-1/4" solid lumber leg and predrilled telescoping leg. Lock pin is anchored to leg with 8" long, zinc plated steel check chain attached with a tamper free screw. Not available on Pedestal Tables. See Suffix Notes below to specify this leg.



	PLAIN	TABLES WITH		TABLES WITH		PEDESTAL	-
TOP SIZE	TABLES	COMPARTMENTS	5	DRAWERS		TABLES	
	Catalog	Catalog		Catalog		Catalog	Pairs o
_ength/Width*	No.	No.	Compts.	No.	Drawers	No.	Glides
8" x 21"	6500	6500C	2	6500D	2		
8" x 24"	6502	6502C	2	6502D	2		
54" x 21"	6504	6504C	2	6504D	2		
4" x 24"	6506	6506C	2	6506D	2	6506G	2
0" x 21"	6508	6508C	2	6508D	2		
0" x 24"	6510	6510C	2	6510D	2	6510G	2
0" x 30"	6512	6512C	2	6512D	2	6512G	2
0" x 36"*	6514	6514C	4	6514D	4	6514G	4
0" x 42"*	6516	6516C	4	6516D	4	6516G	4
4" x 24"	6518	6518C	2	6518D	2	6518G	2
4" x 30"	6520	6520C	2	6520D	2	6520G	2
4"x 36"*	6522	6522C	4	6522D	4	6522G	4
4" x 42"*	6524	6524C	4	6524D	4	6524G	4
2" x 24"	6526	6526C	2	6526D	2	6526G	2
2" x 30"	6528	6528C	2	6528D	2	6528G	2
′2" x 36"*	6530	6530C	4	6530D	4	6530G	4
'2'' x 42''*	6532	6532C	4	6532D	4	6532G	4
34" x 24"	6534	6534C	3	6534D	3	6534G	3
4" x 30"	6536	6536C	3	6536D	3	6536G	3
4" x 36"*	6538	6538C	6	6538D	6	6538G	6
4" x 42"*	6540	6540C	6	6540D	6	6540G	6
6" x 24"	6542	6542C	4	6542D	4	6542G	4
6" x 24"		6544C	3	6544D	3	6544G	3
6" x 30"	6546	6546C	4	6546D	4	6546G	4
6" x 30"		6548C	3	6548D	3	6548G	3
6" x 36"*	6550	6550C	8	6550D	8	6550G	8
6" x 36"*	0000	6552C	6	6552D	6	6552G	6
6" x 42"*	6554	6554C	8	6554D	8	6554G	8
6" x 42"*	0004	6556C	6	6556D	6	6556G	6

MODIFICATIONS AND SUFFIX NOTES:

 IF A TABLE 36" HIGH IS DESIRED, ADD THE SUFFIX -36- TO THE CATALOG NUMBER. EXAMPLE: 6500-36.
 IF A TABLE WITH TELESCOPING LEGS IS DESIRED, ADD THE SUFFIX - A TO THE CATALOG NUMBER. EXAMPLE 6500-A

All tables shown in this schedule are built of FAS, or better grade Red Oak or White Maple, as specified.

Compartments are 16-1/2" W x 3" H x 15-5/8" D, I.D.

Drawers are 14-1/2" W x 2-1/4" H x 15" D , I.D.

Table legs are equipped with die formed chemical resistant, hard plastic polyethylene leg shoes, with closed bottoms. If specified, master keyed locks can be furnished on tables with drawers.

MAINSTAY[™]: Metal Open Frame Tables



MAINSTAY, Metal Open Frame Tables

The black epoxy powder coated steel table frame - each side rail and two legs - is welded construction, with integral welded plate and welded 1/2" nut at attachment points inside the legs. Stabilizing end panel rail is attached with use of provided Allen wrench, 1/2" bolts and lock washers.

Tables are shipped knocked down. Front & back rails, and stabilizing end panels are predrilled for easy attachment of work surface. 1" thick, black Phenolic work surface is standard, and included. Each leg is equipped with a heavy-duty, 1" height adjustable threaded foot glide.

Work surface is shipped separately and overlaps the table frame by 1" on all sides. Other top materials are available if specified.

Dimensions below are overall and include the 1" work surface.

Dimensions, Overall, INCLUDING SPECIFIED 1" TOP:

Unit #		w	н
	-	••	
6506L	54"	24"	30"
6506L-34 (ADA)	54"	24"	34"
6506L-36	54"	24"	36"
6512L	60"	30"	30"
6512L-34 (ADA)	60"	30"	34"
6512L-36	60"	30"	36"

Adjustable Tables with Hand Crank

Unit can be used by a wheelchair-bound student, as a basic classroom table, or as a satellite table with tri-fascia service islands, #6190, or #6195; casework service islands #6182, or #6188. Unit allows great laboratory/classroom flexibility, since it can be adjusted in height for a variety of purposes, or used as a basic, classroom table that meets ADA guidelines. Tables will support a 500 lbs. static load.

The hand-crank adjustable pedestal is constructed from cold rolled steel, with a black finish. Pedestal has an integral stabilizing rail. Rail and legs are designed with cutouts and can be used as electrical raceways. Pedestal feet are equipped with four glides. The hand-crank's gearing mechanism is enclosed within the pedestal. Unit is shipped knocked down, and handle can be mounted to the left or right at the time of assembly. Handle slides out for cranking adjustments, and then slips back beneath the table top when not in use.

Top material is 1" thick Rheatex. Tables with wood frames have a height adjustment of 27" to 36"; tables without the wood frame adjust from 24" to 36". Floor space between pedestal feet varies between 36" W and 48" W; see individual units listed below. Tables with wood frames have a 3" x 3/4" solid oak frame.

	36-1/2" between feet			48-1/2" b	etween feet
Unit #	W	D	Unit #	W	D
8734	48"	24"	8738	54"	24"
8736	48"	30"	8740	54"	30"
			8742	60"	24"
			8744	60"	30"
			8746	64"	24"
			8748	64"	30"

	36" be	tween feet	ood Frames - Heigl		veen feet
Unit #	W	D	Unit #	W	D
8696	48"	24"	8702	54"	24"
8698	48"	30"	8704	54"	30"
8700	48"	36"	8706	60"	24"
			8708	60"	30"
			8710	64"	24"
			8712	64"	30"
			8714	64"	36"






Example: 8734

Example: 8696


Kneespace Components: Use in Base Cabinet Assemblies



Adjustable Kneespace Components: Customize to Fit at Job site

- Components 22" Deep are for 24" Deep tops
- Components 28" Deep are for 30" Deep tops
- All rails are 4-7/8" High by 3/4" , solid oak
- Available in plain rails only
- Units with legs will be shipped with 35" High legs, unless specified otherwise.

Designed to be used in casework assemblies, or with legs to right or left, and manufactured to be easily customized at the job site. Only available with plain rails, and in lengths listed. Lengths given are to be cut-to-fit. Shipped assembled, components may be dismantled, cut and reassembled to fit job site conditions (i.e., column in wall, sink in kneespace, offset walls, etc.). Leg height must be specified. Top is 1" thick, specify material.



22" Deep Adjustable, Plain Rails With		Deep Plain Rails With		Deep Iain Rails With		Deep lain Rails With
Legs LEFT	Legs	S LEFT	Legs	RIGHT		RIGHT
Specify Leg Height	Specify I	_eg Height	Specify I	_eg Height	Specify L	.eg Height
Catalog #Length754224"754430"754635-1/4"754841-1/4"755047-1/4"755260"755472"755684"755896"2009	Catalog # 7560 7562 7564 7566 7568 7570 7572 7574 7576	Length 24" 30" 35-1/4" 41-1/4" 47-1/4" 60" 72" 84" 96"	Catalog # 7578 7580 7582 7584 7586 7588 7590 7592 7594	Length 24" 30" 35-1/4" 41-1/4" 47-1/4" 60" 72" 84" 96" <i>Campbell Rhea</i> 1	Catalog # 7596 7598 7600 7602 7604 7606 7608 7610 7612	Length 24" 30" 35-1/4" 41-1/4" 47-1/4" 60" 72" 84" 96"

Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

SCIENCE & LABORATORY CASEWORK

TABLE OF CONTENTS forScience & LaboratoryFume HoodsSafety, Acid & Flammable Storage

Science and Laboratory Section:

<u>ltem</u> A:	<u>Pages</u>	<u>ltem</u> F:	<u>Pages</u>	<u>Item </u> <u>M</u> :	Pages
ADA*				Mobile Units - CONT	
Adjustable Tables	s 65	G:		Instructor's Desk	1-2, 6
C-Frame Adjustal		Germination Bed	83	Magazine	68
Table	2	Glass Tube Storage	11	Storage	68
Instructor Desk	- 4,6	Graduate Rack/Utility		Table	69
Metal Table	64	Shelf	59	Tote Tray	68, 73
Mobile Desk	2				,
Sink	- 58	H:		N;	
A/V Storage	12	Herbarium	11	Navigator Student	
Animal Cages	85, 87			Table	8
Apparatus	00, 01	1:			•
Storage	94	Ice Maker	79	0:	
Fixtures	95				
Aquariums	80-82	J:		P:	
луиининэ	00 02			Paper Storage	72
B:		К:		Pegboard	58
Balance Tables	93	Key Cases	95	Trough	59
Biology Racks	84, 86,	Kneespaces	66-67	Perimeter Table	45-53
Diology Huoko	89			Plant Rack	84, 86,
Biology Tables	23,	L:			88
Diology lubico	<u> </u>	Lab Carts	69	Physics Table	23,
	10 11	Lab Tables			36-39
C:		Biology	23,	Potting Table	83
Carboy Cabinet	70		40-44	Prep Table	54
Carts	69	Chemistry	23, 35	Privacy Panel for	•
Chalkboards	76-77	General Science	13-22,	Testing	9
Chart & Paper			24-26		•
Storage	72	Perimeter Tables	45-53	Q:	
Chemistry Table	23,335	Physics	23,	Quantum Instructor's	
Command Center,	20,000		36-39	Desk	7
Instructor Desk	7	Prep Tables	54		-
Crossbar Assembly	-	Research	27-34	R;	
,	•••		_	Racks	
D:		М:		Animal Cage	84-85
Damp Storage	72	Magnetar, Student		Biology	84-85
Demonstration		Table	9	Plant	86
Mirror	96	Map Storage	71	Reagent Rack	90-91
Dishwasher	78	Microscope Case	11	Recycle Center	70
Distillation Bench	94	Mobile Units		Refrigerator	79
Drying Cabinet	78	C-Frame Table	2	Research Table	27-34
,		Carts	69	Rinse Counter	56
E:		Compartment	68	Rock Storage	71
Environmental Unit	87-89	Cupboard	69		

* See Catalog Indexed Section "ADA" for complete listing of ADA compliant products

Page - 2 - Continuing

age - 2 - Continuing	
Science and Labe Section:	oratory
<u>ltem</u>	<u>Pages</u>
S:	
Seating	97
Service Island	59, 60
Shelving	91-92
Sinks ADA	58
Sink Units	55-57,
Shik Onits	59-60
Wall Sinks	55-57
Skeleton case	11-12
Soil Bin	83
Special Purpose Cas	ses
Carboy	70
Chart & Paper	72
Damp Storage	72
Drying Cabinet	70
Recycle	70
Rock & Map	71
Tilt Bin	70
Tote Tray	73-75
Steam Washer	78
Stools	97 42
Storage Mobile	12 68
Student C Frame	00
Table	2
Student Table	2
Magnetar	9
Navigator	8
The Wedge	8
T:	
Tables*	
Open Frame	
Metal	63
Open Frame	
Wood	60, 63
Telescope Leg	64
Tack Board	77
Tilt Bin	70
Timer	86
Torso Case	11
Tote Tray	
Mobile	68 70
Trays	73 72 75
Cases	73-75
Trash Trifascia	70
Service Island	61
Ventilation	01
Enclosure	62
Also see "Lab Tables"	
AISO SEE T AN TANIES"	

	-
U: Unistrut Assembly Utility Shelf	90 59
V: Ventilation Enclosure Vertex Table	62 10
W: Wall Sink ADA Wedge Student Table White Boards	55-57 58 8 76

*Also see "Lab Tables".

Fume Hood Section:

Safety, Acid & Flammable Storage Section:

<u>Item</u>	Pages	l		
<u>nem</u>	<u>r ages</u>		<u>Item</u>	<u>Pages</u>
Citadel [®]	9			-
Color Selections	4		Acid Storage	6,8
Explosion Proof			ADA	
Pressure Blower	18		Eyewash	2,3
			Safety Center	1
Fume Hood Blowers	18-19		Shower	2
			Corrosive Storage	9-10
Fume Adsorber	15			
Protector [®]			Eyewash	2,3
Demonstration	13		Eiro Blonkot	
ClassMate	14		Fire Blanket Fire Extinquisher	4 4
XL Floor			First Aid Kit	4 4
Mounted	16-17		Flammable Storage	- 5-7, 9
			i iumusie eteruge	01,0
LabShield [®] Hoods			Glasses, Safety	4
ADA, Barrier			Goggles, Safety	4
Free	6		Goggles/Glasses	
Air-foil, By-Pass	8		Storage	4
BASIC, Light-Duty			Cleaning	4
Citadel [®]	9			
Double Faced, Demo	5		Safety	4.0
Induced Air	5 10		ADA Ocretor	1-3
Radio Isotope	10		Center	1
Perchloric	12		Eyewashes Glasses/Goggles	2-3 4
			Showers	2
LabShield [®] Hoods			Storage	2 5-10
Standards	1-3		eterage	0.10
Stanuarus	1-5		Storage	
Mobile Flammable			Acid	
Storage	6		Metal	8
otorago	•		Polypropylene	8
NEDERMAN[®]			Wood	6,10
Extraction Hoods	5		Chemical	10
	•		Corrosive	9-10
Snorkles			Shelves	10
	5		Shelves	10
	-		Sneives Liners	10
			Polypropylene	10
			, ciypiopyiene	
			Showers	2

Mobile Instructor's Desks

7700 Mobile Instructor's Desk

Dimensions:	W	н	D
Overall	48"	35-3/4"	24"
Base Cabinet	41-1/4"		21"

Equipment: One pull-out writing slide; one adjustable shelf; four master keyed locks; four heavy duty casters, two rigid and two swivel with locks. Top is 1" thick Rheatex.



6000 Mobile Instructor's Desk Dimensions: W

Overall	48"	35-3/4"	24"
Base Cabinet, O D	41-1/4"	31"	22"
Cupboard, I D	22-1/2"	23-1/4"	19-3/4"
File Drawer, I D	14-1/2"	10-1/2"	17"
Drawers (2) I D	14-1/2"	6-1/8"	17"
Writing Slide	16-3/8"		16-1/4"
Stainless Steel Sink, I D	14"		10"
{Sink Depth: 7-1/2" }			

Equipment: One plunger type water pump; one 20 foot extension cord connected to one duplex AC receptacle; two, one gallon polyethylene bottles with connections for water and waste; one aluminum upright rod; one Greenlaw arm; one rod socket; four master keyed locks; four heavy duty rubber tired casters, two rigid and two swivel with locks. Top is 1" thick - specify material desired.

н

D

6002 Mobile Instructor's Desk


Same as 6000 except equipped with a 4" hemispherical epoxy resin cup sink.




7702 Mobile Instructor's Desk

Dimensions:		W	н	D
Overall		65-1/4"	35-3/4"	24"
Base Cabinet		47-1/4"		21"
Dropleaf	16"			

Equipment: One adjustable shelf; one master keyed lock; and, four heavy duty casters, two rigid and two swivel with locks. Top and dropleaf are 1" thick Rheatex.







6004 Mobile Instructor's Desk Dimensions: W

**		
48"	35-3/4"	24"
41-1/4"	31"	22"
19-1/2"	23-1/4"	17-1/4"
16"	3-1/4"	12"
39-1/4"		29"
14"		10"
	41-1/4" 19-1/2" 16" 39-1/4"	41-1/4" 31" 19-1/2" 23-1/4" 16" 3-1/4" 39-1/4"

Equipment: One plunger type water pump; one 20 foot extension cord connected to one duplex AC receptacle; two, one gallon polyethylene bottles with connections for water and waste; two aluminum upright rods; one metal crossbar; two rod sockets; three adjustable shelves; three #6342 tote trays; a recessed pegboard on back side of unit; four heavy duty rubber tired casters, two rigid and two swivel with locks. Top is 1" thick - specify material desired.

ы

п

Mobile Instructor's Desks

6006 Mobile Instru	ctor's De	sk		
Dimensions:	W	н	D	
Overall	65-1/4"	35-3/4"	27"	
Overall (leaf down)	49-1/4"		27"	
Base Cabinet, O D	47-1/4"	31"	25"	
Drawers, I D	20-1/2"	6"	14"	v
Cupboard, I D	22-1/2"	21-3/4"	14"	

One rear cupboard, 45-3/4" W x 29" H x 6-1/4" D, with sliding doors; shelf for waste and water bottles with rod storage area below.

Equipment: One plunger type water pump; one 3" x 6" oval epoxy resin cup sink; one 20 foot extension cord connected to one AC duplex receptacle; two, one gallon polyethylene bottles with connections for water and waste; two aluminum upright rods; one aluminum crossbar; two rod sockets; one master keyed lock; four heavy duty rubber tired casters, two rigid and two swivel with lock. Top is 1 " thick - specify material desired.

C-Frame, Mobile Desk for Instructor or Student







Rear chase area showing service and equipment 'quick' connections

8770 C-Frame, Adjustable Height, Mobile Desk for Instructor or Student

Dimensions:	W	н	D
Overall	60"	*Adj.	30"
Suspended Cabinet, O D	18"	18"	22"
Sink, Diameter	10"		

*Adjustable Height: 30" to 36"

Equipment: One cold water faucet equipped with ADA compliant blade handle, standard; one, 10" diameter stainless steel circular sink with drain plug; one laboratory ball service fixture (not standard as ADA compliant, must specify if desired); one, GFCI duplex outlet. Unit is completely pre-wired and pre-plumbed. C-frame structure is shown in standard epoxy powder coated light tan color and is equipped with four, lockable swivel casters.


Back chase area is covered by an 18 ga. metal back panel which runs the full width between uprights. An integral 'trough' in the back panel will support and hold hoses and cords. Height is adjusted by lifting the top and moving it in a hook and slot track system. Height can be adjusted between 30" to 36" in one inch increments up or down the back frame uprights.

Campbell Rhea Science - 2

SERVICE PIPING, TRAPS AND ELECTRIC CONDUIT ARE NOT INCLUDED

7100 Instructor's Desk				
Dimensions:	W	н	D	
Overall	60"	36"	30"	
Equipment: Assembly consid	te of ono	18" wido	cuphoard	


Equipment: Assembly consists of one, 18" wide cupboard with one adjustable shelf; one, 18" wide base cabinet with one file drawer, two storage drawers, & one pullout writing slide; and, one, 21" wide kneespace. Top is 1" thick Rheatex.



7102 Instructor's Desk	Σ.			
Dimensions:	W	н	D	
Overall	60"	36"	30"	


Equipment: Assembly consists of two, 18" wide base cabinets each containing % $\label{eq:constant}$

one file drawer and three storage drawers; and, one knee-space, 21" wide. Top is 1" thick Rheatex.




7104 Instructor's [Desk			
Dimensions:	W	н	D	
Overall	48"	36"	30"	

Equipment: Assembly consists of one, 18" wide base cabinet with one file drawer and three storage drawers; and, one 24" wide knee-space with modesty panel. Top is 1" thick Rheatex.



SERVICE PIPING, TRAPS AND ELECTRIC CONDUIT ARE NOT INCLUDED



6008 Instructor's Desk

Dimensions:	W	н	D
Overall	60"	36"	30"
Base Cabinet (2), O D	18"	35"	27"
Cupboard, I D	16-1/2"	21-3/4"	25-3/4"
Drawer (1), I D	14-1/2"	3-1/2"	17"
Drawers (2), I D	14-1/2"	4-1/2"	17"
File Drawer, I D	14-1/2"	10-1/2"	17"
Writing Slide	16-3/8"		17-3/4"
Sink, I D	14"		10"
{Sink Depth: 6" }			

Equipment: One cold water gooseneck faucet; one double gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; one aluminum upright rod; one aluminum Greenlaw arm; one rod socket; one master keyed lock. Top is 1" thick - specify material desired.

6008A Instructor's Desk

Same as 6008, except overall height is 34" 6010 Instructor's Desk

Same as 6008 except opposite hand.

6010A Instructor's Desk

Same as 6010, except overall height is 34"

6012 Instructor's Desk

Dimensions:	W	н	D
Overall	. 60"	36"	30"
Base Cabinet (2), O D	. 18"	35"	27"
Cupboard, I D	16-1/2"	21-3/4"	25-3/4"
Drawers (3), I D	. 14-1/2"	4-1/2"	17"
File Drawer (1), I D	14-1/2"	10-1/2"	17"
Sink, I D	14"		10"
{Sink Depth: 6" }			

Equipment: One cold water gooseneck faucet; one single gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; one aluminum upright rod; one aluminum Greenlaw arm; one rod socket; one master keyed lock. Top is 1" thick - specify material desired.

6012A Instructor's Desk

Same as 6012, except overall height is 34"

6012-H Barrier Free Instructor's Desk Dimensions: W H D

Overall	
Base Cabinet (2), O D	
Cupboard, I D	
Drawers (3) I D	
Sink, I D	14" 6" 10"
{Sink Depth: 6"}	

Equipment: One cold water faucet with quarter turn valve &wrist handle; one single gas cock; one duplex AC receptacle; one epoxy resin sink and one epoxy resin sink outlet with strainer; two rod sockets are provided (crossbar assembly is not included). Kneespace opening is 34" W. to allow for wheelchair access. Removable insert of specified top material rests on oak rails, and is cut on 16" radius with a 32" straight edge. When insert is removed, the sink, faucet and gas cock are more accessible to those in a wheelchair. With insert in place, unit may be used by physically challenged, or any student or instructor. Top is 1" thick; specify material

desired. **6014 Instructor's Desk** Same as 6012, except opposite hand. **6014A Instructor's Desk** Same as 6014, except 34" high.

Campbell Rhea Science - 4

SERVICE PIPING, TRAPS AND ELECTRIC CONDUIT ARE NOT INCLUDED

6016 Instructor's Desk

Dimensions:	w	н	D
Overall	96"	36"	30"
Base Cabinets (2), O D	35-1/4"	35"	27"
Cupboard, I D	33-3/4"	21-3/4"	25-3/4"
Drawers (2), I D	14-1/2"	6"	17"
Drawers (3), I D	31-3/4"	6"	17"
Sink, I D	18"		15"
{Sink Depth: 11" }			

Equipment: One cold water gooseneck faucet; one hot water gooseneck faucet; one double gas cock; one duplex AC receptacle; one drop-in epoxy resin sink; one epoxy sink outlet with strainer; two aluminum upright rods; one aluminum cross bar; two rod sockets; one master keyed lock. Top is 1" thick - specify material desired.

6016A Instructor's Desk

Same as 6016, except overall height is 34"

6017 Instructor's Desk

Same as 6016, except with drawer cabinet

6018 Instructor's Desk


Same as 6016 except opposite hand.


6018A Instructor's Desk

Same as 6018, except overall height is 34"

6019 Instructor's Desk

Same as 6017, except opposite hand, drawer cabinet.





6020 Instructor's Side Desk

The Instructor's Side Desk is designed to provide desk space for those instructors not provided with separate office space. The side desk is shipped not assembled.

ompped not dobembled.			
Dimensions:	W	н	D
Overall	48"	30"	30"
Base Cabinet, O D	18"	29"	27"
File Drawer (1), I D	14-1/2"	10-1/2"	17"
Drawer (1), I D	14-1/2"	3-1/2"	17"
Drawer (1), I D	14-1/2"	4-1/2"	17"
Kneespace Drawer (1), ID	13"	2-1/4"	17"
Book Shelf, I D	27"	10-1/2"	7-1/4"
Writing Slide	16-3/8"		17-3/4"
Equipped with one master	keyed lock.	Book shelf is lo	ocated on back

side of kneespace. Top is 1" thick - specify material desired.

6021 Instructor's Side Desk

Same as 6020 except opposite hand.

SERVICE PIPING, TRAPS AND ELECTRIC CONDUIT ARE NOT INCLUDED


6022 Instructor's Desk


Dimensions:	W	н	D
Overall (less dropleaf)	6' 8-1/4"	36"	30"
Sink Cabinet (1), O D	24"	35"	27"
Base Cabinet (1), O D	18"	35"	27"
Base Cabinet (1), O D	35-1/4"	35"	27"
Dropleaf	18"		30"
Cupboard (1), I D	22-1/2"	21-3/4"	25-3/4"
Cupboard (1), I D	33-3/4"	21-3/4"	25-3/4"
Drawers (5), I D	14-1/2"	17"	6"
Drawers (2), I D	14-1/2"	17"	2-1/4"
Sink, I D	16"		12"
{Sink Depth: 8" }			

Equipment: One cold water gooseneck faucet; one double gas cock; two duplex A C receptacles; one drop-in epoxy resin sink; one epoxy sink outlet with strainer; two aluminum upright rods; one aluminum cross bar; two rod sockets. Top is 1" thick - specify material desired.

6024 Instructor's Desk

Same as 6022 except opposite hand.





6026 Instructor's Table

Dimensions:	W	н	D
Overall	12'0'	36"	36"
Base Cabinets (2), O D	47-1/4"	35"	33-1/4"
Cupboard, I D	45-3/4"	21-3/4"	31-3/4"
Drawers (2), I D	20-1/2"	2-1/4"	17"
Drawers (3), I D	20-1/2"	6"	17"
Drawers (2), I D	43-3/4"	6"	17"
Sink, I D.	18"		15"
(Cink Donth: 11")			

{Sink Depth: 11" }

Equipment: One cold water gooseneck faucet; one hot and cold water mixing faucet; two double gas cocks; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; two aluminum upright rods; one aluminum cross bar; two aluminum burette rods with adapter, 1/2" diameter x 24" W; four rod sockets; one master keyed lock. Top is 1" thick - specify material desired.

6028 Instructors's Table


Same as 6026 except opposite hand.

Mobile, ADA Accessible Lab Station


6007 Mobile, ADA Accessible Lab Station

Dimensions:	W	D	н
Overall	65-3/4"	30"	32"
Wheelchair access	32"	30"	30"

Equipment: One cold water fixture with electric pump and two 3-way switches. One each, 2-1/2 gallon polyethylene carboy for supply and waste. One epoxy resin cup sink, 3" x 6" diameter. One gas cock and one air cock with 10 foot supply hose. (Note: Gas and air supply must be provided from fixed sources in classroom or lab. As a safety precaution, no propane, gas or oxygen cannisters should be contained within the unit .) Four, 5" diameter casters - two rigid, two swivel with locks. One aluminum crossbar assembly with two rod sockets. One 25 foot electric supply cord, 16-3SJ with plug (NEMA S-15P), one automatic rewind reel. Carboys, electric pump and cord with its rewind wheel are housed in the two door cupboard on one end of unit. The other end unit has two drawers with a pullout board on one side, and three drawers with a pullout writing board on the opposite side. Unit is equipped with three duplex, 15 amp. 120 volt AC receptacles; one is GFCI type for complete circuit protection. Support frame for top is 1" x 1-1/2" steel tubing, with black acid resistant finish. Top is 1" thick - specify material desired.



Quantum[™] Command Center









Incorporating classic good looks with practicality, functionality with convenience, and workspace with storage, the Quantum[™] provides a full-service command center for today's technology based teaching formats. Quantum[™] is designed with two double-faced storage cupboards accessible from either side. Standard cupboards are equipped with two adjustable shelves; however these may be replaced with pullout shelves to accommodate DVD or VCR players, audio systems or other multimedia equipment. The two end cabinets are provided with bottom mounted pullouts for storage of overhead projectors, ring stands, tall beakers, or any equipment requiring height. These two end cabinets can be equipped with a fixed shelf, or a two-shelf, lazy-susan for storage of smaller equipment.

The knee space is equipped with a pullout shelf, large enough to accommodate a computer keyboard & mouse. Pop-up data ports & electrical outlets are provided in the countertop for easy access by lap top or other electrical devices. A multi-service hot & cold water faucet with two fixtures for gas, & a 12" diameter round Corian sink and work surface are standard; contact your CampbellRhea representative for other top and sink options.

The end cabinet doors and the front of the knee space section (which is faced to match the end cabinet doors) are available with tambour, raised panel or custom Scandinavian style faces. Specify end cabinet door and knee space panel style.

Multi-Media Instructor's Command Center





8836 Multi-Media Instructors Command Center Dimensions: W H D Overall 10'-8" 6'-0" 34"

Equipment: One 9529 combination cold water and gas fixture, one 9818 duplex electric receptacle. One 14" x 10" x 5" deep drop-in epoxy sink, one epoxy resin sink outlet, and two "EDP" grommets.

Unit is designed to accommodate both lab and lecture functions in the classroom, while maximizing both space and time available in a single classroom. Lecture side of table provides ample countertop room and access to a computer monitor and keyboard. When lab experiments are required there is ample work surface and a sink is provided for wash-up.

Storage cabinets at each end are accessible from both sides for easy cable management and/or plumbing. The center cabinet has one adjustable shelf and doors on the classroom side. The tambour door storage cases are each equipped with one pullout shelf for a printer or projector.

An optional, acrylic, rotating monitor enclosure with a black 3/4" phenolic resin base is available, if specified. Enclosure is vented to avoid monitor overheating. Swivel is aluminum with ball bearings. Cut out is provided in the countertop for cables.

Crossbar assembly with "C" clamp bases are available but sold separately.

(Note: Monitor, CPU and keyboard are not included.)

Navigator[™] <u>Technology</u> Center

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6125 Navigator™ Technology Center

Dimensions, Overall: 60" Diameter 34" H. standard (Optional: 30" or 36" Heights)

The patented design of Navigator[™] provides a full-service work arena for today's technology based laboratory formats.

Navigator[™] is designed to provide water, gas, computer ports and electric service in a group work space, complete with storage compartments. Two access spheres, each containing two data ports and two electrical outlets, are mounted on the work surface for easy access by lap tops or other electrical devices. Navigaor[™] is designed with an integral spill barrier around the sink. While allowing work with out the discomfort of a marine edge, this barrier provides protection from accidental spills for lap tops and paperwork .

Unit is equipped with two standard chrome multi-service fixtures with cold water and gas services; epoxy powder coated fixtures are available if specified. A 12" diameter round under-mounted Corian[™] sink is standard with a Corian[™] work surface. A variety of standard colors are available. Specify color selection. Additional top and sink options are available; confirm these options with your CampbellRhea dealer and specify.

The support shell base is manufactured of fire resistant fiberglass reinforced polyester resin. Four compartments incorporated into its design provide ample storage space for lap top computers or notebooks. Lap tops are not included. Navigator's design is naturally ADA compliant with optional 30" or 36" heights available.



Chairs & lap top not included. Photo show optional white epoxy powder coated fixtures; and, optional school color-matching, Corian™ top.

The Wedge[™] Student Table

8826 The Wedge[™] Student Table

Dimensions:	w	н	D
Overall, Work Surface	93-3/16"	36"	49-9/16"
Base, OD	66"	28-1/2"	31-1/16"
Cabinets, O D	21"	35"	15-1/2"
Sink Cabinet, I D	24"	35"	15-1/2
Sink, I D	12"		8"
{Sink Depth: 6"}			

Unit easily accommodates six students, more if entire circumference is accessed.

Equipment: Standard unit is equipped with two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" epoxy resin sink; one epoxy resin sink plug with disc strainer; and, two AC duplex, GFIC receptacles. Standard is without locks, specify if desired. Top is 1" thick - specify material desired.


A number of style modifications can be made to the standard Wedge design, including variations on the cabinets to multiple drawer units; additional gas cocks and/or electrical, added around the perimeter rail of the work surface; or installation of a simple plumbing access panel with the elimination of the standard sink cabinet with doors.





Magnetar[™] Laboratory Table

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



The work center is designed to accommodate both lab and lecture functions while providing ample counter top space for four. A centralized work center provides access to computer, monitor, and wired or remote keyboard, while maximum counter space remains available for lab experiments when required.

There is an optional rotating monitor enclosure available for the work center. When specified it will accommodate up to 17" diagonal monitors. Base is a wood clad, metal storage cabinet, with pull-out shelf that provides ample space for securing CPU, hardware and printer. (CPU, monitor, hardware and printer are not included.)

The work top is infinitely adjustable from 30" to 36", allowing the table to be ADA accessible or used by standing or seated students not requiring ADA compatibility. The top is adjusted by an electric actuator using a key switch in the sink cabinet, and requires no special tools for adjustment.

The ADA compliant sink cabinet is at a fixed height of 34", and is equipped with two combination cold water and gas fixtures, two GFCI duplex electric receptacles, a 14" x 10" x 5" D drop-in sink.

Specify top material required. Optional mobile 3-drawer cabinets with specified 1" top material are available if specified. These mobile units match the Magnetar casework, and are equipped with 2 lockable casters.

For testing purposes, optional privacy panels with storage unit are available if specified. Contact your CampbellRhea dealer for further detail.





8838 Privacy Panel			
Dimensions	W	н	Thick
Overall	30"	18"*	3/4"
Stabilizer Foot	3"		
the start for some			- f 1

*height from countertop to top of panel



Privacy panels are thermo formed black plastic. Three panels create four private work areas during testing while seated at the Magnetar. The countertop jaw will fits 1" thick countertop material; and the 3"W stabilizer foot prevents tipping.

Privacy panels can be used in other areas, or with other tables, provided counter top material does not exceed 1" thickness.


Campbell Rhea Science - 9

Privacy Panel Storage

 W
 H
 D

 Overall
 47-1/2"
 67-3/8"
 24"

Equipment: Unit is equipped with two specially notched rails to hold up to eighteen (18) #8838 Privacy Panels, and four (4) 5" casters, two (2) rigid and two (2) swivel and lock. Doors are standarad without locks; however, locks can be provided if specified.



<u>Vertex</u>[™] <u>Laboratory</u> <u>Table</u> & <u>Sink</u>



8828 Vertex Table Dimensions:

Adjustable Height Table : 30" x 41"

Table can be adjusted in the field to have a lesser range of movement, if desired. Example: 31" x 36". Work Surface: 84" L x 36" W

Table is constructed from 14-gauge steel tubing, satin black polyester powder coated. Height is infinitely adjustable between 30" and 41". Table mechanism is driven by electric actuator with limit switches to control stops. Table is capable of lifting a 500 lb. static load. Table comes with 16 gauge modesty panels that enclose the lift mechanism. Wood finish panels are available to attach over steel modesty panels, if specified.

Unit is provided with a 6 ft. long power cord and requires a 120 volt 20 amp power supply. Legs are brushed aluminum. Black polyester coated feet are equipped with adjustable glides.


Unit is equipped with four book bag hooks, rod storage area for two rods, and an electric/data raceway. Two electric receptacles and four data outlet mounting plates are furnished. Data outlets to be provided by others. Table comes standard with plug and play switch module that allows the teacher to adjust the table as needed. Table mounted "Local Control Switch" is available, if specified.

The switch module unplugs and may be stored away from the unit when not in use. Pop-up, tilt-up or pedestal electric access may be furnished instead of elec/data raceway, if specified. 1" thick top must be ordered separately, specify material.

For testing purposes, optional privacy panels (#8838) and panel storage unit (#) are available; order separately.

8828B Vertex Sink Fixed sink unit designed for use with mobile Vertex Table(s). *Campbell Rhea* Science - 10

Special Purpose 84" High Storage




6922 Skeleton Case

Dimensions:WHDOverall27"84"16"Equipment:One pullout hanger; door hasthree point locking handle.

6923 Skeleton Case


Same as 6922 except 22-1/2" D.




6924 Torso Case					
Dimensions:	W	н	D		
Overall	27"	84"	16"		
Torso Compt.	20-7/8"	42"	12-3/4"		
Equipment: One pullout shelf; two adjustable					
shelves; 3-point locking handle.					

6925 Torso Case

Same as 6924 except 22-1/2" D.



6930 Glass Tubing CaseDimensions:WHDOverall27"84"16"Equipment:Four Slanting Compartments for
tubing; 3-point locking handle.Statement



6942 Microscope Case Dimensions: W H D Overall 35-1/4" 84" 16" Equipment: Four 1" thick fixed shelves; case accommodates twenty (20) microscopes, 8-1/16" between dividers; dividers installed in shelves are chrome plated 1/4" diameter bent wire; 3-point locking handles.

6942B Microscope Case

Same as 6942 except 22-1/2" D 6943 Microscope Case

Same as 6942 except 41-1/4" W; will accommodate twenty (20) microscopes, 9-9/16" between dividers.

6943B Microscope Case

Same as 6942 except 22-1/2"D 6944 Microscope Case


Same as 6942 except 47-1/4" W; will accommodate thirty microscopes, 7-3/16" between dividers.

6944-B Microscope Case

Same as 6944 except 22-1/2" D; will accommodate thirty microscopes, 7-3/16" between dividers.

Campbell Rhea Science - 11

6932 Herbarium Case Dimensions: W H D Overall 27" 84" 22-1/2" Compts., I. D. 1 2-3/8" 5-3/4" 22-1/2" Equipment: Twenty -six Herbarium sheet compartments; 3-point locking handle. 2009



6940 Microscope Case Dimensions: W H


Overall 27" 84" 16" Equipment: Four, 1" thick fixed shelves; case accommodates fifteen microscopes, 8-1/8" between dividers; dividers installed in shelves are chrome plated 1/4" diameter bent wire; 3-point locking handle.

D

6940-B Microscope Case

Same as 6940 except 22-1/2" D.

Special Purpose 84" High Storage





6948 Storage Case

Dimensions:WHDOverall47-1/4"84"16"Equipment:Four vertical compartments with
five adjustable shelves each.Storage for
variety of laboratory apparatus.

6949 Storage Case

Same as 6948 except 22-1/2" D.





6950 Combination Case Dimensions: W H D Overall 62" 84" 16"

Equipment: Combination skeleton, microscope and torso case; three individual compartments. Skeleton compartment on left has pullout hanger. Microscope compartment has four 1" thick fixed shelves with dividers to accommodate fifteen (15) microscopes, 6-1/8" between dividers. Dividers installed in shelves are chrome plated 1/4" diameter bent wire. Torso compartment on right has one pullout shelf, 16" W x 12" D, with 2 adjustable shelves below. Each door is equipped with 3-point locking handles.

PC or Audio/Video (A.V) Storage Case

 	י ה ב = ב ו ו

8920 P	C or	Audio/Vic	leo (AV) Storage Case	
Dimensio	ns	W	H	D
Overall	4	41-1/4"	84"	23-3/4"

Cabinet designed to be self-contained center for multimedia presentations. Provides storage for television or computer monitor, and video cassette recorder (VCR) or CPU in upper compartment; while providing ample storage in the lower compartment for cassettes, VCR tapes, computer software, printer and paper.

The upper compartment is equipped with square edged, pocket style, flush inset doors. The upper section is equipped with at 175 lb. capacity full extension swivel shelf, allowing the TV or monitor to be pulled out past the front of the case for viewing. Upper compartment space (allowing for the full extension, swivel shelf) will accommodate a monitor, or TV the maximum dimensions of 32" x 27" H x 19" D. VCR or CPU storage area is 32" W x 8" H x 19" D.


Lower compartment is equipped with square edged, overlay style doors and tow adjustable shelves. Compartments can be independently equipped with locks to restrict access to one, or both. Locks are not included; must be specified.

8922 PC or Audio/Video (A/V) - Storage Case

Same as 8920 except 47-1/4" W x 23-3/4 D; will accommodate a monitor or TV, 38" x 27" 19" and a VCR width of 38".

Campbell Rhea Science - 12

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6038 Six Student Lab Table

Dimensions	w	н	D
Overall	16'0"	36"	24"
Base Cabinets (3), O D	18"	35"	22"
Back splash	16'0"	4"	1"
Compartments (6), ID	15"	3"	16"
Cupboards (3), I D	16-1/2"	21-3/4"	20-3/4"
Sinks (3), I D	12"		8"
{Sink Depth: 6" }			

Equipment: Three cold water gooseneck faucets; two double and two single gas cocks; three duplex AC receptacles; three drop-in epoxy resin sinks; three polypropylene sink outlets with strainers; six rod sockets. Top is 1" thick - specify material desired.

6040 Six Student Lab Table

Same as 6038 except: equipped with 6 drawers, 11-7/8" W x 2-1/4" H x 15" D, ID. with master keyed locks instead of compartments.




6042 Four Student Lab	Table			E0 sir
Dimensions	W	н	D	sir
Overall	10'8"	36"	24"	To
Base Cabinets (2), O D	18"	35"	22"	10
Back splash	10'8"	4"	1"	~
Compartments (4), ID	13-7/8""	3"	16"	60
Cupboards (2), I D	16-1/2"	21-3/4"	20-3/4"	Sa
Sinks (2), I D	12"		8"	Н
{Sink Depth: 6" }				

Equipment: Two cold water gooseneck faucets; one double with two single gas cocks; two duplex AC receptacles; two drop-in epoxy resin sinks; two polypropylene sink outlets with strainer; four rod sockets. Top is 1" thick - specify material desired.

6044 Four Student Lab Table

Same as 6042 except equipped with four drawers 11-7/8" W x 2-1/4" H x 15" D, ID., with master keyed locks instead of compartments.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6046 Twelve Student Lab Table


Dimensions:	W	н	D
Overall	16' 0"	36"	48"
Base Cabinets (3), O D	18"	35"	45"
Compartments (12), I D	13-7/8"	3"	16"
Double Faced			
Cupboards (3), I D	16-1/2"	21-3/4"	44-1/4"
Sinks (3), I D {Sink Depth: 7"}	16"		8"

6048 Twelve Student Lab Table

thick - specify material desired.

Same as 6046 except equipped with twelve drawers, 11-7/8" W x 2-1/4" H x 15" D, ID., with master keyed locks instead of compartments.

Equipment: Six cold water gooseneck faucets; two 4-way and two double gas cocks; six duplex AC receptacles; three epoxy drop-in resin sinks; three polypropylene sink outlets with strainer; six rod sockets. Top is 1"



6050 Eight Student Lab Table


Dimensions:	W	н	D
Overall	10' 8"	36"	48"
Base Cabinets (2), O D	18"	35"	45"
Compartments (8), I D	13-7/8"	3"	16"
Double Faced			
Cupboards (2), I D	16-1/2"	21-3/4"	44-1/4"
Sinks (2), I D	16"		8"
{Sink Depth: 7" }			

Equipment: Four cold water gooseneck faucets; one 4-way and two double gas cocks; four duplex AC receptacles; two drop-in epoxy resin sinks; two polypropylene sink outlets with strainers; four rod sockets. Top is 1" thick - specify material desired.

6052 Twelve Student Lab Table

Same as 6050 except equipped with eight drawers, 11-7/8" W x 2-1/4" H x 15" D, ID., with master keyed locks instead of compartments.


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6054 Six Student Lab Table

Dimensions:	W	н	D
Overall	16' 0"	36"	30"
Base Cabinets (3), O D	24"	35"	28-1/4"
Drawers (12), ID	8-7/8"	6"	13"
Cupboards (3), I D	10-7/8"	29-1/4"	13"
Compartments (6), I D	13-7/8"	3"	16"
Sinks (3), I D {Sink Depth: 6" }	12"		6"


Equipment: Three cold water gooseneck faucets; two double and two single gas cocks; four duplex AC receptacles; three drop-in epoxy resin sinks; three polypropylene sink outlets with strainer; six rod sockets; three adjustable shelves. Top is 1 " thick - specify material desired.



6056 Four Student Lab Table Dimensions: W н D 10' 8" 30" Overall..... 36" 24" 35" 28-1/4" Base Cabinets (2), O D... Drawers, (8), ID..... 8-7/8" 6" 13" 29-1/4" 13" Cupboards (2), I D... 10-7/8" Compartments (4), I D... 3" 16" 13-7/8" Sinks (2), I D..... 12" 8" {Sink Depth: 6"}

Equipment: Two cold water gooseneck faucets; one double and two single gas cocks; three duplex AC receptacles; two drop-in epoxy resin sinks; two polypropylene sink outlets with strainers; four rod sockets; two adjustable shelves. Top is 1" thick - specify material desired.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6058 Twelve Student Lab Table

6060 Eight Student Lab Table

Overall..... 10' 8"

Base Cabinets (4), OD..... 24"

Sinks (2), I D..... 16"

Compartments (8), ID.....

{Sink Depth: 7" }

Drawers (16), I D..... 8-7/8"

Cupboards (4), I D..... 10-7/8"

Dimensions:

Dimensions:	W	н	D
Overall16	3' 0"	36"	48"
Base Cabinets (6), OD	24"	35"	16"
Drawers (24), I D	8-7/8"	6"	13"
Cupboards (6), I D	10-7/8"	29-1/4"	13"
Compartments (12), ID	13-7/8"	3"	16"
Sinks (3), I D	16"		8"
{Sink Depth: 7" }			

W

13-7/8"

н

36

35"

29-1/4'

6"

3"

D


48"

16"

13"

13"


16" 8" Equipment: Six cold water gooseneck faucets; two 4-way and two double gas cocks; six duplexAC receptacles; three drop-in epoxy resin sinks; three polypropylene sink outlets with strainers; six rod sockets; six adjustable shelves. Top is 1" thick - specify material desired.



Equipment: Four cold water gooseneck faucets; one 4-way and two double gas cocks; four duplex AC receptacles; two drop-in epoxy resin sinks; two polypropylene sink outlets with strainers; four rod sockets; four adjustable shelves. Top is 1" thick - specify material desired.

6061 Eight Student Lab Table			
Dimensions:	W	н	D
Overall	10' 8"	36"	48"
Sinks (2), I D	16"		8"
{Sink Depth: 7"}			


Equipment: Four cold water gooseneck faucets; one 4-way and two double gas cocks; six duplex AC receptacles; two epoxy resin sinks; two epoxy resin sink outlets with strainers; four rod sockets. Top is 1" thick - specify material desired.



BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.


6062 Six Student Lab Tal Dimensions: Overall Base Cabinets (3), OD Drawers (6), I D Drawers (6), I D Cupboards (3), I D	W 16' 0" 24" 8-7/8" 8-7/8"	H 30" 29" 2-1/2" 6-1/2" 10-7/8"	D 30" 28-1/4" 13" 13" 23-1/4"	Equipment: Three cold water gooseneck faucets; two double and two single gas cocks; four duplex AC receptacles; three drop-in epoxy resin sinks; three polypropylene sink outlets with strainers; six rod sockets; three adjustable shelves. Top is 1" thick - specify material desired.
Compartments (6), ID Sinks (3), I D {Sink Depth: 6" }	3" 13-7/8" 12"	3"	16" 8"	
		*		
6064 Four Student Lob T				
6064 Four Student Lab T Dimensions: Overall Base Cabinets (2), OD Drawers (4), I D Drawers (4), I D Cupboards (2), I D	W 10' 8" 24" 8-7/8" 8-7/8"	H 30" 29" 2-12" 6-1/2" 10-7/8"	D 30" 28-1/4" 13" 13" 23-1/4"	Equipment: Two cold water gooseneck faucets; one double and two single gas cocks; three duplex AC receptacles; two drop in epoxy resin sinks; two polypropylene sink outlets with strainers; four rod sockets; two adjustable shelves. Top is 1" thick - specify material desired.
1 Compartments (4), ID Sinks (2), I D {Sink Depth: 6" }	13-7/8"	3"	16" 8"	


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6066 Two Student Lab Table					
Dimensions:	W	н	D		
Overall	64"	36"	30"		
Base Cabinet (1), O D	24"	35"	28-1/4"		
Cupboard (1), I D	10-7/8"	29-1/4"	13"		
Drawers (4), I D	8-7/8"	6"	13"		
Compartments (2), I D	13-7/8"	3"	16"		
Sink, I D	12"		8"		
{Sink Depth: 6" }					

Equipment: One cold water gooseneck faucet; two single gas cocks; two duplex AC receptacles; one drop-in epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets; one adjustable shelf. Top is 1" thick - specify material desired.






Same as 6066 except cupboard and shelf are omitted and quantity of drawers increase to eight.




6070 Two Student Lab Table

Same as 6066 except quantity of drawers is decreased to three. Drawers are 8-1/2" H, I.D.




6072 Two Student Lab Table Same as 6066 except cupboard & shelf are omitted & quantity of drawers increases to 6. Drawers are 8-1/2" H, I.D.




6074 Two Student Lab Table Same as 6066 except drawers are omitted and cupboard width increases to 22-1/2".

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6076 Four Student Lab Table						
Dimensions:	W	н	D			
Overall	64"	36"	48"			
Base Cabinets (2), O D	24"	35"	16"			
Cupboards (2), I D	10-7/8"	29-1/4"	13"			
Drawers (8), I D	8-7/8"	6"	13"			
Compartments (4), I D	15"	3"	16"			
Sink, I D	16"		8"			
{Sink Depth: 7" }						

Equipment: Two cold water gooseneck faucets; two double gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets; two adjustable shelves. Top is 1" thick - specify material desired.



6080 Four Student Lab Table

Same as 6076 except quantity of drawers is decreased to six. Drawers are 8-1/2" $\,$ H, I D.




Same as 6076 except cupboards and shelves are omitted, and

6082 Four Student Lab Table

6078 Four Student Lab Table


quantity of drawers increase to sixteen.

Same as 6076 except cupboards & shelves are omitted & the quantity of drawers increases to twelve. Drawers are 8-1/2" H, I D.



6084 Four Student Lab Table Same as 6076 except drawers are omitted and cupboard width is increased to 22-1/2".


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6086 Two Student Lab Table						
Dimensions:	W	Н				
Overall	72"	36"				
Base Cabinet (1), O D	35-1/4"	35"				
Cupboard (1), I D	10-1/2"	29-1/4"				
Drawers (8), I D	8-7/8"	6"				
Compartments (2), I D	13-7/8"	3"				
Sink, I D	12"					
{Sink Depth: 6" }						

Equipment: One cold water gooseneck faucet; two single gas cocks; two duplex AC receptacles; one drop-in epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets; one adjustable shelf. Top is 1" thick - specify material desired.

D 30" 28-1/4" 13" 13" 16" 8"




6088 Two Student Lab Table Same as 6086 except quantity of drawers is decreased to six. Drawers are 8-1/2" H.




6090 Two Student Lab Table

Same as 6086 except cupboard and shelf are omitted and the quantity of drawers is increased to twelve.




6092 Two Student Lab Table Same as 6086 except cupboard & shelf are omitted & quantity of drawers is increased to 9. Drawers are 8-1/2" H, I D.



6094 Two Student Lab Table Same as 6086 except drawers are omitted and the cupboard width is increased to 33-3/4".

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




6098	Four	Student	Lab	Table
------	------	---------	-----	-------

Same as 6096 except quantity of drawers $% 10^{-1}$ is decreased to twelve. Drawers are 8-1/2" H.


6096 Four Student Lab Table						
Dimensions:	W	н	D			
Overall	72"	36"	48"			
Base Cabinets (2), O D	35-1/4"	35"	16"			
Cupboards (2), I D	10-1/2"	29-1/4"	13"			
Drawers (16), I D	8-1/2"	6"	13"			
Compartments (4), I D	13-7/8"	3"	16"			
Sink, I D	16"		8"			
{Sink Depth: 7"}						

Equipment: Two cold water gooseneck faucets; two double gas cocks; two duplex AC receptacles; one drop-in epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets; two adjustable shelves. Top is 1" thick - specify material desired.



6100 Four Student Lab Table

Same as 6096 except cupboards and shelves are omitted and the quantity of drawers is increased to twenty-four.




6102 Four Student Lab Table

Same as 6096 except cupboards & shelves are omitted; the quantity of drawers is increased to eighteen. Drawers are 8-1/2" H, I D.

6104 Four Student Lab Table

Same as 6096 except drawers are omitted and the width of cupboards is increased to 33-3/4".

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6156 Two Student Lab Table						
Dimensions:	W	Н	D			
Overall	64"	30"	24"			
Base Cabinet (1) OD	18"	29"	22"			
Cupboard (1), I D	16-1/2"	17-1/4"	20-3/4"			
Compartments (2), I D	13-1/2"	3"	16"			
Sink, I D	12"		8"			
(Sink Donth: 6")						

{Sink Depth: 6"}

Equipment: One cold water gooseneck faucet; two single gas cocks; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets. Top is 1" thick - specify material desired.

6158 Two Student Lab Table


Same as 6156 except equipped with two drawers, 11-7/8" W x 2-1/4" H x 15" D, ID, with master keyed locks instead of compartments.

6160 Two Student Lab Table

Same as 6156 except 36" H.

6162 Two Student Lab Table

Same as 6158 except 36" H.



6164 Four Student Lab Table

Dimensions:	W	н	D
Overall	64"	30"	42"
Double Faced Base			
Cabinet (1), OD	18"	29"	39-1/2"
Cupboards (2), ID	16-1/2"	17-1/4"	16-1/4"
Compartments (4), ID	13-1/2"	3"	16"
Sink, ID	12"		8"

{Sink Depth: 6" }

Equipment: Two cold water gooseneck faucets; two double gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; two rod sockets. Top is 1" thick - specify material desired.

6166 Four Student Lab Table

Same as 6164 except equipped with four drawers, 11-7/8" W x 2-1/4" H x 15" D, ID, with master keyed locks instead of compartments.

6168 Four Student Lab Table

Same as 6164 except 36" H.


6170 Four Student Lab Table

Same as 6166 except 36" H.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED; ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6105 Student Table for E	Biology, F	Physics,	Chemistr
Dimensions:	W	Н	D
Overall	56"	36"	56"
Pedestal Base, OD	20-1/2"	35"	20-1/2"
Drawers(4), ID	13"	2-3/4"	13"

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" diameter epoxy resin sink, 7-1/2" deep; one epoxy resin sink plug with disc strainer; two AC duplex receptacles; four rod sockets; four master keyed locks. Top is 1" thick - specify material desired.



6109A* Student Table for Biology, Physics, Chemistry

Dimensions.	V V	п	U	
Overall	56"	36"	56"	
Suspended Base				
Cabinets (4), O D	21"	15-3/4"	15-1/4"	
Pedestal Base, OD	21-1/2"	35"	21-1/2"	
Drawers (16) OD	7-3/8"	6"	13"	

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" diameter epoxy resin sink, 7-1/2" depth; one epoxy resin sink plug with disc strainer; twoAC duplex receptacles; four rod sockets; sixteen master keyed locks. Top is 1" thick - specify material desired.

6109B* Student Table

Same as 6109A except suspended base cabinets are single cupboards.

6109C* Student Table

Same as 6109A except suspended base cabinets are two drawers and one cupboard

6109D* Student Table


Same as 6109A except suspended base cabinets are two full width drawers


6109E* Student Table


Same as 6109A except suspended base cabinets are two small and one large full width drawers.

6109F* Student Table

Same as 6109A except suspended base cabinets are one small drawer








6107 Student Table for B	iology, P	hysics, (Chemistry
Dimensions:	W	H	D
Overall	55"	36"	55"
Base Cabinets (4), O D	21"	35"	16"

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" diameter epoxy resin sink, 7-1/2" depth; one epoxy resin sink plug with disc strainer; two AC duplex receptacles; four rod sockets; twenty-four master keyed locks. Top is 1" thick - specify material desired.



6112A* Student Table for Biology, Physics, Chemistry

Dimensions:	W	Н	D
Overall	56"	36"	56"
Suspended Base			
Cabinets (4), O D	21"	15-3/4"	15-1/4"
Pedestal Base, OD	21-1/2"	28-1/2"	22-1/2"
Drawers (16) OD	7-3/8"	6"	13"

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; one 12" diameter epoxy resin trough (ID 51"L x 9"W x 4-1/4" D); one epoxy resin sink plug with disc strainer; two AC duplex receptacles; four rod sockets; sixteen master keyed locks. Top is 1" thick - specify material desired.

6112B* Student Table

Same as 6112A except suspended base cabinets are single cupboards.

6112C* Student Table

Same as 6112A except suspended base cabinets are two drawers and one cupboard

6112D* Student Table

Same as 6112A except suspended base cabinets are two full width drawers

6112E* Student Table

Same as 6112A except suspended base cabinets are two small and one large full width drawers.

6112BX Reagent Basket

Expanded metal basket with chemical resistant black finish shaped to fit into trough on 6112 Units.

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED; ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6118 6116 6119

6116 Student Table: Combined Sciences **Dimensions, Overall:** 36" H* x 56" Square 67-3/16" across corners 39" on four sides & 12" on four sides

Work surface is 1" thick chemical resistant epoxy resin, installed height is 36". Standard color is black. The work surface perimeter has an integral, 1/4" raised marine edge.

Equipment: One 12" diameter epoxy resin sink, 7-1/2 "in depth; one polypropylene sink outlet, two multi-service fixtures for cold water and gas; four rod sockets; and two GFCI electric receptacles.

The work surface is supported by a natural almond colored, molded fiberglass reinforced polyester shell, rated as non-burning per A.S.T.M., D-635 burn test. The shell is structurally reinforced and provides a complete protective envelope for plumbing and electrical wires. Support shell has removable access panels. The support shell is designed to accept four suspended storage cabinets; specify cabinet selection by suffix A, B, C, D, E or F following unit number. The black, electrostatically epoxy powder coated pedestal base is constructed of 10-gauge formed steel, and equipped with two removable access panels. The base is 20" square with 1/4" thick steel plates inside for attaching the pedestal to the floor. Traps, internal piping and internal electrical wiring are not included.

Student Table: Combined Sciences 6118

Same as #6116, except equipped with one epoxy resin trough. I. D., 51" W x 9" D and, 41/4" depth. The trough is designed to accept a two piece trough cover; not included, must specify.

6112BX **Reagent Basket**

Expanded metal basket with chemical resistant black finish, shaped to fit into trough on #6118 and #6119 Units.

6119 ADA Compliant Student Table: Combined Sciences Dimensions, Overall:

36-3/4" H x 56" Square


- 67-3/16" diagonal with trough 72-3/4" diagonal, perpendicular to trough
- 9" on four sides; 12" on two sides; and, 17-1/2" on two sides.

This table is designed to be compliant with ADA guidelines. The bi-level work surface provides four student stations, two with wheelchair access, and two with suspended cabinets.

Work top provides access at two levels. At installation the height of the bi-level top is at 36" and 34". Work surface is 1" thick chemical resistant epoxy resin. Standard color is black. The work surface perimeter has an integral, 1/4" raised marine edge.


Equipment: One epoxy resin trough. I. D., 51" W x 9" D and, 41/4" depth; one polypropylene sink outlet, two multi-service fixtures for cold water and gas, each equipped with wrist handles; four rod sockets; and two GFCI electric receptacles.

The black epoxy resin work surface accommodates a maximum length trough with services at each end. The trough is designed to accept a two piece trough cover; not included, must specify. The work surface is supported by a natural almond colored, molded fiberglass reinforced polyester shell, rated as non-burning per A.S.T.M. D-635 burn test. The shell is structurally reinforced and provides a complete protective envelope for plumbing and electrical wires. Support shell has removable access panels. The support shell is designed to accept two suspended storage cabinets; specify cabinet selection by suffix A, B, C, D, E or F following unit number. The black electrostatically epoxy powder coated pedestal base is constructed of 10-gauge formed steel, and equipped with two removable access panels. The base is 20" square with 1/4" thick steel plates inside for attaching the pedestal to the floor. Trap, internal piping and internal electrical wiring are not included.



Campbell Rhea Science - 24

Multiple Student Tables



15-5/8"

Table top is 1" thick - specify material desired. Leg shoes are included.

16-1/2"

Compartments (4), I D...

3"

Same as 6560 except equipped with four drawers, 13" W x 2-1/4" H x 15" D, ID.

6564 Four Student Lab Table

Same as 6560 except compartments are eliminated. (i.e., solid rails)




Table top is 1" thick - specify material desired. Leg shoes are included.

Same as 6566 except equipped with four drawers, 13" W x 2-1/4" H

6570 Four Student Lab Table

Same as 6566 except compartments are eliminated. (i.e., solid rails)




Table top is 1" thick - specify material desired. Leg shoes are included.

6580 Six Student Lab Table

Same as 6576 except the compartments are eliminated, (i.e., solid rails).

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

47-1/4" W.

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6223 - A Six Student Organic Chemistry Table

This six student, two section table provides approximately 4 lineal feet of work top and one four foot base cabinet for each student; a total of 12 individual cupboards with one adjustable shelf each; and 12 drawers.

Dimensions:	W	н	D
Work Top	12'	36"	53-5/8"
Base Cabinets (6), O D	47-1/4"	35"	19-3/4"
Cupboards (12), I D	22-1/2"	19-1/4"	18-3/4"
Drawers (12), I D	20-1/2"	8-1/2"	17"
Reagent Rack	12'	25-1/2"	12"
Epoxy Resin Trough, O D	11'7"		7-5/8"
{Trough Depth: 5-1/16"}			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8"}			

Equipment: One hot and cold water mixing faucet; six cold water cocks; six gas cocks; six vacuum cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy end sink; one polypropylene sink outlet; 12 adjustable shelves. Work top is 1" thick - specify material desired.

6223 - B Six Student Organic Chemistry Table

This six student, three section table provides approximately four lineal feet of work top and one 4-foot base cabinet for each student; a total of 18 individual cupboards with one adjustable shelf in each; and 18 drawers.

Dimensions: Work Top Base Cabinets (6), O D Cupboards (18), I D Drawers (18), I D Reagent Rack Epoxy Resin Trough, O D (Trough Denth: 5-11(6"))	W 12' 47-1/4" 14-1/2" 12-1/2" 12' 11' 7"	H 36" 35" 19-1/4" 8-1/2" 25-1/2"	D 53-5/8" 19-3/4" 18-3/4" 17" 12" 7-5/8"
{Trough Depth: 5-1/16" } Epoxy Resin End Sink, O D {Sink Depth: 12-5/8"}	22-1/2"		14-1/2"

Equipment: One hot and cold water mixing faucet; six cold water cocks; six gas cocks; six vacuum cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy end sink; one polypropylene sink outlet; 12 adjustable shelves. Work top is 1" thick - specify material desired.

6223 - C Six student Organic Chemistry Table


Same as 6223-B except with style #1892 base cabinets, providing 6 sections with 6 cupboards, 29-1/4" H., and 36 drawers.

Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6223 - D Six Student Organic Chemistry Table

This six student, four section table provides approximately 5 lineal feet of work top and one 5 foot base cabinet for each student; a total of six double cupboards with one adjustable shelf in each; and 24 drawers.

Dimensions:	W	н	D
Work Top	15'3"	36"	53-5/8"
Base Cabinets (6), O D	60"	35"	19-3/4"
Cupboards (6), I D	28-1/2"	19-1/4"	18-3/4"
Drawers (24), I D	26-1/2"	8-1/2"	17"
Reagent Rack	15'3"	25-1/2"	12"
Epoxy Resin Trough, O D	14'10"		7-5/8"
{Trough Depth: 5-1/16" }			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8" }			

Equipment: One hot and cold water mixing faucet; six cold water cocks; six gas cocks; six vacuum cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy end sink; one polypropylene sink outlet; and 6 adjustable shelves. Work top is 1" thick - specify material desired.

6225 - A Six Student Chemistry Table Qualitative & Quantitative


This six student, four section table provides approximately 4 lineal feet of work top and one 4 foot base cabinet for each student; a total of 24 individual cupboards with one adjustable shelf in each; and twenty-four drawers.


Dimensions: Work Top Base Cabinets (6), O D Cupboards (24), I D Drawors (24), I D.	W 12' 3" 48" 10-7/8" 8-7/8"	H 36" 35" 19-1/4" 8-1/2"	D 53-5/8" 19-3/4" 18-3/4" 17"
Drawers (24), I D Reagent Rack Epoxy Resin Trough, O D	8-7/8 12'3" 11'10"	8-1/2" 20-1/2"	17" 12" 7-5/8"
{Trough Depth: 5-1/16" } Epoxy Resin End Sink, O D {Sink Depth: 12-5/8" }	22-1/2"		14-1/2"

Equipment: One cold water bibb cock; six, cold water cocks, six gas cocks; four duplex AC receptacles; one epoxy drain trough, one epoxy end sink with a polypropylene sink outlet; twenty-four adjustable shelves. Work top is 1" thick - specify material desired.

6225 - B Six student Chemistry Table Qualitative & Quantitative

Same as 6225 - A except 12' 0" W., with style #2178 base cabinets, providing for nine sections with 54 drawers, 12-1/2" W.






47-1/4" W.

Reagent Rack Construction: Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

Campbell Rhea Science - 28

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6225 - C Six Student Chemistry Table Qualitative and Quantitative


This six student, three section table provides approximately 4 lineal feet of work top and one 4-foot base cabinet for each student; one common sink cabinet; a total of 18 individual cupboards with one adjustable shelf each, and, 18 drawers.


Dimensions:	W	н	D
Work Top	13'10"	36"	53-5/8"
Sink Cabinet (1), OD	50-5/8"	35"	22-1/2"
Base Cabinets (6), O D	47-1/4"	35"	19-3/4"
Cupboards (18), I D	14-1/2"	19-1/4"	18-3/4"
Drawers (18), I D	12-1/2"	8-1/2"	17"
Reagent Rack	12'	20-1/2"	12"
Epoxy Resin Trough, O D	11'7"		7-5/8"
{Trough Depth: 5-1/16" }			
Epoxy Resin Sink, ID	25"		10"
{Sink Depth: 10" }			

Equipment: One cold water bibb cock; six cold water cocks; six gas cocks; four duplex AC receptacles; one epoxy drain trough; one epoxy sink; one polypropylene sink outlet; 18 adjustable shelves. Work top is 1" thick - specify material desired.

6225 - D Six Student Chemistry Table Qualitative and Quantitative Same as 6225-C, except with style #1892 base cal

Same as 6225-C, except with style #1892 base cabinets; providing six sections with six cupboards, 29-1/4" H; and thirty-six drawers.





Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

6225 - E Six Student Chemistry Table Qualitative and Quantitative


This six student, three section table provides approximately 5 lineal feet of work top and one 5-foot base cabinet for each student; a total of 18 individual cupboards with one adjustable shelf each; and 18 drawers.

Dimensions:	W	н	D
Work Top	14' 9-3/4"	36"	53-5/8"
Base Cabinets (6), O D	58-1/4"	35"	19-3/4"
Cupboards (18), I D	18-1/4"	19-1/4"	18-3/4"
Drawers (18), I D	16-1/4"	8-1/2"	17"
Reagent Rack	14' 9-3/4"	20-1/2"	12"
Epoxy Resin Trough, O D.	14' 4-3/4"		7-5/8"
{Trough Depth: 5-1/16" }			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8" }			

Equipment: One cold water bibb cock; six cold water cocks; six gas cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy end sink; one polypropylene sink outlet; 18 adjustable shelves. Work top is 1" thick - specify material desired.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING & ELECTRIC CONDUIT ARE NOT INCLUDED.




6227 - B Six Student Physical Chemistry Table

This six student, three section table provides approximately 4 lineal feet of work top and one 4-foot base cabinet for each student; a total of 18 individual cupboards with one adjustable shelf each; and 18 drawers.

Dimensions:	W	н	D
Work Top	12'	36"	54"
Base Cabinets (6), O D	47-1/4"	35"	20-1/2"
Cupboards (18), ID	14-1/2	19-1/4	18-3/4"
Drawers (18), I D	12-1/2"	8-1/2"	17"
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8"}			

Equipment: One hot and cold water mixing gooseneck faucet; three cold water gooseneck faucets; three double gas cocks; four duplex AC receptacles; three epoxy resin oval cup sinks, 6" x 3"; one epoxy end sink; one polypropylene sink outlet; 18 adjustable shelves. Work top is 1" thick - specify material desired.



Reagent Rack Construction:


Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

6227 - A Four Student Physical Chemistry Table

This four student, three section table provides approximately 5 lineal feet of work top and one 5 foot base cabinet for each student; two sink cabinets; a total of 12 individual cupboards with one adjustable shelf each; and 12 drawers.

Dimensions:	W	н	D
Work Top	11' 11-1/2"	36"	54"
Sink Cabinet (2), OD	24"	35"	22-1/2"
Base Cabinets (4), O D	58-1/4"	35"	22-1/2"
Cupboards (12), I D	18-1/4"	19-1/4"	20-3/4"
Drawers (12), I D	16-1/4"	8-1/2"	17"
Service Turret	30"	14"	14"
Epoxy Resin Sink,(2),ID {Sink Depth: 10"}	18"		15"

Equipment: Four cold water bibb cocks; four gas cocks; four air cocks; six duplex AC receptacles; two epoxy sinks; two polypropylene sink outlets; 12 adjustable shelves. Work top is 1" thick - specify material desired.



6227 - C Six Student Physical Chemistry Table


This six student, three section table provides approximately 4 lineal feet of work top and one 4-foot base cabinet for each student; one common sink cabinet; and, forty-two drawers.

Dimensions:	w	н	D
Work Top	13' 10-3/4"	36"	53-5/8"
Sink Cabinet (1), OD	50-5/8"	35"	19-3/4"
Base Cabinets (6), O D	47-1/4"	35"	19-3/4"
Drawers (3), I D	20-1/2"	6"	17"
Drawers (2), I D	20-1/2"	2-1/4"	17"
Drawers (2), I D	43-3/4"	6"	17"
Reagent Rack	12'	20-1/2"	12"
Epoxy Resin Trough, O D {Trough Depth: 5-1/16"}	11'7"		7-5/8"
Epoxy Resin Sink, ID {Sink Depth: 10"}	25"		15"

Equipment: One hot and cold water mixing gooseneck faucet; six cold water cocks; six gas cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy sink; one polypropylene sink outlet. Work top is 1" thick - specify material desired.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING & ELECTRIC CONDUIT ARE NOT INCLUDED.



6229 - A Six Student Biochemistry Table


This six student, four section table provides approximately 5 lineal feet of work top and one 3 foot base cabinet and one 24" kneespace for each student; a total of 6 cupboards with one adjustable shelf each; and 24 drawers.

Dimensions: Work Top Base Cabinets (6), O D	W 15' 2-3/4" 35-1/4" 24"	H 36" 35"	D 54" 22-1/2"
Kneespace (6) Cupboards (6), I D Drawers (24), I D Reagent Rack	24 16-1/2" 14-1/2" 15'2-3/4"	29-1/4" 6" 20-1/2"	20-3/4" 17" 12"
Epoxy Resin End Sink, O D {Sink Depth: 12-5/8" }	22-1/2"	20 112	14-1/2"

Equipment: One cold water bibb cock; six cold water cocks; six gas cocks; six duplex AC receptacles; three epoxy resin oval cup sinks, $6" \times 3"$; one epoxy resin end sink; one polypropylene sink outlet; six adjustable shelves. Work top is 1" thick - specify material desired.

Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.



6229 - B Six Student Biochemistry Table


This six student, four section table provides approximately four lineal feet of work top and one, 4 foot base cabinet for each student; one common sink cabinet; a total of six cupboards with one adjustable shelf in each; and 24 drawers.

Dimensions:	w	н	D
Work Top	13'11"	36"	53-5/8"
Sink Cabinet (1), OD	50-5/8"	35"	22-1/2"
Base Cabinets (6), O D	47-1/4"	35"	22-1/2"
Cupboards (6), I D	22-1/2"	29-1/4"	20-3/4"
Drawers (24), I D	20-1/2"	6"	17"
Epoxy Resin Sink, ID	25"		15"
{Sink Depth: 10"}			

Equipment: One hot and cold water mixing gooseneck faucet; three cold water gooseneck faucets; three double gas cocks; six duplex AC receptacles; three epoxy resin oval cup sinks, 6" x 3"; one epoxy resin sink; one polypropylene sink outlet; six adjustable shelves. Work top is 1" thick - specify material desired.

ORGANIC, QUALITATIVE, QUANTITATIVE, PHYSICAL AND BIOCHEMISTRY

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6229 - C Eight Student Biochemistry Table

This eight student, five section table provides approximately four lineal feet of work top; one, 4 foot base cabinet for each student; four sink cabinets; a total of eight cupboards with one adjustable shelf in each, & 40 drawers.

Dimensions: Work Top Sink Cabinet (4), OD Base Cabinets (8), O D Cupboards (8), I D Drawers (40), I D Box Curb Epoxy Resin Sink, (4) ID	W 20' 24" 47-1/4" 22-1/2" 20-1/2" 20' 18"	H 36" 35" 29-1/4" 6" 10"	D 54" 22-1/2" 22-1/2" 20-3/4" 17" 8-3/4" 15"
Epoxy Resin Sink, (4) ID {Sink Depth: 8" }	18″		15″

Equipment: Four hot and cold water mixing gooseneck faucets; eight gas cocks; eight duplex AC receptacles; four epoxy resin sinks; four polypropylene sink outlets; 8 adjustable shelves. Work top is 1" thick - specify material desired. Box curb is made from the same material as work top.

6229 - D Six Student Biochemistry Table


This six student, four section table provides approximately five lineal feet of work top; one 3 foot base cabinet; and one 24" kneespace for each student; one common sink cabinet; a total of six cupboards with one adjustable shelf in each, and 24 drawers.

Dimensions:	w	н	D
Work Top	17' 1-1/4"	36"	53-5/8"
Sink Cabinet (1), OD	50-5/8"	35"	22-1/2"
Base Cabinets (6), O D	35-1/4"	35"	22-1/2"
Kneespace (6), I D	24"		
Cupboards (6), I D	16-1/2"	29-1/4"	20-3/4"
Drawers (24), I D	14-1/2"	6"	17"
Reagent Rack	15' 2-3/4"'	20-1/2"	12"
Epoxy Resin Trough, O D	14' 9-3/4"		7-5/8"
{Trough Depth: 5-1/16"}			
Epoxy Resin Sink, I D	25"		15"
{Sink Depth: 10"}			

Equipment: one hot and cold water mixing gooseneck faucet; six cold water cocks; six gas cocks; six duplex AC receptacles; one epoxy drain trough; one epoxy sink; one polypropylene sink outlet; six adjustable shelves. Work top is 1" thick - specify material desired.


Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.



Research Tables

TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6258 - C Research Table

This unit is an island assembly consisting of:

Four, 47-1/4" wide, 2-drawer over cupboard base cabinets, #1578; four, 36" wide knee spaces; and one 50-5/8" wide sink cabinet with a finished back.

Dimensions:	w	н	D
Work Top	16'	36"	53-5/8"
Base Cabinets (4), O D	24"	29"	22-1/2"
Drawers (8), I D	20-1/2"	6"	17"
Cupboards (4), ID	45-3/4"	21-3/4"	20-3/4"
Sink Cabinet (1), O D	50-3/8"	35"	22"
Epoxy Resin Sink, I D	25"		15"
{Sink Depth: 10"}			

Equipment: One hot and cold water mixing gooseneck faucet; four cold water gooseneck faucets; two double gas cocks; two double air cocks; two double-faced pedestal boxes, each containing two duplex AC receptacles; two, 6" x 3" epoxy resin oval cup sinks; one epoxy resin sink; one polypropylene sink outlet; and four adjustable shelves. Work top is 1" thick - specify material desired.


6258 - D Research Table

This unit is an island assembly consisting of:

Four, 35-1/4" wide, 2-drawer over cupboard base cabinets, #1574; one, 50-5/8" wide sink cabinet with a finished back.; four, 36" wide knee spaces; four, 35-1/4 wide wall cases with tack board backs, #4958, and one reagent rack; top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin.

Dimensions:	w	н	D
Work Top	14'	36"	53-5/8"
Base Cabinets (4), O D	35-1/4"	35"	22-1/2"
Drawers (8), I D	14-1/2"	6"	17"
Cupboards (4) ID	33-3/4"	21-3/4"	20-3/4"
Sink Cabinet (1), O D	50-5/8"	35"	22"
Wall Cases (4), O D	35-1/4"	31-1/4"	11-3/4"
Reagent Rack, O A	12'	18"	12-1/4"
Epoxy Resin Sink, I D	25"		15"
{Sink Depth: 10"}			

Equipment: One hot and cold water mixing gooseneck faucet; four gas cocks; four air cocks; four duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet; and twelve adjustable shelves. Work top is 1" thick - specify material desired.




Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.

Research Tables

TRAPS, DRAIN LINES, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6258 - E Research Table

This unit is a wall assembly consisting of:

One, 24" wide sink cabinet, #2328; two, 35-1/4" wide, 2-drawer over cupboard base cabinets, #1574; and one, 35-1/4" wide, 6-drawer and cupboard base cabinet #1846.

Dimensions: Overall Work Top Sink Cabinet (1), O D Base Cabinets (2), O D Drawers (4), I D Base Cabinet (1), O D Drawers (4), I D Drawers (2), I D Drawers (2), I D	W 11' 24" 35-1/4" 14-1/2" 33-3/4" 35-1/4" 14-1/2" 14-1/2"	H 44-3/4" 36" 35" 35" 6" 21-3/4" 35" 6" 2-1/4" 24 2/4"	D 30" 23" 22-1/2" 17" 20-3/4" 22-1/2" 17" 17" 20-2/4"
	14-1/2" 16-1/2" 18"	2-1/4" 21-3/4"	17" 20-3/4" 15"

Equipment: One hot and cold water mixing gooseneck faucet; three gas cocks; three air cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet; and three adjustable shelves. Work top is 1" thick - specify material desired. Box curb and ledge are same material as top.


6258 - F Research Table

This unit is a wall assembly consisting of:

One, 35-1/4", 5-drawer base cabinet, #2092; three, 35-1/4" wide, 2-drawer over cupboard base cabinet, #1574; and, one 24" wide sink cabinet, #2328.


Dimensions:	W	н	D
Overall	13'11"	44-3/4"	30"
Work Top	13"11"	36"	23"
Base Cabinet (1), O D	35-1/4"	35"	22-1/2"
Drawers (2), I D	14-1/2"	6"	17"
Drawers (3), I D	33-3/4"	6"	17"
Base Cabinets (3), O D	35-1/4"	35"	22-1/2"
Drawers (6), I D	14-1/2"	6"	17"
Cupboards (3), I D	33-3/4"	21-3/4"	20-3/4"
Sink Cabinet (1), O D	24"	35"	22-1/2"
Epoxy Resin Sink (1), I D	18"		15"
{Sink Depth: 8 "}			

Equipment: One hot and cold water mixing gooseneck faucet; three cold water gooseneck faucets; three gas cocks; three air cocks; two duplex AC receptacles; three, 3-1/4" I D waste receptors; one epoxy resin sink; one polypropylene sink outlet; and, three adjustable shelves. Work top is 1" thick - specify material desired. Box curb and ledge are the same material as top.



General Chemistry Tables

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6230 - A Eight Student Chemistry Table


Dimensions:	w	н	D
Work Top	12'	36"	53-5/8"
Base Cabinets (8), O D	35-1/4"	35"	19-3/4"
Cupboards (8), I D	16-1/2"	19-1/4"	18-3/4"
Drawers (48), I D	14-1/2"	8-1/2"	17"
Reagent Rack	12'	20-1/2"	12"
Epoxy Resin Trough, O D	11'7"		7-5/8"
{Trough Depth: 5-1/16"			
Epoxy Resin End Sink, O D	22-1/2"		14-1/2"
{Sink Depth: 12-5/8" }			

6230 - B Eight Student Chemistry Table

Same as 6230 - A except with style "B" base cabinet shown above.

6230 - C Eight Student Chemistry Table

Same as 6230 - A except with style "C" base cabinet shown above.



Reagent Rack Construction:

Top shelf is 1" thick, uprights are 1" thick, and entire rack is constructed of black, phenolic resin. Fascia panels, when provided, are 3/4" thick.



These General Chemistry Tables provide approximately three lineal feet of work top and one 3 foot base cabinet for each student. Optional base cabinets provide for 2, 3, or 4-sections. Full height cupboards have one adjustable shelf.

Equipment: Eight single gas cocks; four cold water cocks; four duplex AC receptacles; one epoxy drain trough; one end sink; one polypropylene sink outlet; one cold water bibb cocks.

Work top is 1" thick - specify material desired.

6232 - A Ten Student Chemistry Table

(Ten base cabinets with 20 drawers and 20 cupboards)

Work Top: 14' 11-1/2" L x 53-5/8" W x 36" H. Work top is 1" thick - specify material desired.

Equipment: Ten single gas cocks; five cold water cocks; six duplex AC receptacles; one epoxy drain trough; one end sink; one polypropylene sink outlet; one cold water bibb cock.

6232 - B Ten Student Chemistry Table

Same as 6232 - A except with style "B" base cabinets shown above.

6232 - C Ten Student Chemistry Table

Same as 6232 - A except with style "C" base cabinets shown above.

6234 - A Twelve Student Chemistry Table

(Twelve base cabinets with 24 drawers and 24 cupboards.)

Work Top: 17' 10-1/2" L x 53-5/8" W x 36" H. Work top is 1" thick - specify material desired.

Equipment: Twelve single gas cocks; six cold water cocks; six duplex AC receptacles; one epoxy drain trough; one end sink; one polypropylene sink outlet; one cold water bibb cock.


6234 - B Twelve Student Chemistry Table

Same as 6234 -A except with style "B" base cabinets shown above.

6234 - C Twelve Student Chemistry Table


Same as 6234 -A except with style "C" base cabinets shown above.

SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED. BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY.



6260 Two Student Physics Table

Dimensions:	W	H	D	Equipment: One double gas cock; one duplex AC receptacle; two rod sockets. Cupboard is equipped with one adjustable shelf and one removable tote tray, # 6342.
Overall	64"	30"	24"	
Base Cabinet (1), O D	18"	29"	22"	
Compartments (2), I D	13-1/2"	3"	16"	
Cupboard, I D	16-1/2"	17-1/4"	20-3/4"	





6262 Four Student Physics Table

Dimensions:	w	н	D
Overall	64"	30"	42"
Base Cabinet (1), O D	18"	29"	39-1/2"
Compartments (4), I D	13-1/2"	3"	16"
Cupboards (2), I D	16-1/2"	17-1/4"	16-1/4"

Equipment: One, 4-way gas cock; two duplex AC receptacles; two rod sockets. The double-faced base cabinet is equipped with one adjustable shelf and one removable tote tray on each side, #6342.


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. Table top is 1" thick - specify material desired.






6266 Four Student Physics Table					
Dimensions:	W	Н	D		
Overall	64"	30"	42"		
Drawers (2), I D	14-1/2"	2-1/4"	15"		

Equipment: One double gas cock; one duplex AC receptacle; two rod sockets, 36" apart and 4" from back edge.




Equipment: One, 4-way gas cock; two duplex AC receptacles; two rod sockets, 36" apart and on center line.




6270 Four Student Physics Table				
Dimensions:	W	н	D	
Overall	64"	30"	42"	
Compartments(2), I D	16-1/2"	3"	15-5/8"	

Equipment: One, 4-way gas cock; two duplex AC receptacles; two rod sockets, 36" apart and on center line.




Equipment: One, 4-way gas cock; two duplex AC receptacles; two rod sockets, 36" apart and on the center line.

Equipment: One double gas cock; one duplex AC receptacle; two rod sockets, 36" apart and 4" from back edge.




Equipment: One double gas cock; one duplex AC receptacle; two rod sockets, 36" apart and 4" from back edge. 2009

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY.



6280 Six Student Physics Table

Dimensions:	W	н	D	Environment Three double are earlier three and earliests three double
Overall	15' 16-1/2"	30" 3"	24" 15-5/8"	Equipment: Three double gas cocks; three rod sockets; three duplex AC receptacles.




6282 Six Student Physics Table

Dimensions:	W	н	D
Overall	15'	30"	24"
Compartments(2), I D	13"	2-1/4"	16-1/2"

Equipment: Three double gas cocks; three rod sockets; three duplex AC receptacles.

SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED. Table top is 1" thick - specify material desired. Box curb and ledge cap are same material as top.




6284 Six Student Physics Table

This unit is an island assembly consisting of: Six, 18" wide drawer over cupboard base cabinets, #1254; six, 42-1/2" W knee spaces; and, one double-faced box curb assembly.

Dimensions:	W	н	D
Work Top	15'6"	36"	60"
Box Curb, O D	15' 4"	9"	8"
Ledge Cap, O A	15'6"	10"	
Base Cabinets (6), O D	18"	35"	22-1/2"
Drawers (6), I D	14-1/2"	6"	17"
Cupboards (6), I D	16-1/2"	21-3/4"	20-3/4"

Equipment: Twelve duplex AC receptacles; four gas cocks; four air cocks; and six adjustable shelves.



6286 Eight Student Physics Table

This unit is an island assembly consisting of: Eight, 18" wide, 3-drawer base cabinets, #2454; eight, 20 wide knee spaces; and, one double-face box curb assembly. Dimensions: W D н Work Top..... 30" 13' 54" Box Curb, O D..... 7-3/4" 8" 12' 10" Ledge Cap, O A..... Base Cabinets (8), O D. 13' 10" 18" 20" 22-1/2"


Babb Gabinoto (0), O D	10	20
Drawers (24), I D	14-1/2"	6-1/2"

Equipment: Eight duplex AC receptacles.

17"

Biology Tables


TABLE TOPS ARE 1" THICK - SPECIFY MATERIAL DESIRED.



6300 Two Student Biology Table

Dimensions:	W	н	D
Overall	64"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Cupboard, I D	16-1/2"	23-1/4"	20-3/4"


Equipment: One full depth adjustable shelf.



6304 Two Student Biology Table

Dimensions:	W	н	D
Overall	64"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Compartments (2), ID	13-7/8"	3"	16"
Cupboard, I D	16-1/2"	23-1/4"	20-3/4"


Equipment: One full depth adjustable shelf.



6308 Two Student Biology Table

Dimensions:	w	н	D
Overall	64"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Cupboard, I D	16-1/2"	23-1/4"	20-3/4"
Drawers (2), ID	11-7/8"	2-1/4"	15"

Equipment: One full depth adjustable shelf. *Campbell Rhea* Science - 40



6302 Four Student Biology Table

Dimensions:	w	н	D
Overall	64"	30"	42"
Base Cabinet (1), O D	18"	29"	39-1/2"
Cupboard, I D	16-1/2"	23-1/4"	38-1/2"


Equipment: One adjustable shelf.



6306 Four Student Biology Table

Dimensions:	w	н	D
Overall	64"	30"	42"
Base Cabinet (1), O D	18"	29"	39-1/2"
Cupboard (double-faced) I D	16-1/2"	23-1/4"	38-1/2"
Compartments (4), ID	13-7/8"	3"	16"

Equipment: One adjustable shelf.




6310 Four Student Biology Table

Dimensions:	W	н	D
Overall	64"	30"	42"
Base Cabinet (1), O D	18"	29"	39-1/2"
Cupboard (double faced) I D	16-1/2"	23-1/4"	38-1/2"
Drawers (4), ID	11-7/8"	2-1/4"	15"

Equipment: One adjustable shelf.


Biology Tables

TABLE TOPS ARE 1" THICK - SPECIFY MATERIAL DESIRED. Where applicable, drop leaf is 1" thick and made from specified top material.



Dimensions:	W	н	D
Overall (leaves up)	90"	36"	45"
Base Cabinet (1), O D	15-5/16"	35"	15-1/2"
Overall (leaves down)	54"	36"	45"
Cupboard, I D	13-1/2"	29-1/4"	14"

Equipment: Three adjustable shelves; five rod sockets; four, #6340 tote trays, 13-3/4" x 10-3/4" x 3" H; two drop leaves, each 18" W x 18" D.



6332 Biology Table

Dimensions:	w	н	D
Overall (leaves up)	90"	36"	45"
Base Cabinet (1), O D	15-5/16"	35"	15-1/2"
Overall (leaves down)	54"	36"	45"
Drawers (4), ID	11-1/2"	6"	13"


Equipment : Five rod sockets; two drop leaves, each 18" W x 18" D.



6333 - A Two Student Biological Science Table

Dimensions:	w	н	D
Overall	.72"	30"	24"
Base Cabinet (1), O D	18"	29"	22"
Drawers (6), I D	. 14-1/2"	2-1/2"	17"
Compartments (2), I D	16-1/2"	3"	16"

Equipment: Six drawers and two compartments. Top material is 1" thick - specify material desired.




6333 - B Four Student Biological Science Table

Dimensions:	W	н	D
Overall	72"	30"	48"
Base Cabinet (2), O D	18"	29"	22-1/2"
Drawers (12), I D	14-1/2"	2-1/2"	17"
Compartments (4), I D	16-1/2"	3"	16"

Equipment: Twelve drawers and four compartments. Top is 1" thick - specify material desired.

Biological Science Tables



6334 - A Six Student Biological Science Table

Dimensions: Overall Base Cabinet (3), O D Drawers (3), I D Cupboards (3), ID Compartments (6), I D	W 15' 18" 14-1/2" 16-1/2" 13-7/8"	H 30" 29" 4-1/2" 17-1/4" 3"	D 24" 22" 17" 20-3/4" 16"	Equipment: Three drawers and three adjustable shelves. Top is 1" thick - specify material desired.
	Ψ			

6334 - B Twelve Student Biological Science Table


Dimensions:	W	н	D
Overall	15'	30"	48"
Base Cabinet (6), O D	18"	29"	22-1/2"
Drawers (24), I D	14-1/2"	4-1/2"	17"
Compartments (12), I D	13-7/8"	3"	16"

Equipment: Twenty-four drawers & 12 compartments.

Top is 1" thick - specify material desired.


Biological Science Tables

TRAP, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6335 - A Eight Student Biological Science Table

Dimensions: Overall Base Cabinet (8), O D Drawers (8), I D Drawers (16), I D Writing Slides (8)	W 14' 18" 14-1/2" 14-1/2" 16-3/8"	H 30" 29" 6-1/2" 6"	D 54" 22-1/2" 17" 17" 17-3/4"	Equipment: Two, 4-way gas cocks; two double-faced pedestal boxes each containing two duplex AC receptacles. Top is 1" thick - specify material desired.
--	---	---------------------------------	--	--



6335 - B Eight Student Biological Science Table


Dimensions:	w	н	D
Overall	16'	30"	54"
Base Cabinet (8), O D	24"	29"	22-1/2"
Cupboards (8), ID	10-7/8"	14-3/4"	20-3/4"
Drawers (24), I D	8-7/8"	6"	17"
Drawers (8), I D	8-7/8"	6-1/2"	17"
Writing Slides (8)	22-3/8"		17-3/4"
Resin End Sink,OD	22-1/2"		14-1/2"
{Sink Depth: 12-5/8" }			

Equipment: Two, 4-way gas cocks; one cold water gooseneck faucet; two double-faced pedestal boxes, each containing two duplexAC receptacles; one epoxy resin sink; one polypropylene sink outlet.

Top is 1" thick - specify material desired.

Biological Science Tables

TRAP, DRAIN LINE, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



6336 - A


6336 - A	Six Student Biological Science Table
0330 - A	Six Student Diological Science Table

6336 - B Eight Student Biological Science Table

Dimensions: Overall Base Cabinet (2), O D Cupboards (2), ID Base Cabinet (4), O D Drawers (16), I D Cupboards (4), ID Base Cabinet (2), O D Drawers (8), I D Reagent Rack, OA Resin End Sinks (3),OD {Sink Depth: 6"}	W 15' 18" 16-1/2" 35-1/4" 14-1/2" 16-1/2" 18" 14-1/2" 15' 18"	H 36" 35" 29-3/4" 35" 6" 29-1/4" 35" 6" 20-1/2"	D 54" 22-1/2" 20-3/4" 22-1/2" 17" 20-3/4" 22-1/2" 17" 12" 6-1/2"	Dimensions: Overall Base Cabinet (2), O D Cupboards (2), ID Base Cabinet (6), O D Drawers (24), I D Cupboards (6), ID Base Cabinet (2), O D Drawers (8), I D Resin End Sink,OD {Sink Depth: 6"}	W 19' 11" 18" 16-1/2" 35-1/4" 14-1/2" 16-1/2" 18"	H 36" 35" 29-13/4" 35" 6" 29-1/4" 35" 6"	D 54" 19-3/4" 18-3/4" 19-3/4" 17" 18-3/4" 19-3/4" 17" 6-1/2"
--	---	--	--	---	--	--	---

Equipment: Six cold water cocks; six gas cocks; six air cocks; six vacuum cocks; six duplex AC receptacles; three epoxy resin sinks; three polypropylene sink outlets; six adjustable shelves; one reagent rack with phenolic resin components, 3/4" thick facia, and 1" thick uprights and shelf. Top is 1" thick - specify material desired.

Equipment: Four cold water gooseneck faucets; four double gas cocks; four double-faced pedestal boxes, each containing two duplex AC receptacles; four epoxy resin sinks; four polypropylene sink outlets; eight adjustable shelves. Top is 1" thick - specify material desired.



Perimeter Unit/Base Cabinets - 24" Wide

Base cabinets used with perimeter table styles "6A" through "6P" are selected here. All cabinets are 35" H x 16" D. The number beside drawers indicates the quantity of that size drawer necessary to equal the full-height of the cabinet. Drawers are 13" D, ID and equipped with locks. Cupboards are 14" D, ID. Shelves are full depth and adjustable. Cat. # Cat. # Cat. # Cat. # This Unit when in This Unit when in This Unit when in This Unit when in Student section 12 16 10 Student section Student section Student section 14 This Unit when in This Unit when in This Unit when in This Unit when in AA Wall section AB AC Wall section AD Wall section Wall section (Six #6340 **Tote Trays** included) Cat. # Cat. # Cat. # Cat. # This Unit when in This Unit when in This Unit when in This Unit when in 18 22 Student section Student section Student section 20 Student section 21 This Unit when in This Unit when in This Unit when in This Unit when in Wall section AE Wall section AF Wall section AG Wall section AH Cat. # Cat. # Cat. # Cat. # This Unit when in This Unit when in This Unit when in This Unit when in Student section 28 Student section 24 Student section 26 Student section 30 This Unit when in This Unit when in This Unit when in This Unit when in Wall section Wall section AL AJ Wall section AK Wall section AM Cat. # Cat. # Cat. # This Unit when in This Unit when in This Unit when in Student section 32 Student section 34 Student section 36 This Unit when in This Unit when in This Unit when in Wall section AN Wall section AO Wall section AP

2009

Campbell Rhea Science - 45

Perimeter Unit/Base Cabinets - 24" Wide


Base cabinets used with perimeter table styles "6A" through "6P" are selected here.

All cabinets are 35" H x 16" D.

The number beside drawers indicates the quantity of that size drawer necessary to equal the full-height of the cabinet.

Drawers are 13" D, ID and equipped with locks. Cupboards are 14" D, ID.

Shelves are full depth and adjustable.



Campbell Rhea Science - 46

Perimeter Unit/Base Cabinets - 35-1/4" Wide


Base cabinets used with perimeter table styles "6A" through "6P" are selected here.

All cabinets are 35" H x 16" D.


The number beside drawers indicates the quantity of that size drawer necessary to equal the full-height of the cabinet.

Drawers are 13" D, ID and equipped with locks. Cupboards are 14" D, ID.

Shelves are full depth and adjustable.



BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




Top Plan

6A Perimeter Table

This table features four compartments in the Student Section for transit storage of books or tote trays.

Dimensions: Student Section	w	н	D
Overall	64"	36"	42"
Sink, I D {Sink Depth: 7" }	16"		8"
<i>Wall Section</i> Overall	90"	36"	18"



Equipment: Two cold water gooseneck faucets; two double gas cocks; two single faced duplex AC pedestal type receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Top is 1" thick - specify material desired.


STORAGE VARIATIONS

BEGINNING WITH THIS STYLE PERIMETER TABLE, ADDITIONAL DESIGNS ARE CREATED BY SELECTING OTHER COMBINATIONS OF PERIMETER BASE CABINETS.

The Perimeter Table Style Number: The first two, letter/number combination.


The Base Cabinet under the Student Section: The two digit number following the Style Number.

The Base Cabinet in the Wall Section: The last two letters.



#6A 34 AD






#6A 62 AE



#6A 74 AG

Campbell Rhea Science - 48

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.




Top Plan

6B Perimeter Table

This table features plain rails and a rod storage compartment in the Student Section.

Dimensions: Student Section	W	н	D
Overall	64"	36"	42"
Rod Storage Compt.	4"	3"	39"
Sink, I D {Sink Depth: 7"}	16"		8"
<i>Wall Section</i> Overall	90"	36"	18"



6B 34 AB

Perimeter Table Style 6B			
Student Section	Wall Section		
Perimeter Base Cabinet 34	Perimeter Base Cabinet AB		

Equipment: Two Multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Top is 1" thick - specify material desired.

STORAGE VARIATIONS

BEGINNING WITH THIS STYLE PERIMETER TABLE, ADDITIONAL DESIGNS ARE CREATED BY SELECTING OTHER COMBINATIONS OF PERIMETER BASE CABINETS.

The Perimeter Table Style Number: The first two, letter/number combination.

The Base Cabinet under the Student Section: The two digit number following the Style Number.




#6B 50 AE

The Base Cabinet in the Wall Section: The last two letters.



6B 54 AB






6B 62 AD

6B 82 AE

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod

sockets. Top is 1" thick - specify material desired.

STORAGE VARIATIONS

D

42" - 48"

39"

18"

8"

н

36"

3"

36"

BEGINNING WITH THIS STYLE PERIMETER TABLE, ADDITIONAL DESIGNS ARE CREATED BY SELECTING OTHER COMBINATIONS OF PERIMETER BASE CABINETS.

The Perimeter Table Style Number: The first two, letter/number combination.

The Base Cabinet under the Student Section: The two digit number following the Style Number.

The Base Cabinet in the Wall Section: The last two letters.



6C 30 AA

Dimensions:

Student Section

Overall.....

Rod Storage Compt.

Sink, I D.....

Overall.....

{Sink Depth: 7" }

Wall Section

W

72"

4"

16"

90"



#6C44BC






6C 66 AE


6C 74 AO

Campbell Rhea Science - 50

BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

NOTE: STYLES 6D, 6E, 6F, 6G AND 6H PERIMETER TABLES include the wall section as part of the table. Variations in design are achieved by selecting 24" wide (only) Perimeter Base Cabinets for the Student Section only. Wall sections are available only as shown in each Perimeter Table Style.





Perimeter Table Style 6D

Student Section Perimeter Base Cabinet 60


6D Perimeter Table

Dimensions: Student Section	w	н	D
Overall	48"	36"	72"
Base Cabinet (2) OD	24"	35"	16"
Sink, I D {Sink Depth: 6" }	10"		14"
Wall Section Overall	48-3/4"	36"	18"
Base Cabinet (2) OD	15-5/16"	35"	16"

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Each cupboard is equipped with one adjustable shelf. Top is 1" thick - specify material desired.



Style 6E Perimeter Table (6E 60 Shown) Equipment is same as in Style 6D. Open cabinets have two adjustable shelves.



Style 6F Perimeter Table (6F 60 Shown) Equipment is same as in Style 6D. Cupboards have one open compartment and one adjustable shelf.




Style 6G Perimeter Table (6G 60 Shown) Equipment is same as in Style 6D. Cupboards have one drawer and one adjustable shelf.



Style 6H Perimeter Table (6H 60 Shown) Equipment is same as in Style 6D. Cabinets have four drawers.


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

NOTE: STYLES 6J, 6K, 6L, 6M AND 6N PERIMETER TABLES include the wall section as part of the table. Variations in design are achieved by selecting 24" wide (only) Perimeter Base Cabinets for the Student Section only. Wall sections are available only as shown in each Perimeter Table Style.





Dimensions: Student Section	w	н	D
Overall	72"	36"	48"
Base Cab. (2),OD	24"	35"	16"
Sink, I D {Sink Depth: 6"}	14"		10"
Wall Section Overall	48-3/4"	36"	18"
Base Cab. (2),OD	15"	35"	16"



6J 54

Perimeter Table Style 6J

Student Section Perimeter Base Cabinet 54

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Top is 1" thick - specify material desired.



Style 6K Perimeter Table (6K 54 Shown) Equipment is same as in Style 6J.



Style 6L Perimeter Table (6L 54 Shown) Equipment is same as in Style 6J. Cupboard has one adjustable shelf.




Style 6M Perimeter Table (6M 54 Shown) Equipment is same as in Style 6J. Cupboard has one adjustable shelf.



Style 6N Perimeter Table (6N 54 Shown) Equipment is same as in Style 6J. Cupboard has one adjustable shelf.

Campbell Rhea Science - 52


BURETTE RODS AND UPRIGHT ROD ASSEMBLIES ARE NOT INCLUDED. ORDER SEPARATELY. TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.



Top Plan

6P Perimeter Table

Dimensions: Student Section	w	н	D
Overall	48"	36"	72"
Base Cab. (2),OD	24"	35"	16"
Sink, I D {Sink Depth: 6"}	10"		14"
Wall Section Overall	96"	36"	24"
Base Cab. (2),OD	24"	35"	16"



6P 50 AD

Perimeter Table Style 6P


Student			
Perimeter	Table	Style	50


Wall Section Perimeter Base Cabinet AD

Equipment: Two multi-service fixtures, each containing one cold water gooseneck and two gas cocks; two duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer; four rod sockets. Each cupboard is equipped with one adjustable shelf. Top is 1" thick - specify material desired.

Preparation Tables

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.





6606 Preparation Table

Dimensions:	W	н	D
Work Top	84"	36"	24"
Sink Cabinet (1), O D	35-1/4"	35"	22-1/2"
Base Cabinet(1), O D	47-1/4"	35"	22-1/2"
Cupboard (1), I D	33-3/4"	21-3/4"	20-3/4"
Cupboard (1), I D	45-3/4"	29-1/4"	20-3/4"
Sink, I D	14"		10"
{Sink Depth: 6"}			

Equipment: One combination hot and cold water gooseneck faucet; one single gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; one adjustable shelf. Top is 1" thick - specify material desired.

6608 Preparation Table

Dimensions:	w	н	D
Work Top	72"	36"	30"
Base Cabinets (2), OD	35-1/4"	35"	28-3/4"
Drawers (4), ID	14-1/2"	6"	17"
Drawers (2), ID	31-3/4"	6"	17"
Cupboard (1), ID	33-3/4"	21-3/4"	26-3/4"
Sink, ID	16"		12"
{Sink Depth: 8"}			
Reagent Shelf	72"	16-7/8"	8"

Equipment: One combination hot and cold water gooseneck faucet; one single gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Reagent rack: Shelf is 1" thick, uprights are 1" black phenolic resin. Top is 1" thick - specify material desired.

6609 Preparation Table

Same as 6608 except 84" long & the drawer base cabinet is #2136, 47-1/4" W.

6610 Preparation Table


Dimensions:	W	н	D
Overall	72"	36"	30"
Sink Cabinet (1), O D	24"	35"	28-3/4"
Cupboard (1), I D2	2-1/2"	21-3/4"	26-3/4"
Base Cabinet (1), O D	21"	35"	22-1/2"
Drawers (4), I D	17-1/2"	6"	17"
Base Cabinet (1), O D	24"	35"	22-1/2"
Cupboard (1), I D2	2-1/2"	29-1/4"	20-3/4"
Fixture Panel & Shelf	72"	8"	7-1/2"
Sink, I D	18"		15"
{Sink Depth: 11"}			

Equipment: One hot and cold water gooseneck faucet; one single gas cock; one duplex AC receptacle; one epoxy resin sink; one polypropylene sink outlet with disc strainer; one adjustable shelf. Top material is 1" thick - specify material desired. Fixture panel and shelf are same material as top.

Campbell Rhea Science - 54

Laboratory Wall Sinks

TRAPS AND SERVICE PIPING ARE NOT INCLUDED.



w

24"

24"

24"

21-1/2"

Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink

outlet with disc strainer. Sink, hi-back and ledge

cap are 1-1/4" thick - specify material desired:

н

46"

8-3/4"


D

21"

4-1/4"

4-3/4"

15-1/2"



6632 Wall Sink

w	н	D
42"	46"	21"
42"	8-3/4"	4-1/4"
42"		4-3/4"
19-3/4"		16-3/4
21-1/2"		15-1/2
8-3/4")		
	42" 42" 42" 19-3/4" 21-1/2"	42" 46" 42" 8-3/4" 42" 19-3/4" 21-1/2"


Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer. Sink, drainboard, hiback and ledge cap are 1-1/4" thick - specify material desired: Rhearock or Rhearesin.



6634 Wall Sink

Dimensions:	W	н	D
Overall	60"	46"	21"
Hi-back	60"	8-3/4"	4-1/4"
Ledge Cap	60"		4-3/4"
Drainboards (2)	19-3/4"		16-3/4"
Sink, ID…	21-1/2"		15-1/2"
{Sink Depth: 8-	3/4")		

Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer. Sink, drainboard, hi-back and ledge cap are 1-1/4" thick - specify material desired: Rhearock or Rhearesin.



6636 Wall Sink

Dimensions:

Overall

Hi-back

Sink, ID

Ledge Cap

{Sink Depth: 8-3/4")

Rhearock or Rhearesin.


Dimensions:	W	н	D
Overall	37-1/4"	46"	24"
B. Cab.(1)OD	35-1/4"	35"	22-1/2"
Hi-back	37-1/2"	9"	4-1/4"
Ledge Cap	37-1/4"		4-3/4"
Drainboard	17-3/4"		19-3/4"
Cupboard,ID	33-3/4"	21-3/4"	20-3/4"
Sink, ID	16"		12"
(Sink Donth)	O")		

{Sink Depth: 8")

Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer; one epoxy resin sink. Drainboard, hi-back and ledge cap are 1" thick - specify material desired: Rhearock or Rhearesin.

6637 Wall Sink

Same as 6636 except 30" D with 18" x 15", 8" depth sink. Base cabinet is 28-3/4" D.; ledge cap and high back remain same. 2009



6638 Wall Sink

Dimensions:	W	н	D
Overall	48"	46"	24"
B. Cab.(1)OD	47-1/4"	35"	22-1/2"
Hi-back	48"	9"	4-1/4"
Ledge Cap	48"		4-3/4"
Drainboard	26-1/2"		19-3/4"
Cupboard,ID	45-3/4"	21-3/4"	20-3/4"
Sink, ID	18"		15"
	C I		

{Sink Depth: 8")

Equipment: One hot and cold water mixing faucet with soap dish; one epoxy sink outlet with disc strainer; one epoxy resin sink. Drainboard, hi-back and ledge cap are 1" thick - specify material desired: Rhearock or Rhearesin.

6639 Wall Sink

Same as 6638 except 30" D. Base cabinet is 28-3/4"D.; ledge cap and high back remain same.

6640 Wall Sink

Dimensions:	w	н	D
Overall	60"	46"	24"
B. Cab.(1)OD	58-1/4"	35"	22-1/2"
Hi-back	60"	9"	4-1/4"
Ledge Cap	60"		4-3/4"
Drainboards(2)	18-1/2"		19-3/4"
Cupboard,ID	58-3/4"	21-3/4"	20-3/4"
Sink, ID…	24"		16"
(Cink Donth)	וייכ		

{Sink Depth: 8")

Equipment: One hot and cold water mixing faucet with soap dish; one polypropylene sink outlet with disc strainer; one epoxy resin sink. Drainboards, hi-back and ledge cap are 1" thick - specify material desired: Rhearock or Rhearesin.


6641 Wall Sink


Same as 6640 except 30" D. Base cabinet is 28-3/4"D.; ledge cap and high back remain same.

Campbell Rhea Science - 55

Rinse Counters & Wash-Up Sinks







6642 Rinse Counter

Dimensions:	W	н	D	
Overall	72"	36"	24"	
Base Cabinet (1), O D	41-1/4"	35"	22-1/2"	
Sink Cabinet (1), O D	30"	35"	22-1/2"	
Cupboard (1), I D	19-1/2"	29-1/4"	20-3/4"	
Cupboard (1), I D	28-1/2"	21-3/4"	20-3/4"	
Drawers (4), I D	17-1/2"	6"	17"	
Sink, I D	16"		8"	

{Sink Depth: 7"}

Equipment: One cold water gooseneck faucet; two adjustable shelves; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Top has a 4" high back splash, 2" front retainer, and side retainers 1" thick - specify material desired: Rhearock, Rhearesin or Stainless Steel.

6642-A Rinse Counter

Same as 6642 except opposite hand. 6642-B Rinse Counter Same as 6642 except with fiberglass top. 6642-C Rinse Counter Same as 6642-A except fiberglass top.

6643 Rinse Counter

Same as 6642 except with 16" x 12" sink.

6644 Rinse Counter


Same as 6642 except 30" high and drawer unit has three drawers instead of four. 6644-A Rinse Counter

Same as 6644 except opposite hand. 6644-B Rinse Counter

Same as 6644 except with fiberglass top.

6644-C Rinse Counter

Same as 6644-A except with fiberglass top.



6646 Rinse Counter

Dimensions:	w	н	D
Overall	9' 6-1/2"	36"	24"
Base Cabinet (1), O D	41-1/4"	35"	22-1/2"
Sink Cabinet (1), O D	30"	35"	22-1/2"
Base Cabinet (1), O D	41-1/4"	35"	22-1/2"
Cupboard (1), I D	19-1/2"	29-1/4"	20-3/4"
Cupboard (1), I D	28-1/2"	21-3/4"	20-3/4"
Cupboard (1), I D	39-3/4"	29-3/4"	20-3/4"
Drawers (4), I D	17-1/2"	6"	17"
Sink, I D	16"		8"

{Sink Depth: 7"}

Equipment: One cold water gooseneck faucet; three adjustable shelves; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Top has 4" high back splash, 2" high front retainer, and side retainers are 1" thick - specify material desired: Rhearock, Rhearesin, or Stainless Steel.

6646-A Rinse Counter

Same as 6646 except opposite hand. 6646-B Rinse Counter Same as 6642 except with fiberglass top. 6646-C Rinse Counter Same as 6646-A except fiberglass top.

6647 Rinse Counter

Same as 6646 except with 16" x 12" sink.

6648 Rinse Counter

Same as 6646 except $\,$ 30" high and drawer unit has three drawers instead of four.

6650 Wash-Up Sink			
Dimensions:	W	н	D
Overall	60"	36"	30"
Base Cabinet (1), O D	58-1/4"	35"	28-1/2"
Cupboard (1), I D	56-3/4"	21-3/4"	26-3/4"
Stainless Steel Sink			
Assembly, I D	54"		22"
{Sink Depth: 7-1/2"}			
Back splash	11-1/4"		
Ledge Cap	4-1/4"		

Equipment: Three combination hot and cold water swing spout faucets; one stainless steel sink assembly; one stainless steel sink outlet with basket strainer. Integral top and sink assembly of seamless welded construction is 16 gauge, 18-8 type, 302 stainless steel. Exposed surfaces are polished to a #4 finish. Sink assembly is completely under coated for sound deadening.

6651 Wash-Up Sink			
Dimensions:	w	н	D
Overall	67"	36"	30"
Base Cabinet (2), O D	18"	35"	22-1/2"
Cupboard (2), I D	16-1/2"	29-1/4"	20-3/4"
Epoxy resin sink I D	28"		20"
{Sink Depth: 8-3/4"}			

Equipment: One combination hot and cold water mixing faucet; one epoxy resin sink; one polypropylene sink outlet with strainer. Cupboards have one adjustable shelf in each. Top is 1" Rhearesin

Campbell Rhea Science - 56

Rinse Counters & Wash-Up Sinks

н

36"

35"

TRAPS & SERVICE PIPING ARE NOT INCLUDED

7286 Island Sink Assembly			
Dimensions:	W		
Overall	54"		
Base Cabinets (2), O D	50-5/8"		


Stainless Steel Sinks (2), I D

{Sink depth: 10"}

D 54" 22-1/2" 16"

Equipment: Two hot and cold water mixing faucets with swing spouts; four cold water gooseneck faucets; two integral stainless steel sinks; two stainless steel sink strainers with tailpieces. Trap and continuous waste not included. Interceptor trap is recommended for use in art rooms. Top and integral sinks are 16 gauge, type 304 stainless steel. Exposed surfaces are polished to #4 finish.

32"



7288 Wash Up Sink **Dimensions:**

W н D 60" 36" 30" Overall w/o High Back Base Cabinet (1), O D 58-1/4" 35" 28-3/4" Cupboard (1), I D 56-3/4" 21-3/4" 26-3/4" Stainless Steel Sink, I D 54" 22" {Sink depth: 7-1/2"}

Sink assembly has 11-1/4" H back splash and 4-1/4" D ledge cap.

Equipment: Two cold water gooseneck faucets; one combination hot and cold water faucet with swing spout; one stainless steel sink assembly; one stainless steel sink outlet with basket strainer and tailpiece. Trap is not included. Integral top and sink assembly of seamless welded construction is 16-gauge, type 304 stainless steel. Exposed surfaces are polished to #4 finish.


7289 Wash Up Sink


Dimensions:	W	н	D
Overall w/o High Back	76"	36-1/4"	30"
Base Cabinets (2), O D	18"	25"	28-3/4"
Shelf (1)	76"	12"	
(Shelf with 12" H back and	3 solid oak braces	S)	
Stainless Steel Sink, I D.	68-1/2"		22"

{Sink depth: 7-1/2"}

Sink assembly has 11-1/2" H back splash and 4-1/4" D ledge cap.

Equipment: 1" Rhearesin shelf with four polypropylene pegs and solid oak shelf brackets; three combination hot and cold water mixing faucets; one stainless steel sink assembly; one stainless steel sink outlet with basket strainer and tailpiece. Trap is not included. Integral top and sink assembly of seamless welded construction is 16-gauge, type 304 stainless steel. Exposed surfaces are polished to #4 finish.






7290 Island Sink Assembly

Dimensions:	W	н	D
Overall w/o Rack	74"	36-1/4"	24"
Base Cabinets (2), O D	18"	25"	22-1/2"
Pipe Support Rack	89"	54"	8"
Stainless Steel Sink, O D.	75"		24"
{Sink depth: 7-1/2"}			

...

Equipment: Oak pipe support rack has Rheatex shelf and six, #9426 cold water faucets; base unit has two removable wood access panels; stainless steel sink has bottom that slopes to drain and is 16 gauge, type 304 stainless steel with stainless steel outlet with basket strainer and tailpiece. Exposed surfaces are polished to #4 finish.





ADA Accessible, Wash Up Sink & Counter

8815 ADA Accessible Rinse Sink with Counter

Dimensions:	w	н	D
Overall	80"	41"	24"
Countertop		33" & 36"	
Base Cabinet (2), O D	24"	35"	22-1/2"
Kneespace, O D	30"		
Cupboard (2), I D	22-1/2"	29-1/4"	20-3/4"
Drawers (1), I D	20-1/2"	6"	17"

Assembly designed to include provisions for wheelchair space at sink and services. Rinse counter provides a long sloped counter, integral sink, continuous raised edges and coved corners to retain spilled materials and liquids. Top assembly is one piece, fiberglass reinforced polyester, almond in color, with highly durable surface. Sink assembly has bi-level work surfaces to accommodate recommended maximum 34" wheelchair height and 36" for stand up height. Stand up work surface slopes toward wheelchair work surface, which in turn, slopes toward integral sink. Molded integral sink is sloped from front to back with overall depth not to exceed 6-1/2" D. A molded integral ledge is located at rear of sink to accommodate services. Casework assembly consists of one, 1278L cabinet, and one 2338 sink cabinet (without sink hangers). A removable one piece closure panel conceals sink service piping. Unit has one hot and cold water mixing faucet with wrist blade handles.





Sloping Pegboard

STAINLESS STEEL PEGBOARDS:

6667-A Stainless Steel Pegboard

Overall: 24" W x 30" H x 3/4" thick Made of #304 stainless steel with a #4 finish; equipped with 32 polypropylene pegs.

6667-B Stainless Steel Pegboard with Stainless Steel Trough

Same as 6667-A, except stainless steel drip trough is included.

6668-A Stainless Steel Pegboard

6668-B Stainless Steel Pegboard with Stainless Steel Trough

Same as 6668-A, except stainless steel drip trough is included.

PHENOLIC PEGBOARDS:

6660 Pegboard

Overall: 22-1/2" W x 24" H x 1" thick Equipped with 28 polypropylene pegs.

6660-B Sloping Pegboard Same as 6660, except pegboard slopes; 5" thick

6662 Pegboard Overall: 30" W x 24" H x 1" thick Equipped with 38 polypropylene pegs.

6664 Pegboard Overall: 32" W x 30" H x 1" thick Equipped with 53 polypropylene pegs.

6664-B Sloping Pegboard Same as 6664, except pegboard slopes; 5" thick

6666 Pegboard Overall: 48" W x 30" H x 1" thick Equipped with 68 polypropylene pegs.

PHENOLIC PEGBOARDS:

6670 Pegboard Overall: 16" W x 24" H x 1" thick Equipped with 24 polypropylene pegs.

6672 Pegboard

Overall: 22-1/2" W x 24" H x 1" thick Equipped with 28 polypropylene pegs.

6672 - B Sloping Pegboard Same as 6672 except pegboard slopes; 5" thick

6674 Pegboard Overall: 20" W x 30" H x 1" thick Equipped with 32 polypropylene pegs.

6676 Pegboard Overall:30" W x 24" H x 1" thick Equipped with 39 polypropylene pegs.


6678 Pegboard Overall: 32" W x 30" H x 1" thick. Equipped with 53 polypropylene pegs.

6678 - B Sloping Pegboard Same as 6678 except pegboard slopes; 5" thick.

Utility Shelf/Graduate Rack & Drip Trough

Stainless Steel Drip Trough 6679 - A Trough Size: 1-1/2" W x 3/4" D x (Specify Length)

Lip Size: 1" W. Trough is fabricated from 22 gauge stainless steel with a 3/8" O D x 3/4" long copper drain stub.



Stainless Steel Utility Shelf/Adjustable Graduate Rack


Unit#	W	н	D
6657-18	18"	4"	12"
6657-20	20"	4"	12"
6657-24	24"	4"	12"
6657-30	30"	4"	12"
6657-32	32"	4"	12"
6657-48	48"	4"	12"





Constructed of 304 stainless steel with a #4 finish. Shelf system is fully adaptable and will install easily with any pedboard system, wall or casework shelf system. Each shelf is manufactured with a rail system underneath for support and for adaptation of brackets, enabling customizing. Each unit is supplied with required hardware for installation. Special sizes are available on request.

Service Islands



Equipment: Two cold water gooseneck faucets; two, 90° wall mounted gas cocks; two duplex AC receptacles; one, 14" x 10" x 6", I D, epoxy resin sink; one polypropylene sink outlet with disc strainer. Top is 1" thick - specify material desired.

6174 Service Island

Same as 6172 except 42" H.

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6176-6178 6176 Service Island w н D Overall..... 26" 36" 26" 24" 35" 24'

Base Cabinet (1), I D... This compact unit has services on all four sides. Wood hinged door provides access to plumbing and storage space.

Equipment: Two cold water gooseneck faucets; eight single gas cocks; four duplex AC receptacles; one, 14" x 10" x 6", ID , epoxy resin sink; one polypropylene sink outlet with disc strainer. Top is 1" thick - specify material desired.

6178 Service Island Same as 6176 except 42" H.

Dimensions:

2009

Service Islands

TRAPS, SERVICE PIPING AND ELECTRIC CONDUIT ARE NOT INCLUDED.

6180 Service Island			
Dimensions:	W	н	D
Overall	48"	36"	41-1/2"
Base Cabinet (3), O D	24"	35"	12-1/4"

Equipment: One adjustable shelf in each cupboard; three duplex AC receptacles; three multi-service fixtures, each consisting of one cold water gooseneck and two gas cocks; one, 16" diameter stainless steel sink with a stainless steel strainer. Top is 1" thick - specify material desired.

This versatile unit has services on three sides for use with three #6184 Four Student Tables. This unit can also be grouped with conventional rectangular tables.

6182 Service Island

Dimensions:	W	н	D
Overall	48"	36"	41-9/16"
Sink, I D	21"		18"
{Sink Depth: 10)" }		

When grouped with three #6512 Student Tables, this Service Island with services on three sides, provides the center for an ideal work arrangement.

Equipment: Three multi-service fixtures, each consisting of one cold water gooseneck and two gas cocks; three duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Top is 1" thick - specify material desired.

6188 Service Island			
Dimensions:	W	н	D
Overall	54"	36-1/4"	46-3/4"
Sink	31"		27"


{Sink Depth: 6" }

Designed to be used with 30" H tables, 30" or 36" W. Equipment: Three multi-service fixtures, each containing one cold water gooseneck and two gas cocks; three duplex AC receptacles; one epoxy resin sink; one polypropylene sink outlet with disc strainer. Top is 1" thick - specify material desired.





н

6184 Four Student Table **Dimensions:** L w 54" Overall..... 24"- 42" 30' Top is 1" thick - specify material desired. Campbell Rhea Science - 60










Top is 1" thick - specify material desired.

2009

Tri-Fascia Service Islands



6190 Tri-Fascia Service Island

Overall

Dimensions:

34" on three sides x 20" on three sides and Specified Height*

Sink, I D.....19-1/2" on three sides x 15-1/4" on three sides, and 7" D.

* Service Island heights available:

ADA compliant at 34" H., or 36" H., for general use. Specify height desired.

Equipment: Three, multi-service fixtures, each containing one cold water faucet and two gas cocks; three duplex G F I C receptacles; and one polypropylene sink outlet with strainer.

Both the work surface and the support shell are molded fiberglass reinforced polyester, and rated as not burning per A.S.T.M., D-635 burn test. A black vinylester gel coating provides exceptional chemical resistance for the work surface, sink and raised service turrets. The work surface perimeter has an integral, 1/4" raised marine edge. The work surface is supported by a natural almond colored, molded fiberglass reinforced polyester shell. The shell is structurally reinforced and provides a complete protective envelope for plumbing and electrical wiring. The 20" x 20" square pedestal base is black electrostatically epoxy powder coated, steel and has two removable access panels.

Movable Tri-Fascia Service Island

6195 Movable Tri-Fascia Service Island

C


Dimensions:	
Overall	34" on three sides x 20" on three sides and
	36" H. {Not adjustable}
Sink, I D	19-1/2" on three sides x 15-1/4" on three sides,

and 7" Depth.

Equipment: Three multi-service fixtures containing one cold water faucet and two gas cocks; three duplex G F C I receptacles; and one polypropylene sink outlet with strainer. Two hose assemblies (one cold water & one gas), each 36" long with 1/2" male pipe threads at top and two-way, quick-connect couplings at floor. Gas socket and cold water plug, both with 1/2" female threads, to be connected by plumbing contractor to service rough-ins in floor pit. One 1-1/2" waste hose assembly 30" long with hose clamp and tailpiece at top for connecting to sink outlet and straight through, quick-connect coupling at floor. Socket with 1-1/2" female pipe threads to be connected by plumbing contractor to the waste stub-up in floor pit.

Work surface, sink and raised service turrets are molded in one piece from black fiberglass reinforced polyester. An integral raised marine edge is incorporated at the work surface perimeter. Work surface is supported by a molded fiberglass reinforced polyester shell, in natural almond color. The shell is structurally reinforced and provides a complete protective envelope for plumbing and electrical wires. The fiberglass work surface and the support shell are fabricated of vinyl-ester gel coats and special polyester resins formulated to provide exceptional chemical resistance and rated as not-burning per A. S. T. M., D-635 burn test. The hexagon pedestal base is 10 gauge formed steel finished black and has two removable access panels. The three feet have nonskid, composition bottom leveling glides.

Cold water and gas piping within the support shell connecting the fixtures to each other and to the hose assemblies must be furnished and installed by the plumbing contractor. Traps must be furnished by and installed below the floor level by the plumbing contractor. Electrical wire and conduit connecting the receptacles within the support shell must be furnished by and installed by the electrical contractor and must terminate with a flexible cord and a 3-wire, grounded plug. 2009




Tri-Fascia Ventilation Enclosure/Service Island

6198 Tri-Fascia Ventilated Work Center/Service Island Dimensions:

Overall Work Surface

70" W x 84" H 35-3/4" W on three sides, 20-3/4" W on three sides, and 36" H.



Caution: This is not a Fume Hood and must not be expected to function as one. Please refer to CampbellRhea's LabShield[™] Fume Hood catalog if fume hood is desired.

Equipment: One multi-service fixture containing one cold water faucet and two gas cocks; three duplex G F I C receptacles; and one epoxy resin oval cup sink, 3" x 6"; three rod sockets with three, 18" burette rods; three vapor-tight incandescent light fixtures (bulbs are not included) and one light switch. Top is 1" Rhearesin. Blower, motor and switch must be ordered separately.


Access to the work center is gained through three openings, 44" W and 28" H. Each opening is equipped with a hinged, 19" safety panel, which can be lowered to increase air velocity through the hood opening.

The support shell and the top of the superstructure are molded of glass- reinforced polyester with a chemical resistant smooth surface coating, white in color. The 20" square pedestal base is constructed of 10 gauge formed steel, finished black, and has two removable access panels.


The sides of the superstructure are constructed of shaped, 1/4" smoke colored polycarbonate panels. Three vapor-tight light fixtures (bulbs not included) are provided in the superstructure.


The 8-5/8" diameter center exhaust column provides exhaust at the work surface or at the top plenum, depending on the positioning of the damper. An 11" diameter exhaust duct stub is provided in the top of the superstructure for exhausting through the ceiling. Pressure drop through the hood will not exceed 3/4" W.C. Exhaust volume required equals 1500 C.F.M.

Wood Open Frame Tables



6184 **Four Student Table** Dimensions: L W н Overall 54" 24"-42" 30" Top is 1" thick - specify material.





{4-7/8" H. Rails}

PEDESTAL TABLE With Tote Tray Glides (Tote Trays Are Not Included)

TELESCOPING LEG with Glide

Heavy-duty, telescoping stainless steel leg with heavy-duty non-marring glide. Allows for 30" to 37" table height adjustability. Stainless steel lock-pin rod slides into aluminum guides on each side and passes completely through the 2-1/4" solid lumber leg and predrilled telescoping leg. Lock pin is anchored to leg with 8" long, zinc plated steel check chain attached with a tamper free screw. Not available on Pedestal Tables. See Suffix Notes below to specify this leg.



	PLAIN	TABLES WI		TABLES WITH	1	PEDESTAL	-
TOP SIZE	TABLES	COMPART	IENTS	DRAWERS		TABLES	
	Catalog	Catalog		Catalog		Catalog	Pairs o
Length/Width*	No.	No.	Compts.	No.	Drawers	No.	Glides
48" x 21"	6500	6500C	2	6500D	2		
48"x 24"	6502	6502C	2	6502D	2		
54" x 21"	6504	6504C	2	6504D	2		
54" x 24"	6506	6506C	2	6506D	2	6506G	2
60" x 21"	6508	6508C	2	6508D	2		
60" x 24"	6510	6510C	2	6510D	2	6510G	2
60" x 30"	6512	6512C	2	6512D	2	6512G	2
60" x 36"*	6514	6514C	4	6514D	4	6514G	4
60" x 42"*	6516	6516C	4	6516D	4	6516G	4
64" x 24"	6518	6518C	2	6518D	2	6518G	2
64" x 30"	6520	6520C	2	6520D	2	6520G	2
64" x 36"*	6522	6522C	4	6522D	4	6522G	4
64" x 42"*	6524	6524C	4	6524D	4	6524G	4
72" x 24"	6526	6526C	2	6526D	2	6526G	2
72" x 30"	6528	6528C	2	6528D	2	6528G	2
72" x 36"*	6530	6530C	4	6530D	4	6530G	4
72" x 42"*	6532	6532C	4	6532D	4	6532G	4
84" x 24"	6534	6534C	3	6534D	3	6534G	3
84" x 30"	6536	6536C	3	6536D	3	6536G	3
84" x 36"*	6538	6538C	6	6538D	6	6538G	6
84" x 42"*	6540	6540C	6	6540D	6	6540G	6
96" x 24"	6542	6542C	4	6542D	4	6542G	4
96" x 24"		6544C	3	6544D	3	6544G	3
96" x 30"	6546	6546C	4	6546D	4	6546G	4
96" x 30"		6548C	3	6548D	3	6548G	3
96" x 36"*	6550	6550C	8	6550D	8	6550G	8
96" x 36"*		6552C	6	6552D	6	6552G	6
96" x 42"*	6554	6554C	8	6554D	8	6554G	8
96" x 42"*		6556C	6	6556D	6	6556G	6

MODIFICATIONS AND SUFFIX NOTES:

1. IF A TABLE 36" HIGH IS DESIRED, ADD THE SUFFIX -36- TO THE CATALOG NUMBER. EXAMPLE: 6500-36. 2. IF A TABLE WITH TELESCOPING LEGS IS DESIRED, ADD THE SUFFIX - A TO THE CATALOG NUMBER. EXAMPLE 6500-A

All tables shown in this schedule are built of FAS, or better grade Red Oak or White Maple, as specified.

Drawers are 14-1/2" W x 2-1/4" H x 15" D , I.D.

Table legs are equipped with die formed chemical resistant, hard plastic polyethylene leg shoes, with closed bottoms. If specified, master keyed locks can be furnished on tables with drawers.

MAINSTAY[™]: Metal Open Frame Tables



MAINSTAY, Metal Open Frame Tables

The black epoxy powder coated steel table frame - each side rail and two legs - is welded construction, with integral welded plate and welded 1/2" nut at attachment points inside the legs. Stabilizing end panel rail is attached with use of provided Allen wrench, 1/2" bolts and lock washers.

Tables are shipped knocked down. Front & back rails, and stabilizing end panels are predrilled for easy attachment of work surface. 1" thick, black Phenolic work surface is standard, and included. Each leg is equipped with a heavy-duty, 1" height adjustable threaded foot glide.

Work surface is shipped separately and overlaps the table frame by 1" on all sides. Other top materials are available if specified.

Dimensions below are overall and include the 1" work surface.

Dimensions, Overall, INCLUDING SPECIFIED 1" TOP:

Unit #	L	W	н
6506L	54"	24"	30"
6506L-34 (ADA)	54"	24"	34"
6506L-36	54"	24"	36"
6512L	60"	30"	30"
6512L-34 (ADA)	60"	30"	34"
6512L-36 CampbellRhea Science - 64	60"	30"	36"

Adjustable Tables with Hand Crank

Unit can be used by a wheelchair-bound student, as a basic classroom table, or as a satellite table with tri-fascia service islands, #6190, or #6195; casework service islands #6182, or #6188. Unit allows great laboratory/classroom flexibility, since it can be adjusted in height for a variety of purposes, or used as a basic, classroom table that meets ADA guidelines. Tables will support a 500 lbs. static load.

The hand-crank adjustable pedestal is constructed from cold rolled steel, with a black finish. Pedestal has an integral stabilizing rail. Rail and legs are designed with cutouts and can be used as electrical raceways. Pedestal feet are equipped with four glides. The hand-crank's gearing mechanism is enclosed within the pedestal. Unit is shipped knocked down, and handle can be mounted to the left or right at the time of assembly. Handle slides out for cranking adjustments, and then slips back beneath the table top when not in use.

Top material is 1" thick Rheatex. Tables with wood frames have a height adjustment of 27" to 36"; tables without the wood frame adjust from 24" to 36". Floor space between pedestal feet varies between 36" W and 48" W; see individual units listed below. Tables with wood frames have a 3" x 3/4" solid oak frame.

	36-1/2"	between feet		48-1/2" b	etween feet
Unit #	W	D	Unit #	W	D
8734	48"	24"	8738	54"	24"
8736	48"	30"	8740	54"	30"
			8742	60"	24"
			8744	60"	30"
			8746	64"	24"
			8748	64"	30"

Tables without Wood Frames - Height Adjustment: 24" to 36"							
	36" between feet			48" between feet			
Unit #	W	D	Unit #	W	D		
8696	48"	24"	8702	54"	24"		
8698	48"	30"	8704	54"	30"		
8700	48"	36"	8706	60"	24"		
			8708	60"	30"		
			8710	64"	24"		
			8712	64"	30"		
			8714	64"	36"		






Example: 8734

Example: 8696


Kneespace Components: Use in Base Cabinet Assemblies



Adjustable Kneespace Components: Customize to Fit at Job site

- Components 22" Deep are for 24" Deep tops
- Components 28" Deep are for 30" Deep tops
- All rails are 4-7/8" High by 3/4" , solid oak
- Available in plain rails only
- Units with legs will be shipped with 35" High legs, unless specified otherwise.

Designed to be used in casework assemblies, or with legs to right or left, and manufactured to be easily customized at the job site. Only available with plain rails, and in lengths listed. Lengths given are to be cut-to-fit. Shipped assembled, components may be dismantled, cut and reassembled to fit job site conditions (i.e., column in wall, sink in kneespace, offset walls, etc.). Leg height must be specified. Top is 1" thick, specify material.



22" Deep		Deep Iain Rails With		Deep lain Rails With		Deep Join Boile With
Adjustable, Plain Rails With Legs LEFT				RIGHT		lain Rails With RIGHT
Specify Leg Height	-	_eg Height	-	eg Height		.eg Height
Catalog #Length754224"754430"754635-1/4"754841-1/4"755047-1/4"755260"755472"755684"755896"20092009	Catalog # 7560 7562 7564 7566 7568 7570 7572 7574 7576	Length 24" 30" 35-1/4" 41-1/4" 47-1/4" 60" 72" 84" 96"	Catalog # 7578 7580 7582 7584 7586 7588 7590 7592 7594	Length 24" 30" 35-1/4" 41-1/4" 47-1/4" 60" 72" 84" 96"	Catalog # 7596 7598 7600 7602 7604 7606 7608 7610 7612 ampbell Rhea	Length 24" 30" 35-1/4" 41-1/4" 47-1/4" 60" 72" 84" 96" Science - 67

Find the specific item you are looking for from this Table of Content. Then using the Acrobat 'Edit' menu, select 'Search' or 'Find', enter the item name & click to connect to the catalog page(s) containing your selection.

ADA

TABLE OF CONTENTS for


ADA Compatible/Compliant Casework, Furniture & Equipment

<u>Item</u>	<u>Pages</u>
ADA Standards	1
Base Cabinets 33" H 33" H Corner	2-6 7
Eyewash	10
Kneespace Components	8
Safety Center	10
Shower & Eyewash	10
Sink & Casework Lab Station	9
Sink Closure Panel Assembly	8
Tables Adjustable	11
Wash up Sink	8

ADA Compliant vs. ADA Accessible

A variety of basic casework cabinetry has been designed to complete the laboratory or classroom assembly requirements for the physically challenged.

Casework units are 34 inches high *overall*, and 22-1/2 inches deep. One inch thick top material must be specified.



Numerous base cabinet design combinations meet the ADA's recommended dimensions. Work areas that meet the needs of the physically challenged are easily designed by including our casework assembly Lab Work Station, or our Kneespace Components.


However, and quite obviously, some casework unit designs are more ADA *accessible* than others. Base cabinets in 41-1/4", 58-1/4", or even 70-1/4" widths, are available in the 33" height; however, the designer must weigh the placement, both in the casework assembly and in the overall room layout, for these units to be truly usable by persons restricted to wheelchairs.

CampbellRhea's Design Engineering and Drafting Departments are prepared to assist in the coordination of functional preliminary designs that will meet ADA guidelines in your project. Contact your CampbellRhea distributor for access to this design service.

Casework in this specialized section has been designed to dimensionally meet ADA guidelines for accessibility; however, designers, architects and planners are advised to review and verify ADA requirements at the time of their project.

33" Base Cabinets - ADA Compliant Height

All units are 22-1/2" D, unless noted otherwise




Number Width 3680A 27" 3680B 30" 3680C 35-1/4"	II Number Width 3681A 24" 3681B 27" 3681C 30"	III2Individual CupboardsNumber3682A24"3682B27"3682C30"	Number Width 3683C 30" 3683D 35-1/4" 3683E 41-1/4"
3680D 41-1/4" 3680E 47-1/4"	3681D 35-1/4" 3681E 41-1/4" 3681F 47-1/4"	3682D 35-1/4" 3682E 41-1/4" 3682F 47-1/4"	3683F 47-1/4"
	4 1 1	3	4 11
NumberWidth3684A24"3684B27"3684C30"3684D35-1/4"3684E41-1/4"3684F47-1/4"	NumberWidth3685A24"3685B27"3685C30"3685D35-1/4"3685E41-1/4"3685F47-1/4"	NumberWidth3686A24"3686B27"3686C30"3686D35-1/4"3686E41-1/4"3686F47-1/4"	NumberWidth3687A24"3687B27"3687C30"3687D35-1/4"3687E41-1/4"3687F47-1/4"
3 	3 3		3
NumberWidth3688A24"3688B27"3688C30"3688D35-1/4"3688E41-1/4"3688F47-1/4"	Number Width 3690 47-1/4"	Number Width 3692 47-1/4"	NumberWidth3693A24"3693B27"3693C30"3693D35-1/4"3693E41-1/4"3693F47-1/4"
	3 — I — ·····		I — 3
NumberWidth3694A24"3694B27"3694C30"3694D35-1/4"3694E41-1/4"3694F47-1/4"2009	NumberWidth3695A24"3695B27"3695C30"3695D35-1/4"3695E41-1/4"3695F47-1/4"	NumberWidth3696A24"3696B27"3696C30"3696D35-1/4"3696E41-1/4"3696F47-1/4"	Number Width 3697A 24" 3697B 27" 3697C 30" 3697D 35-1/4" 3697E 41-1/4" 3697F 47-1/4" Campbell Rhea ADA - 3 ADA - 3

		4 	Pull Out 6-1/4 I 7-1/4 I File
NumberWidth3698A24"3698B27"3698C30"3698D35-1/4"3698E41-1/4"3698F47-1/4"	NumberWidth3699A24"3699B27"3699C30"3699D35-1/4"3699E41-1/4"3699F47-1/4"	NumberWidth3700A24"3700B27"3700C30"3700D35-1/4"3700E41-1/4"3700F47-1/4"	Number Width 3701E 41-1/4" 3701F 47-1/4"
	4 4		
NumberWidth3702A24"3702B27"3702C30"3702D35-1/4"3702E41-1/4"3702F47-1/4"	NumberWidth3703A24"3703B27"3703C30"3703D35-1/4"3703E41-1/4"3703F47-1/4"	NumberWidth3704A24"3704B27"3704C30"3704D35-1/4"3704E41-1/4"3704F47-1/4"	NumberWidth3705A24"3705B27"3705C30"3705D35-1/4"3705E41-1/4"3705F47-1/4"
6 6	3 - 1 		3 I
NumberWidth3706A24"3706B27"3706C30"3706D35-1/4"3706E41-1/4"3706F47-1/4"	NumberWidth3707A24"3707B27"3707C30"3707D35-1/4"3707E41-1/4"3707F47-1/4"	NumberWidth3708A24"3708B27"3708C30"3708D35-1/4"3708E41-1/4"3708F47-1/4"	NumberWidth3709A24"3709B27"3709C30"3709D35-1/4"3709E41-1/4"3709F47-1/4"
			- I - 3
Number Width 3710A 24" 3710B 27" 3710C 30" 3710D 35-1/4" 3710E 41-1/4" 3710F 47-1/4" 4 - Pampbell Phea ADA	NumberWidth3711A24"3711B27"3711C30"3711D35-1/4"3711E41-1/4"3711F47-1/4"	NumberWidth3712A24"3712B27"3712C30"3712D35-1/4"3712E41-1/4"3712F47-1/4"	Number Width 3713D 35-1/4" 3713E 41-1/4" 3713F 47-1/4" 2009

4 - Campbell Rhea ADA


	3 - I	- - - 4 - - - - - - - - - - - -	
NumberWidth3714D35-1/4"3714E41-1/4"3714F47-1/4"	Number Width 3715D 35-1/4" 3715E 41-1/4" 3715F 47-1/4"	Number Width 3716D 35-1/4" 3716E 41-1/4" 3716F 47-1/4"	Number Width 3717D 35-1/4" 3717E 41-1/4" 3717F 47-1/4"
	Image: Number Width 3718D 35-1/4" 3718E 41-1/4" 3718F 47-1/4"	- - - 3 I I I I Number Width 3719D 35-1/4" 3719E 41-1/4" 3719F 47-1/4"	- - - 4 I I I I Number Width 3720D 35-1/4" 3720E 41-1/4" 3720F 47-1/4"
- - - 3 - - - - Number Width	3 Number Width	4 4 Number Width	6
3721D 35-1/4" 3721E 41-1/4" 3721F 47-1/4"	3722A 24" 3722B 27" 3722C 30" 3722D 35-1/4" 3722E 41-1/4" 3722F 47-1/4"	3723A 24" 3723B 27" 3723C 30" 3723D 35-1/4" 3723E 41-1/4" 3723F 47-1/4"	3724A 24" 3724B 27" 3724C 30" 3724D 35-1/4" 3724E 41-1/4" 3724F 47-1/4"
3 	4 4 	- - 4 - - - - - -	6
NumberWidth3725A24"3725B27"3725C30"3725D35-1/4"3725E41-1/4"3725F47-1/4"2009	NumberWidth3726A24"3726B27"3726C30"3726D35-1/4"3726E41-1/4"3726F47-1/4"	NumberWidth3728A24"3728B27"3728C30"3728D35-1/4"3728E41-1/4"3728F47-1/4"	NumberWidth3729A24"3729B27"3729C30"3729D35-1/4"3729E41-1/4"3729F47-1/4"Campbell Rhea ADA - 5

4 4 	4 4 		3
NumberWidth3730A24"3730B27"3730C30"3730D35-1/4"3730E41-1/4"3730F47-1/4"	NumberWidth3731A24"3731B27"3731C30"3731D35-1/4"3731E41-1/4"3731F47-1/4"	Number Width 3734F 47-1/4"	Number Width 3735D 35-1/4" 3735E 41-1/4" 3735F 47-1/4"
Image: Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system Image with the system	- - - - - - 4 - - - - - - - 4 - - - - - - - 4 Number Width 3737F 47-1/4"	Number Width 3753A 12-3/8" 3753B 15-5/16" 3753C 18" 3753D 21" 3753E 24"	II Number Width 3755A 24" 3755B 27" 3755C 30" 3755D 35-1/4" 3755E 41-1/4" 3755F 47-1/4"
6" deep sink front 6" deep sink front Number Width 3757A 12-3/8" 3757B 15-5/16" 3757C 18" 3757D 21" 3757E 24"	II 6" deep sink front Number Width 3759A 24" 3759B 27" 3759C 30" 3759D 35-1/4" 3759F 41-1/4"	Number Width 3760 50-5/8"	Number Width 3762 50-5/8"
LI Number Width 3763 58-1/4"	(Same as 3762 except with a finished back.)		




33" **Cabinets - ADA Compliant Height** Corner

All units are 22-1/2" D, unless noted otherwise



Equipped with 1 adjustable shelf

Number Width 3794 34-1/4"



Equipped with 2 revolving metal shelves

Number 3796

Width 34-1/4" Campbell Rhea ADA - 7

Kneespace Components: ADA Compliant

7075

Kneespace components for ADA accessibility are designed for use in casework assemblies, or with legs to the left or right. Leg height of 33" must be specified. The 4-7/8" H x 3/4" solid lumber front rails are machined to allow appropriate clearance for use in ADA accessible areas. The ADA guidelines state that kneespace components allow a minimum of 30" of machined clearance area; therefore, components are available in 35-1/4", 41-1/4" or 47-1/4" widths.

Number	Width	Depth
7075A	30"	22"
7075 B	35-	22"
7075 C	41-1/4"	22"
7075 D	47-1/4"	22"
<u>Number</u>	Width	<u>Depth</u>
<u>LEGS LEFT</u>		
7076 A	35-1/4"	22"
7076 B	41-1/4"	22"
7076 C	47-1/4"	22"
<u>LEGS RIGHT</u>		
7077 A	35-1/4"	22"
7077 B	41-1/4"	22"
7077 C	47-1/4"	22"

7076


ADA Closure Panel Assembly

8760 ADA Closure Panel

W (Specify)	H	D
Overall 30" - 48"	33"	22-1/2"
8762 ADA Closure Pan W (Specify) Overall 48" - 60"	el H 33"	D 22-1/2"

Closure panel assembly is designed to conceal plumbing, service piping and underneath area of installed sink, while providing for wheelchair access.

Note: Sink and waste are not included.




ADA Accessible, Wash Up Sink & Counter

8815 ADA Accessible Rinse Sink with Counter

Dimensions:	W	Н	D
Overall	80"	41"	24"
Countertop		33" & 36"	
Base Cabinet (2), O D	24"	35"	22-1/2"
Kneespace, O D	30"		
Cupboard (2), I D	22-1/2"	29-1/4"	20-3/4"
Drawers (1), I D	20-1/2"	6"	17"

Assembly designed to include provisions for wheelchair space at sink and services. Rinse counter provides a long sloped counter, integral sink, continuous raised edges and coved corners to retain spilled materials and liquids. Top assembly is one piece, fiberglass reinforced polyester, almond in color, with highly durable surface. Sink assembly has bi-level work surfaces to accommodate recommended maximum 34" wheelchair height and 36" for stand up height. Stand up work surface slopes toward wheelchair work surface, which in turn, slopes toward integral sink. Molded integral sink is sloped from front to back with overall depth not to exceed 6-1/2" D. A molded integral ledge is located at rear of sink to accommodate services. Casework assembly consists of one, 1278L cabinet, and one 2338 sink cabinet (without sink hangers). A removable one piece closure panel conceals sink service piping. Unit has one hot and cold water mixing faucet with wrist blade handles.



ADA Accessible, Casework Lab Station

8774 Casework Laboratory Work Station


Dimensions	W	D	н
Overall	36-3/4"	24"	33"

Equipment: One epoxy resin sink, 15" x 11" x 5-1/2" O.D.; one hot and cold water gooseneck faucet with 4" wrist handles and aerator; one single gas cock; one duplex AC pedestal receptacle, GFCI type, 20 amp; one, 1-1/2" epoxy resin sink outlet; one #9632 "P" trap assembly. One inch thick top with 1/4" thick, flush fitting sink cover; specify top material.


Sink cabinet is rigidly constructed with a full horizontal top frame, top vertical rails at front and rear, and a vertical rear panel at bottom for additional rigidity. Double-walled end panels provide space for retraction of pocket doors. Door pulls are AL-2 style, a 3/8" round aluminum wire type, 4-3/8" long for ample finger hold. Doors do not extend more than 1" past front edge of counter top when in full retracted position. Toe rails fold back, and cupboard bottom hinges up and locks in place to cover sink, trap and piping. In up, locked position, this provides approved clearance space for wheelchair access. Interior side panels are removable for access to door hardware. All interior panels are oak plywood finished to match exterior casework.

8778 Casework Laboratory Work Station

Same as 8774, except 41-1/4" wide.



Mobile, ADA Accessible Lab Station



6007 Mobile, ADA Accessible Lab Station

Dimensions:	W	D	н
Overall	65-3/4"	30"	32"
Wheelchair access	32"	30"	30"

Equipment: One cold water fixture with electric pump and two 3-way switches. One each, 2-1/2 gallon polyethylene carboy for supply and waste. One epoxy resin cup sink, 3" x 6" diameter. One gas cock and one air cock with 10 foot supply hose. (Note: Gas and air supply must be provided from fixed sources in classroom or lab. As a safety precaution, no propane, gas or oxygen cannisters should be contained within the unit.) Four, 5" diameter casters - two rigid, two swivel with locks. One aluminum crossbar assembly with two rod sockets. One 25 foot electric supply cord, 16-3SJ with plug (NEMA S-15P), one automatic rewind reel. Carboys, electric pump and cord with its rewind wheel are housed in the two door cupboard on one end of unit. The other end unit has two drawers with a pullout board on one side, and three drawers with a pullout writing board on the opposite side. Unit is equipped with three duplex, 15 amp. 120 volt AC receptacles; one is GFCI type for complete circuit protection. Support frame for top is 1" x 2-1/2" steel tubing, with black acid resistant finish. Top is 1" thick - specify material desired. 2009

1

ADA Barrier-Free Safety Center & Safety Station



9617 Barrier-Free Emergency Shower & Eyewash

Dimensions: Overall, 7'6" H.

Equipment: 10" diameter orange ABS plastic shower head extends 32" from support pipe, allowing wheel chair maneuverability. A Full flow, stay-open valve is operated by the pull rod and handle. Shower operates until handle is pushed up to close valve. Pull rod has been lengthened to 38" for accessibility.

The eye and face wash unit has a 12" stainless steel bowl and four gentle spray outlet heads, each with a self-regulating volume control, removable spray cover, and a reticulated polyurethane filter o remove particles from the water. The frame assembly is extended 25" from the support pipe and lowered to 31" high to be accessible from a wheel chair. The full flow stay-open ball valve is operated by a die cast aluminum flat/paddle handle, 26-1/2 " from the floor. Eye/face wash operates until the valve is manually closed.

Unit is furnished with a 9" diameter aluminum floor flange and intermediate galvanized pipe and fittings. Both inlet and outlet are 1-1/4" IPS female.




6774A Barrier-Free Safety Center

Dimensions Overall	W	D	н	
	35-1/4"		22-1/2"	84"

Lower section is designed to provide access for a wheelchair to the eyewash fountain, and specially designed offset shower head with extended pull rod. Closure panels conceal service piping.

Upper section with two fixed shelves provides storage space for sand bucket, blankets, fire extinguisher, first-aid kit and other emergency supplies (not included)

Equipment One stainless steel surface mounted eyewash fountain; one emergency shower head with pull chain. Deck top is 3/4" white laminated plastic.





9622 ADA Accessible Recessed Eye Wash with Drain Pan

Handicapped accessible wall mounted eye/face wash with stainless steel cover and drain pan. Opening cover pulls outlet head assembly down from vertical to horizontal position and activates water flow. Horizontal grab bar is easily grasped and pulled in an emergency. While unit is in operation, waste water is collected by drain pan and returned into unit for drainage. Unit remains in operation until cover is returned to a closed position.

Spray head assembly has two spray heads mounted on supply arms. Each spray head has internal flow control and filter to remove impurities from water.

Valve: 1/2" IPS brass stay-open ball valve. 1/2" IPS female inlet. Waste 1-1/2" OD chrome plated brass.

Adjustable Tables with Hand Crank

Unit can be used by a wheelchair-bound student, as a basic classroom table, or as a satellite table with tri-fascia service islands, #6190, or #6195; casework service islands #6182, or #6188. Unit allows great laboratory/classroom flexibility, since it can be adjusted in height for a variety of purposes, or used as a basic, classroom table that meets ADA guidelines. Tables will support a 500 lbs. static load.

The hand-crank adjustable pedestal is constructed from cold rolled steel, with a black finish. Pedestal has an integral stabilizing rail. Rail and legs are designed with cutouts and can be used as electrical raceways. Pedestal feet are equipped with four glides. The hand-crank's gearing mechanism is enclosed within the pedestal. Unit is shipped knocked down, and handle can be mounted to the left or right at the time of assembly. Handle slides out for cranking adjustments, and then slips back beneath the table top when not in use.

Top material is 1" thick Rheatex. Tables with wood frames have a height adjustment of 27" to 36"; tables without the wood frame adjust from 24" to 36". Floor space between pedestal feet varies between 36" W and 48" W; see individual units listed below. Tables with wood frames have a 3" x 3/4" solid oak frame.

	36-1/2"	between feet	48-1/2" between feet			
Unit #	W	D	Unit #	W	D	
8734	48"	24"	8738	54"	24"	
8736	48"	30"	8740	54"	30" 24" 30"	
			8742	60"	24"	
			8744	60"	30" 24" 30"	
			8746	64"	24"	
			8748	64"	30"	

		Tables without Wood Fr	ames - Heigl	nt Adjustm	ent: 24" to 36"	
	36"	between feet	48" between feet			
Unit #	W	D	Unit #	W	D	
8696	48"	24"	8702	54"	24"	
8698	48"	30"	8704	54"	30"	
8700	48"	36"	8706	60"	24"	
			8708	60"	30"	
		~	8710	64"	24"	
			8712	64"	30"	
			8714	64"	36"	